

United States of America Department of Homeland Security United States Coast Guard

Certification Date: 08 Aug 2019 Expiration Date: 08 Aug 2024

Certificate of Inspection

For ships on international voyages this certificate fulfills the requirements of SOLAS 74 as amended, regulation V/14, for a SAFE MANNING DOCUMENT.

Vessel Name	Official Number	. IMO Number	Call Sign	Service	
E2MS 107	1294679			Tank Barge	
Hailing Port					
NEW ORLEANS, LA	Hull Material	Horsepower	Propulsion		
NEW ORLEANS, EA	Steel				
UNITED STATES					

 Place Built
 Delivery Date
 Keel Laid Date
 Gross Tons
 Net Tons
 DWT
 Length

 CARUTHERSVILLE, MO
 08Aug2019
 18Jul2019
 R-735
 R-735
 R-200.0

UNITED STATES

AMERICAN INLAND MARINE LLC 3838 NORTH CAUSEWAY BLVD STE 3335 METAIRIE, LA 70002 UNITED STATES Operator
FLORIDA MARINE LLC
2360 Fifth Street
MANDEVILLE, LA 70471
UNITED STATES

This vessel must be manned with the following licensed and unlicensed Personnel. Included in which there must be 0 Certified Lifeboatmen, 0 Certified Tankermen, 0 HSC Type Rating, and 0 GMDSS Operators.

0 Masters	0 Licensed Mates	0 Chief Engineers	0 Oilers
0 Chief Mates	0 First Class Pilots	0 First Assistant Engineers	
0 Second Mates	0 Radio Officers	0 Second Assistant Engineers	
0 Third Mates	0 Able Seamen	0 Third Assistant Engineers	
0 Master First Class Pilot	0 Ordinary Seamen	0 Licensed Engineers	
0 Mate First Class Pilots	0 Deckhands	0 Qualified Member Engineer	

In addition, this vessel may carry 0 Passengers, 0 Other Persons in crew, 0 Persons in addition to crew, and no Others. Total Persons allowed: 0

Route Permitted And Conditions Of Operation:

---Lakes, Bays, and Sounds---

Also, in fair weather only, not more than twelve (12) miles from shore between St. Marks and Carrabelle, Florida.

This vessel has been granted a fresh water service examination interval in accordance with 46 CFR Table 31.10-21(b); if this vessel is operated in salt water more than six (6)months in any twelve (12) month period, the vessel must be inspected using salt water intervals and the cognizant OCMI notified in writing as soon as this change in status occurs.

This tank barge is participating in the Eighth-Ninth Coast Guard District's Tank Barge Streamlined Inspection

SEE NEXT PAGE FOR ADDITIONAL CERTIFICATE INFORMATION

With this Inspection for Certification having been completed at Memphis, TN, UNITED STATES, the Officer in Charge, Marine Inspection, Sector Lower Mississippi River certified the vessel, in all respects, is incomformity with the applicable vessel inspection laws and the rules and regulations prescribed thereunder.

Annual/Periodic/Re-Inspection		spection	This Amended certificate issued by:		
Date	Zone	A/P/R	Signature	W.S. Wallen CDR, USCG By direction	
16Jul2020	SEC HouGalvstn	Α	WILLIAMS ANTHONY	Officer in Charge, Marine Inspection	
				Sector Lower Mississippi River	
				Inspection Zone	



United States of America Department of Homeland Security United States Coast Guard

Certification Date: 08 Aug 2019 Expiration Date: 08 Aug 2024

Certificate of Inspection

Vessel Name: E2MS 107

Program (TBSIP). Inspection activities aboard this barge shall be conducted in accordance with its Tank Barge Action Plan. Inspection issues concerning this barge should be directed to Sector New Orleans OCMI.

---Hull Exams---

Exam Type

Next Exam

Last Exam

Prior Exam

DryDock

31Aug2029

08Aug2019

Internal Structure

31Aug2024

08Aug2019

--- Liquid/Gas/Solid Cargo Authority/Conditions ---

Authorization:

GRADE "A" AND LOWER AND SPECIFIED HAZARDOUS CARGOES.

Total Capacity

Units

Highest Grade Type Part151 Regulated Part153 Regulated Part154 Regulated

10959

Barrels

Yes

No

No

Hazardous Bulk Solids Authority

Not Authorized

Loading Constraints - Structural

Tank Number	Max Cargo Weight per Tank (short tons)	Maximum Density (lbs/gal)
1C	510	13.6
2C	578	13.6
3C	510	13.6

Loading Constraints - Stability

Hull Type	Maximum Load (short tons)	Maximum Draft (ft/in)	Max Density (lbs/gal)	Route Description
1	1415	8ft 9in	13.6	R
1	1415	8ft 9in	13.6	LBS
II	1522	9ft 3in	13.6	R
II	1522	9ft 3in	13.6	LBS
III	1684	10ft 0in	13.6	LBS
Ш	1864	10ft 10in	13.6	R

Conditions Of Carriage

Per 46 CFR 150.130, the Person In Charge of the vessel is responsible for ensuring that the compatibility requirements of 46 CFR 150 are met. Cargoes must be checked for compatibility using the figures, tables, and appendices of 46 CFR 150 in conjunction with the reactive group numbers from the "Compat Group No" column listed in the vessel's Cargo Authority Attachment.

Only those cargoes named in the vessel's Cargo Authority Attachment may be carried, and then only in the tanks indicated. When the vessel is carrying cargoes containing greater than 0.5% benzene, the person in charge is responsible for ensuring the provisions of 46 US Code of Federal Regulations Part 197, Subpart C are applied.

In accordance with 46 CFR Part 39, excluding part 39.4000, this vessel's vapor collection system has been inspected to the plans approved by MSC Letter C1-1902216 dated July 8, 2019 and has been found acceptable for the collection of bulk liquid cargo vapors annotated with "Yes" in the CAA's VCS column of the vessel's Cargo Authority Attachment. The VCS system has been approved with a pressure side 2.5 psig P/V valve with Coast Guard Approval 162.017/167/4. The cargo tank top is suitable for a maximum allowable working pressure (MAWP) of 3 psi. When the vessel is carrying cargoes containing greater than 0.5% benzene, the person in charge is responsible for ensuring the provisions of 46 US Code of Federal Regulations Part



United States of America Department of Homeland Security United States Coast Guard

Certification Date: 08 Aug 2019 Expiration Date: 08 Aug 2024

Certificate of Inspection

Vessel Name: E2MS 107

197, Subpart C are applied.

In accordance with 46 CFR Part 39.1017 and 39.5000(e) this vessel's VCS has been evaluated and approved for multi-breasted tandem loading with other vessels specifically approved to tandem load with this vessel.

The maximum design density of cargo which may be filled to the tank top is 8.74 lbs/gal. Cargoes with higher densities, up to 13.6 lbs/gal, may be carried as slack loads, but shall not exceed the tank weight limits as listed below.

Per 46 CFR 151.10-15(c)(2) the max. tank weights listed reflect uniform (within 5%) loading at the deepest draft allowed. When carrying Subchapter O cargoes at shallower drafts, the barge(s) should always be loaded uniformly.

--- Inspection Status ---

Fuel Tanks

Internal Examinations

Tank ID Previous Last Next
Bow - 10Jul2019 -

Cargo Tanks

	Internal Exam			External Exam	,	
Tank Id	Previous	Last	Next	Previous	Last	Next
1C	-	08Aug2019	31Aug2029	-	08Aug2019	31Aug2024
2C	-	08Aug2019	31Aug2029	-	08Aug2019	31Aug2024
3C	-	08Aug2019	31Aug2029	-	08Aug2019	31Aug2024
			Hydro Test			
Tank Id	Safety Valves		Previous	Last	Next	
1C	-		-	07Aug2019	-	
2C	-		-	07Aug2019		
3C	-		-	07Aug2019		

--- Fire Fighting Equipment ---

Fire Extinguishers - Hand portable and semi-portable

Quantity

Class Type

2

40-B

---Certificate Amendments---

Amending Unit Amendment Date Amendment Remark

Sector Houston/Galveston 16Jul2020 Completed Annual Inspection.

Sector Lower Mississippi 29Oct2020 Amended COI to reflect operator change

Sector Lower Mississippi 11Mar2022 Amended COI to reflect change of operator.

END