

Vessel Name

United States of America Department of Homeland Security United States Coast Guard

Certification Date: 10 Jan 2023 Expiration Date: 10 Jan 2028

Service

Certificate of Inspection

For ships on international voyages this certificate fulfills the requirements of SOLAS 74 as amended, regulation V/14, for a SAFE MANNING DOCUMENT.

IMO Number

Call Sign

Official Number

FMT 3080	11235	20				Tank Barge					
Hailing Port	н	ull Material	Horse	power	Propulsion						
NEW ORLEANS, LA		Steel	110136	spower	ropulsion						
LINITED CTATES		neei									
UNITED STATES											
Place Built											
MADISONVILLE, LA	Delive	ery Date	Keel Laid Date	Gross Tons	Net Tons	DWT	Length				
WADISON VIELE, EA	014	pr2002		R-1619 I-	R-1619 I-		R-297 5 I-0				
UNITED STATES				1-	1-		1-0				
Owner			Operato	r							
FMT INDUSTRIES LLC			•	RIDA MARIN							
2360 5TH STREET MANDEVILLE, LA 70471				Fifth Street deville, LA 70							
UNITED STATES				ED STATE:							
This vessel must be mann						hich there n	nust be				
0 Certified Lifeboatmen, 0	Certified Tankermer	1, 0 HSC	Type Rating,	and 0 GMDS	SS Operators.						
0 Masters	0 Licensed Mates	0 Chief E	Engineers	0 Oi	lers						
0 Chief Mates	0 First Class Pilots	0 First A	ssistant Enginee	rs							
0 Second Mates	0 Radio Officers	0 Second	d Assistant Engir	neers							
0 Third Mates	0 Able Seamen	0 Third A	Assistant Engine	ers							
0 Master First Class Pilot	0 Ordinary Seamen		ed Engineers								
0 Mate First Class Pilots	0 Deckhands		ed Member Engi								
In addition, this vessel may Persons allowed: 0	y carry 0 Passengers	, 0 Other	Persons in cre	ew, 0 Persor	ns in addition to	crew, and	no Others. Total				
Route Permitted And C	onditions Of Operat	ion:									
Lakes, Bays, and	•										
Also, in fair weather of Florida.	only, not more than	twelve	(12) miles f	rom shore	between St. M	Marks and C	Carrabelle,				
This vessel has been gr 21(b); if this vessel i vessel must be inspecte change in status occurs	s operated in salted using salt water	water m	ore than six	(6) month	s in any twel	ve (12) mo	onth period, the				

This tank barge is participating in the Eighth-Ninth Coast Guard District's Tank Barge Streamlined Inspection

With this Inspection for Certification having been completed at New Orleans, LA, UNITED STATES, the Officer in Charge, Marine Inspection, Sector New Orleans certified the vessel, in all respects, is in conformity with the applicable vessel inspection laws and

This certificate issued b

Officer in Charge, Marine Inspection

Inspection Zone

J. H. HART C

SEE NEXT PAGE FOR ADDITIONAL CERTIFICATE INFORMATION

Signature

Dept. of Home Sec., USCG, CG-841 (Rev 4-2000)(v2)

Date

the rules and regulations prescribed thereunder.

Zone

Annual/Periodic/Re-Inspection

A/P/R

R by direction

Sector New Orleans



United States of America **Department of Homeland Security United States Coast Guard**

10 Jan 2023 Certification Date: **Expiration Date:** 10 Jan 2028

Certificate of Inspection

Vessel Name: FMT 3080

Program (TBSIP). Inspection activities aboard this barge shall be conducted in accordance with its Tank Barge Action Plan. Inspection issues concerning this barge should be directed to Sector New Orleans OCMI.

---Hull Exams---

Exam Type

Next Exam

Last Exam

Prior Exam

DryDock

31Mar2032

28Dec2022

08Mar2012

Internal Structure

31Mar2027

19Dec2022

03Oct2017

--- Liquid/Gas/Solid Cargo Authority/Conditions ---

GRADE "A" AND LOWER AND SPECIFIED HAZARDOUS CARGOES.

Total Capacity

Units

Highest Grade Type Part151 Regulated Part153 Regulated Part154 Regulated

29580

Barrel

Α

Yes

No

· No

Hazardous Bulk Solids Authority

Loading Constraints - Structural

Tank Location Description

Max Cargo Weight per Tank (short tons)

Maximum Density (lbs/gal)

1 P/S

837

13.60

2 P/S

789

13.60

3 P/S

752

13.60

Loading Constraints - Stability

Hull Type

Maximum Load (short tons)

Maximum Draft

Max Density

Route Description

Ш

3545

(ft/in) 9ft 6in (lbs/gal) 13.60

River, Lakes, Bays and Sounds

Ш

4532

11ft 6in

13.60

Rivers, Lakes, Bays and Sounds

Conditions Of Carriage

Only those specified hazardous cargoes named in the vessel's Cargo Authority Attachment (CAA), #C1-1303585, dated 23OCT13, and Grade "A" and lower cargoes may be carried, and then only in the tanks indicated.

Per 46 CFR 150.130, the Person in Charge of the vessel is responsible for ensuring that the compatibility requirements of 46 CFR 150 are met. Cargoes must be checked for compatibility using figures, tables and appendices of 46 CFR 150 in conjunction with the compatibility group numbers from the "COMPAT GRP" column listed in the vessel's CAA.

When the vessel is carrying cargoes containing greater than 0.5% benzene, the Person In Charge is responsible for ensuring the provisions of 46 CFR 197, Subpart C are applied.

Stability and Trim

Cargo tanks must be loaded uniformly whenever a 46 CFR Subchapter "O" cargo is carried; for trim purposes, the weight of cargo in each tank may exceed the uniformly loaded tank cargo weight by at most 5 percent.

Vapor Control Authorization

In accordance with 46 CFR 39, excluding 46 CFR 39.40, this vessel's vapor control system has been inspected to the plans approved by Marine Safety Center letter Serial #T2-0003087 dated 01NOV00, and the list of authorized cargoes on the CAA, Serial #C1-1303585, dated 23OCT13, and found acceptable for collection of bulk liquid cargo vapors annotated with "Yes" in the CAA's VCS column.

--- Inspection Status ---



United States of America Department of Homeland Security United States Coast Guard

Certification Date: 10 Jan 2023 Expiration Date: 10 Jan 2028

Certificate of Inspection

Vessel Name: FMT 3080

Cargo Tanks						
	Internal Exam			External Exa	ım	
Tank ld	Previous	Last	Next	Previous	Last	Next
1 P/S	08Mar2012	22Dec2022	31Mar2032	377	(#.)i	I (e)
2 P/S	08Mar2012	22Dec2022	31Mar2032	140	3 4	286
3 P/S	08Mar2012	22Dec2022	31Mar2032		2	7.70
			Hydro Test			
Tank Id	Safety Valves		Previous	Last	Next	
1 P/S	-		-	-	40	
2 P/S	-		-	-	ā	
3 P/S	_		-	_		

--- Conditional Portable Fire Extinguisher Requirements---

Required Only During Transfer of Cargo or Operation of Barge Machinery

--- Fire Fighting Equipment ---

Fire Extinguishers - Hand portable and semi-portable

Quantity

Class Type

.

40-B

END



Dated:

C1-1303585 23-Oct-13

Certificate of Inspection

Cargo Authority Attachment

Vessel Name: FMT 3080 Official #: 1123520

Shipyard: Trinity Marine-Madisonvill

Hull #: 2104-1

46 CFR 151 Tank Group Characteristics Tank Group Information Cargo Identification			Tanks Cargo			Caro	go isfer	Enviro Contro	nmental	Fire	Special Requirements				
Tnk Grp Tanks in Group	Density Press Ten	Hull Typ			Vent	Gauge	Pipe Class	Cont	Tanks	Handling Space	Protection	General	Materials of Construction	Elec Haz	Temp Cont
A #1 - #3 P/S	13.6 Atmos Am	b. II	1ii 2ii	Integral Gravity	PV	Closed	П	G-1	NR	NA	Portable	50-73, 50-81(a),	55-1(b), (c), (e), (f), (h), (j), 56-1(a), (b), (c), (d), (e), (f), (g),	NR	No

Notes: 1, Under Environmental Control, Tanks, NR means that the tank group is suitable only for those cargoes which require no environmental control in the cargo tanks,

List of Authorized Cargoes

Cargo Identification	n					Conditions of Carriage							
				- 1			Vapor Re	-					
Name	Chem Code	Compat Group No	Sub Chapter	Grade	Hull Type	Tank Group	App'd (Y or N)	VCS Category	Special Requirements in 46 CFR 151 General and Mat'ls of	Insp. Period			
Authorized Subchapter O Cargoes													
Acetonitrile	ATN	37	0	С	113	А	Yes	3	No	G			
Acrylonitrile	ACN	15 ²	0	С	11	Α	No	N/A	50-70(a), 55-1(e)	G			
Adiponitrile	ADN	37	0	E	11	Α	Yes	1	No	G			
Alkyl(C7-C9) nitrates	AKN	34 2	0	NA	111	Α	No	N/A	50-81, 50-86	G			
Aminoethylethanolamine	AEE	8	0	E	III	А	Yes	1	.55-1(b)	G			
Ammonium bisulfite solution (70% or less)	ABX	43 2	0	NA	III	Α	No	N/A	50-73, 56-1(a), (b), (c)	G			
Ammonium hydroxide (28% or less NH3)	AMH	6	0	NA	111	Α	No	N/A	56-1(a), (b), (c), (f), (g)	G			
Anthracene oil (Coal tar fraction)	AHO	33	0	NA	11	Α	No	N/A	No	G			
Benzene	BNZ	32	0	С	111	Α	Yes	1	50-60	G			
Benzene or hydrocarbon mixtures (having 10% Benzene or more)	внв	32 2	0	С	111	Α	Yes	1	50-60	G			
Benzene or hydrocarbon mixtures (containing Acetylene and 10% Benzene or more)	ВНА	32 ²	0	С	Ш	А	Yes	1	50-60, 56-1(b), (d), (f) (g)	G			
Benzene, Toluene, Xylene mixtures (10% Benzene or more)	BTX	32	0	B/Ç	311	Α	Yes	1	50-60	G			
Butyl acrylate (all isomers)	BAR	14	0	D	111	А	No	N/A	50-70(a), 50-81(a) (b)	G			
Butyl methacrylate	вмн	14	0	D	Ш	Α	No	N/A	50-70(a), 50-81(a), (b)	G			
Butyraldehyde (all isomers)	BAE	19	0	С	Ш	А	Yes	1	55-1(h)	G			
Camphor oil (light)	CPO	18	0	D	11	Α	No	N/A	No	G			
Carbon tetrachloride	CBT	36	0	NA	111	Α	No	N/A	No	G			
Caustic potash solution	CPS	5 ²	0	NA	311	Α	No	N/A	50-73, 55-1(j)	G			
Caustic soda solution	CSS	5 ²	0	NA	111	Α	No	N/A	50-73, 55-1(j)	G			
Chemical Oil (refined, containing phenolics)	COD	21	0	E	11	Α	No	N/A	50-73	G			
Chlorobenzene	CRB	36	0	D	JII	Α	Yes	1	No	G			
Chloroform	CRF	36	0	NA	Ш	Α	Yes	3	No	G			
Coal tar naphtha solvent	NCT	33	0	D	111	Α	Yes	1	50-73	G			
Creosote	CCW	21 2	0	Е	111	Α	Yes	1	No	G			
Cresols (all isomers)	CRS	21	0	Е	111	Α	Yes	3	No	G			
Cresylate spent caustic	CSC	5	0	NA	111	Α	No	N/A	_50-73, _55-1(b)	G			
Cresylic acid tar	CRX	21	0	Е	111	Α	Yes	1	-55-1(f)	G			
Crotonaldehyde	CTA	19 ²	0	С	11	Α	No	N/A	55-1(h)	G			
Crude hydrocarbon feedstock (containing Butyraldehydes and Ethylpropyl acrolein)	CHG		0	С	Ш	А	Yes	1	No	G			
Cyclohexanone	CCH	18	0	Đ	111	Α	Yes	1	56-1(a), (b)	G			
Cyclohexanone, Cyclohexanol mixture	CYX	18 ²	0	E	Ш	Α	Yes	1	56-1 (b)	G			
Cyclohexylamine	СНА	7	Ö	D	III	А	Yes	1	.56-1(a), (b), (c), (g)	G			
Cyclopentadiene, Styrene, Benzene mixture	CSB	30	0	D	III	Α	Yes	1	50-60, 56-1(b)	G			

^{***} This document is only valid when attached to, and referenced by a current, valid Certificate of Inspection. ***

^{2.} Under Environmental Control, Handling Space, NR means that the tank group is suitable only for those cargoes which require no environmental control in the cargo handling space. NA means that the vessel does not have a cargo control space, and this requirement is not applied.

^{3.} Under Electrical Hazard Class, NA means that the tank group is suitable only for those cargoes which have no electrical hazard class requirement. NR means that the vessel has no electrical equipment located in a hazardous location.



Serial #: C1-1303585 Dated: 23-Oct-13

Certificate of Inspection

Cargo Authority Attachment

Vessel Name: FMT 3080

Shipyard: Trinity Marine-Madisonvill

Official #: 1123520		Р.	age 2	JI O					Hull #: 2104-1	
Cargo Identificatio	n								ions of Carriage	
Name	Chem Code	Compat Group No		Grade	Hull Type	Tank Group		VCS	Special Requirements in 46 CFR 151 General and Mal'ls of 50 70(a), 50 91(a), (b), 55-1(a)	Insp. Perio
so-Decyl acrylate	IAI	14	0	E	111	A	No	3	56-1(a) (b)	G
Dichlorobenzene (all isomers)	DBX	36	0	E	- 111	A	Yes		No	G
,1-Dichloroethane	DCH	36	0	C	HI	A	Yes	1	55-1(f)	G
2,2'-Dichloroethyl ether	DEE	41	0	D	11	Α	Yes	1	No	G
Dichloromethane	DCM		0	NA	Ш	A	Nο	N/A	56-1(a) (b) (c) (g)	G
2,4-Dichlorophenoxyacetic acid, diethanolamine salt solution	DDE	43	0	E	Ш	A	No	N/A		G
.4-Dichlorophenoxyacetic acid, dimethylamine salt solution	DAD	0 12	0	Α	111	Α	Nο	N/A	56-1(a), (b), (c), (g)	G
2,4-Dichlorophenoxyacetic acid, triisopropanolamine salt solution	DTI	43 2	0	Е	111	Α	No	N/A	56-1(a), (b), (c), (g)	G
,1-Dichloropropane	DPB	36	0	С	111	А	Yes	3	No	G
,2-Dichloropropane	DPP	36	0	С		A	Yes	3	No	
,3-Dichloropropane	DPC	36	Ω	С	III	Α	Yes	3	No	G
,3-Dichtoropropene	DPU	15	0	D	11	Α	No	N/A	No	G
Dichloropropene, Dichloropropane mixtures	DMX	15	0	С	H	Α	Yes	11	No	G
Diethanolamine	DEA	8	0	E	III	Α	Yes	1	55-1(c)	G
Diethylamine	DEN	7	0	С	III	А	Yes	3	55-1(c)	G
Diethylenetriamine	DET	7 2	0	Ε	111	Α	Yes	1	55-1(c)	G
Diisobutylamine	DBU	7	O	D	iii	Α	Yes	3	55-1(c)	G
Diisopropanolamine	DIP	8	0	Е	101	Α	Yes	1	_55-1(c)	G
	DIA	7	0	С	П	Α	Yes	3	55-1(c)	G
Diisopropylamine	DAC		0	E	Ш	Α	Yes		56-1(b)	G
N.N-Dimethylacetamide	DME		0	D	111	A	Yes	_	56-1(b), (c)	G
Dimethylethanolamine	DMF		0	D	111	A	Yes		55-1(e)	G
Dimethylformamide	DNA		0	С	ii	A	Yes		55-1(g)	G
Di-n-propylamine	DOT		0	E	111	A	No	N/A	.56-1(b)	G
Dodecyldimethylamine, Tetradecyldimethylamine mixture				#	11	A	No	N/A	- 100	G
Dodecyl diphenyl ether disulfonate solution	DOS		0				No	N/A		G
EE Glycol Ether Mixture	EEG		0	D	111	A			55-1(c)	G
Ethanolamine	MEA		0	E		A	Yes			G
Ethyl acrylate	EAC		0	С	Ш	Α	No	N/A		G
Ethylamine solution (72% or less)	EAN		0	А	II	Α	No	N/A		G
N-Ethylbutylamine	EBA	. 7	0	D	111	А	Yes		55-1(b)	
N-Ethylcyclohexylamine	ECC	7	0	D	111	А	Yes	: 1	55-1(b)	G
Elhylene cyanohydrin	ETC	20	0	E	- 111	Α	Yes	1_	No	Ğ
Ethylenediamine	EDA	7 2	0	D	Ш	Α	Yes	1	.55-1(c)	G
Ethylene dichloride	EDO	36 ²	0	С	111	Α	Yes	1	No	G
Ethylene glycol hexyl ether	EGI	40	0	Ε	111	Α	No	N/A	No	G
Ethylene glycol monoalkyl ethers	EGG	40	0	D/E		Α	Yes	1	No	G
Ethylene glycol propyl ether	EGF	9 40	O	Ë	iii	Ā	Ϋ́es	i 1	Mo.	G
2-Ethylhexyl acrylate	EAI	14	0	E	111	Α	No	N/A	50-70(a), 50-81(a), (b)	G
Ethyl methacrylate	ETN	A 14	0	D/E	III	Α	No	N/A	50-70(a)	G
2-Ethyl-3-propylacrolein	EPA		0	Е	Ш	Α	Yes	s 1	No	G
Formaldehyde solution (37% to 50%)	FMS		0	D/E		Α	Yes	s 1	,55-1(h)	G
•	FFA		0	D	111		Yes		55-1(h)	G
Furfural	GT/		0	NA	111		No		No	G
Glutaraldehyde solution (50% or less)	HM		0	E	Ш		Ye		55-1(c)	G
Hexamethylenediamine solution			0	С	11	A	Ye		56-1(b), (c)	G
Hexamethyleneimine	HM			C			Ye		50-70(a), 50-81(a), (b)	G
Hydrocarbon 5-9	HFI		0		Ш					G
Isoprene	IPR	30	0	А	111	Å	No	IN/A	50-70(a), 55-1(c)	G



Serial #: C1-1303585

Dated: 23-Oct-13

Certificate of Inspection

Cargo Authority Attachment

Vessel Name: FMT 3080

Official #: 1123520

Page 3 of 8

Shipyard: Trinity Marine-Madisonvill

Cargo Identification	1							Condi	tions of Carriage	6 CFR Insp						
3								Recovery								
Name	Chem	Compat Group No	Sub Chapter	Grade	Hull Type	Tank Group	App'd	VCS	Special Requirements in 46 CFR 151 General and Mat'ls of							
Kraft pulping liquors (free alkali content 3% or more)(including: Black, Green, or White liquor)	KPL	5	0	NA	III	А	No	N/A	50-73, 56-1(a), (c), (g)							
Mesityl oxide	MSO	18 ²	0	D	Ш	Α	Yes	1	No	G						
Methyl acrylate	MAM	14	0	С	111	А	No	N/A	50-70(a), 50-81(a), (b)	G						
Methylcyclopentadiene dimer	MÇK	30	0	С	Ш	Α	Yes	1	No	G						
Methyl diethanolamine	MDE	8	0	Ε	Ш	А	Yes	1	56-1(b), (c)	G						
2-Methyl-5-ethylpyridine	MEP	9	0	Е	111	А	Yes	1	55-I(e)	G						
Methyl methacrylate	MMM	14	0	С	III	А	No	N/A	50-70(a), 50-81(a), (b)	G						
2-Methylpyridine	MPR	9	0	D	10	А	Yes	3	55-I(c)	G						
alpha-Methylstyrene	MSR	30	0	D	III	А	No	N/A	50-70(a), 50-81(a), (b)	G						
Morpholine	MPL	7 2	0	D	111	А	Yes	1	.55-1(c)	G						
Nitroethane	NTE	42	0	D	Н	А	No	N/A	50-81, 56-1(b)	G						
1- or 2-Nitropropane	NPM	42	0	D	III	Α	Yes	1	50-81	G						
1,3-Pentadiene	PDE	30	0	A	Ш	Α	No	N/A	50-70(a), 50-81	G						
Perchloroethylene	PER	36	0	NA	Ш	А	No	N/A	No	G						
Polyethylene polyamines	PEB	7 2	0	E	111	Α	Yes	1	55-I(e)	G						
iso-Propanolamine	MPA	8	0	E	m	A	Yes	1	.55-1(c)	G						
Propanolamine (iso-, n-)	PAX	8	0	E	111	Α	Yes	1	56 I(b), (c)	G						
iso-Propylamine	IPP	7	0	A	н	A	No	N/A	,55·1(c)	G						
Pyridine	PRD	9	0	C	m.	A	Yes	1	55 1(e)							
Sodium acetate, Glycol, Water mixture (3% or more Sodium Hydroxid		5	0		III	A	No	N/A	50-73, 55-1(j)							
Sodium aluminate solution (45% or less)	SAU	5	0	NA	111	A	No	N/A	50-73, 56-1(a), (b), (c)							
	SDD	0 12		NA	111	A		N/A	50-73							
Sodium chlorate solution (50% or less)							No		50-73, 56-1(a), (b)							
Sodium hypochlorite solution (20% or less)	SHQ	5	0	NA	111	A	No	N/A	.50-73, .55-1(b)	G						
Sodium sulfide, hydrosulfide solution (H2S 15 ppm or less) Sodium sulfide, hydrosulfide solution (H2S greater than 15 ppm but	SSH	0 1.2		NA NA	10	A	Yes	1 N/A	.50-73, .55-1(b)	G						
less than 200 ppm)	001	0	0	1473	,,,,		140	13//-	* * * * * * * * * * * * * * * * * * * *							
Sodium sulfide, hydrosulfide solution (H2S greater than 200 ppm)	SSJ	0 12	0	NA	11	Α	No	N/A	50-73, 55-1(b)	G						
Styrene (crude)	STX	30	0	D	Ш	Α	No	N/A	No	G						
Styrene monomer	STY	30	0	D	III	Α	No	N/A	50-70(a), 50-81(a), (b)	G						
1,1,2,2-Tetrachloroethane	TEC	36	0	NA	- 111	Α	No	N/A	No	G						
Tetraethylenepentamine	TTP	7	0	Е	111	А	Yes	1	55-1(c)	G						
Tetrahydrofuran	THF	41	0	С	111	Α	Yes	1	50-70(b)	G						
Toluenediamine	TDA	9	0	Ε	П	Α	No	N/A	50-73, 56-1(a), (b), (c), (g)	G						
1,2,4-Trichlorobenzene	ТСВ	36	0	Ε	111	А	Yes	1	No	G						
1,1,2-Trichloroethane	TCM	36	0	NA	111	Α	Yes	1	50-73, 56-1(a)	G						
Trichloroethylene	TCL	36 ²	0	NA	III	Α	Yes	1	No	G						
1,2,3-Trichloropropane	TCN	36	0	Е	П	Α	Yes	3	50-73, 56-1(a)	G						
Triethanolamine	TEA	8 2	0	Е	111	А	Yes	1	55-1(b)	G						
Triethylamine	TEN	7	0	С	11	Α	Yes	3	55-1(e)	G						
Triethylenetetramine	TET	7 2	0	Ε	191	Α	Yes	1	55-1(b)	G						
Triphenylborane (10% or less), caustic soda solution	TPB	5	0	NA	111	A	No	N/A	.56-1(a), (b), (c)	G						
Trisodium phosphate solution	TSP	5	0	NA	111	A	No	N/A	.50-73, .56-1(a), (c)	G						
Urea, Ammonium nitrate solution (containing more than 2% NH3)	UAS	6	0	NA	111	A	No	N/A	56-1(b)	G						
Vanillin black liquor (free alkali content, 3% or more).	VBL	5	0	NA	HI	A	No	N/A	50-73, 56-1(a), (c), (g)	G						
Vinyl acetate	VAM	13	0	C	m	A	No	N/A	.50-70(a),50-81(a), (b)	G						
Vinyl neodecanate	VND	13	0	E	m	A	No	N/A	50-70(a), 50-81(a), (b)	G						
VinyItaluene	VNT	13	0	D	111	A	No	N/A	.50-70(a), .50-81, .56-1(a), (b), (c), (G						



Serial #: C1-1303585

23-Oct-13

Certificate of Inspection

Cargo Authority Attachment

Vessel Name: FMT 3080

Shipyard: Trinity Marine-

Madisonvill

Official #: 1123520

Page 4 of 8

Cargo Identification	n							Condi	tions of Carriage	
	1							Recovery		
Name	Chem	Group No	Sub Chapter	Grade	Type	Tank Group	App'd (Y or N)	VCS Category	Special Requirements in 46 CFR 151 General and Mat'ls of	Insp Period
Subchapter D Cargoes Authorized for Vapor Contr	_	Carlo Tale								
Acetone	ACT	18 2	D	С		Α	Yes	1		
Acetophenone	ACP	18	D	Е		Α	Yes	1		
Alcohol(C12-C16) poly(1-6)ethoxylates	APU	20	D	E		Α	Yes	1		
Alcohol(C6-C17)(secondary) poly(7-12)ethoxylates	AEB	20	D	E		Α	Yes	1		
Amyl acetate (all isomers)	AEC	34	D	D		Α	Yes	1		
Amyl alcohol (iso-, n-, sec-, primary)	AAI	20	D	D		Α	Yes	1		
Benzyl alcohol	BAL	21	D	E		Α	Yes	1		
Brake fluid base mixtures (containing Poly(2-8)alkylene(C2-C3) glycols, Polyalkylene(C2-C10) glycol monoalkyl(C1-C4) ethers, and their borate esters)	BFX	20	D	E		Α	Yes	1		
Butyl acetate (all isomers)	BAX	34	D	D		Α	Yes	1		
Butyl alcohol (iso-)	IAL	20 2	D	D		Α	Yes	1		
Butyl alcohol (n-)	BAN	20 2	D	D		Α	Yes	, ž		
Butyl alcohol (sec-)	BAS	20 ²	D	Ç		А	Yes	1		
Butyl alcohol (tert-)	BAT	20 2	D	С		Α	Yes	1		
Butyl benzyl phthalate	врн	34	D	E		А	Yes	1		
Butyl toluene	BUE	32	D	D		Α	Yes	1		
Caprolactam solutions	CLS	22	D	E		Α	Yes	1		
Cyclohexane	CHX	31	D	С		Α	Yes	1		
Cyclohexanol	CHN	20	D	E		Α	Yes	1		
p-Cymene	CMP	32	D	D		Α	Yes	1		
iso-Decaldehyde	IDA	19	D	E		A	Yes	1		
n-Decaldehyde	DAL	19	D	E		Α	Yes	1		
Decene	DCE	30	D	D		Α	Yes	4		
Decyl alcohol (all isomers)	DAX	20 2	D	Е		Α	Yes	1		
n-Decylbenzene, see Alkyl(C9+)benzenes	DBZ	32	D	Е		Α	Yes	1		
Diacetone alcohol	DAA	20 ²	D	D		Α	Yes	1		
ortho-Dibutyl phthalate	DPA	34	D	E		Α	Yes	1		
Diethylbenzene	DEB	32	D	D		Α	Yes	11		
Diethylene glycol	DEG	40 ²	D	E		А	Yes	1		
Diisobutylene	DBL	30	D	С		Α	Yes	1		
Diisobutyl ketone	DIK	18	D	D		Α	Yes	1		
Diisopropylbenzene (all isomers)	DIX	32	D	E		A	Yes	4		
Dimethyl phthalate	DTL	34	D	E		Α	Yes	1		
Dioctyl phthalate	DOP	34	D	E		Α	Yes	1		
	DPN	30	D	D		Α	Yes	1		
Dipentene	DIL	32	D	D/E		A	Yes	i		
Diphenyl Diphenyl other mixtures	DDO		D	E		A	Yes	1		
Diphenyl, Diphenyl ether mixtures	DPE	41	D	{E}		A	Yes	4		
Diphenyl ether	DPG	40	D	E		A	Yes	1		
Dipropylene glycol	DFG	33	D	E		A	Yes	1		
Distillates: Flashed feed stocks	DSR		D	E		A	Yes	1		
Distillates: Straight run	DOZ			D		A	Yes	1		
Dodecene (all isomers)			D	E		A	Yes	1		
Dodecylbenzene, see Alkyl(C9+)benzenes	DDB	32	D	D		A		1		
2-Ethoxyethyl acetate	EEA	34	D				Yes	1		
Ethoxy triglycol (crude)	ETG	40 34	D	E C		A	Yes	1		_



Serial #: C1-1303585 Dated: 23-Oct-13

Certificate of Inspection

Cargo Authority Attachment

Vessel Name: FMT 3080

Official #: 1123520

Page 5 of 8

Shipyard: Trinity Marine-Madisonvill

Cargo Identification	on							Conditions of Carriage
		_					Vapor I	Recovery
Name	Chem Code	Compat Group No	Sub Chapter	Grade	Hull :	Tank Group	App'd (Y or N)	VCS Special Requirements in 46 CFR Insp. Category 151 General and Mat'ls of Period
Ethyl acetoacetate	EAA	34	D	Е	. ,,	А	Yes	1
Ethyl alcohol	EAL	20 2	D	С		Α	Yes	. 1
Ethylbenzene	ETB	32	D	С		А	Yes	1
Ethyl butanol	EBT	20	D	D		А	Yes	1
Ethyl tert-butyl ether	EBE	41	D	С		Α	Yes	1
Ethyl butyrate	EBR	34	D	D		Α	Yes	1
Ethyl cyclohexane	ECY	31	D	D		Α	Yes	1
Ethylene glycol	EGL	20 ²	D	Е		Α	Yes	4
Ethylene glycol butyl ether acetate	EMA	34	D	E		Α	Yes	1
Ethylene glycol diacetate	EGY	34	D	Ε		Α	Yes	1
Ethylene glycol phenyl ether	EPE	40	D	E	-	Α	Yes	1
Ethyl-3-ethoxypropionate	EEP	34	D	D		Α	Yes	1
2-Ethylhexanol	EHX	20	D	Е		Α	Yes	i i
Ethyl propionate	EPR	34	D	С		A	Yes	1
Ethyl toluene	ETE	32	D	D		A	Yes	1
Formamide	FAM	10	D	E		A	Yes	1
Furfuryl alcohol	FAL	20 ²	D	E		A	Yes	1
Gasoline blending stocks: Alkylates	GAK	33	D	A/C		Α	Yes	1
Gasoline blending stocks: Reformates	GRF	33	D	A/C		Α	Yes	i i
Gasolines: Automotive (containing not over 4,23 grams lead per gallon)	GAT	33	D	С		А	Yes	i ·
Gasolines: Aviation (containing not over 4,86 grams of lead per gallon)	GAV	33	D	С		А	Yes	ĵ
Gasolines: Casinghead (natural)	GCS	33	D	A/C		Α	Yes	1
Gasolines: Polymer	GPL	33	D	A/C		А	Yes	1
Gasolines: Straight run	GSR	33	D	A/C		Α	Yes	1
Glycerine	GCR	20 2	D	Ε		Α	Yes	1
Heptane (all isomers), see Alkanes (C6-C9) (all isomers)	HMX	31	D	С		Α	Yes	1
Heptanoic acid	HEP	4	D	E		Α	Yes	1
Heptanol (all isomers)	HTX	20	D	D/E		А	Yes	1
Heptyl acetate	HPE	34	D	E		Α	Yes	1
Hexane (all isomers), see Alkanes (C6-C9)	HXS	31 ²	D	B/C		Α	Yes	1
Hexanoic acid	HXO	4	D	E		Α	Yes	1
Hexanol	HXN	20	D	D		Α	Yes	1
Hexylene glycol	HXG	20	D	Е		Α	Yes	1
Isophorone	IPH	18 ²	D	E		Α	Yes	i
Jet fuel: JP-4	JPF	33	D	Ε		Α	Yes	1
Jet fuel: JP-5 (kerosene, heavy)	JPV	33	D	D		Α	Yes	1
Kerosene	KRS	33	D	D		Α	Yes	Ĭ
Methyl acetate	MTT	34	D	D		Α	Yes	ř
Methyl alcohol	MAL	20 ²	D	С		A	Yes	1
Methylamyl acetate	MAC	34	D	D		A	Yes	1
Methylamyl alcohol	MAA	20	D	D		A	Yes	1
Methyl amyl ketone	MAK	18	D	D		A	Yes	i
Methyl tert-butyl ether	MBE	41 2	D	С		A	Yes	1
Methyl butyl ketone	MBK	18	D	С		A	Yes	1
Methyl butyrate	MBU	34	D	С		A	Yes	1
Methyl ethyl ketone	MEK	18 ²	D	С		A	Yes	1
Methyl heptyl ketone	MHK	18	D	D		A	Yes	1

^{***} This document is only valid when attached to, and referenced by a current, valid Certificate of Inspection. ***



Serial #: C1-1303585

23-Oct-13

Certificate of Inspection

Cargo Authority Attachment

Vessel Name: FMT 3080

Shipyard: Trinity Marine-

Madisonvill

Official #: 1123520

Page 6 of 8

Cargo Identifica	tion							Condi	tions of Carriage	
	- 4						Vapor I	Recovery		
	Chem	Comnat	Sub	Grade	Hull	Tank Group	App'd (Y or N)	VCS Category	Special Requirements in 46 CFR 151 General and Mat'ls of	Insp. Period
Name Methyl isobutyl ketone	Code	Group No 18 ²	Chapter D	С	Туре	А	Yes	1	131 Odiloral alla Mattis Of	i i enod
Methyl naphthalene (molten)	MNA	32	D	E		Α	Yes	1		
Mineral spirits	MNS	33	D	D		А	Yes	1		
Myrcene	MRE	30	D	D		Α	Yes	1		
Naphtha: Heavy	NAG	33	D	#		А	Yes	1		
Naphtha: Petroleum	PTN	33	D	#		Α	Yes	1		
Naphtha: Solvent	NSV	33	D	D		Α	Yes	4		
Naphtha: Stoddard solvent	NSS	33	D	D		Α	Yes	11		
Naphtha: Varnish makers and painters (75%)	NVM	33	D	С		Α	Yes	1		
Nonane (all isomers), see Alkanes (C6-C9)	NAX	31	D	D		Α	Yes	1		
Nonyl alcohol (all isomers)	NNS	20 ²	D	E		А	Yes	1		
Nonyl phenol	NNP	21	D	Е		Α	Yes	7		
Nonyl phenol poly(4+)ethoxylates	NPE	40	D	Е		Α	Yes	1		
Octane (all isomers), see Alkanes (C6-C9)	OAX	31	D	С		А	Yes	1		
Octanoic acid (all isomers)	QAY	4	D	Е		Α	Yes	1		
Octanol (all isomers)	OCX	20 2	D	E		Α	Yes	1		
Oil, fuel: No. 2	OTW	33	D	D/E		A	Yes	1		
Oil, fuel: No. 2-D	OTD	33	D	D		Α	Yes	1		
Oil, fuel: No. 4	OFR	33	D	D/E		Α	Yes	1		
Oil, fuel: No. 5	OFV	33	D	D/E		Α	Yes	1		
Oil, fuel: No. 6	OSX	33	D	Е		Α	Yes	1		
Oil, misc: Crude	OIL	33	D	A/D		Α	Yes	-1		
Oil, misc: Diesel	ODS	33	D	D/E		A	Yes	1		
Oil, misc: Gas, high pour	OGP	33	D	E		A	Yes	1		
Oil, misc: Lubricating	OLB	33	D	E		А	Yes	1		
Oil, misc: Residual	ORL	33	D	E		Α	Yes	1		
Oil, misc: Turbine	ОТВ	33	D	E		Α	Yes	10		
n-Pentyl propionate	PPE	34	D	D		Α	Yes	1		
alpha-Pinene	PIO	30	D	D		Α	Yes	1		
beta-Pinene	PIP	30	D	D		Α	Yes	1.		
Poly(2-8)alkylene glycol monoalkyl(C1-C6) ether	PAG	40	D	Ε		Α	Yes	1		
Poly(2-8)alkylene glycol monoalkyl(C1-C6) ether acetate	PAF	34	D	E		Α	Yes	1		
Polybutene	PLB	30	D	Е		Α	Yes	1		
Polypropylene glycol	PGC	40	D	E		Α	Yes	1		
iso-Propyl acetate	IAC	34	D	С		Α	Yes	1		
n-Propyl acetate	PAT	34	D	С		Α	Yes	1		
iso-Propyl alcohol	IPA	20 ²	D	C		А	Yes	3.		
n-Propyl alcohol	PAL	20 ²	D	С		Α	Yes	1		
Propylbenzene (all isomers)	PBY	32	D	D		Α	Yes	1		
iso-Propylcyclohexane	IPX	31	D	D		Α	Yes	1		
Propylene glycol	PPG	20 ²	D	E		Α	Yes	1		
Propylene glycol methyl ether acetate	PGN	34	D	D		Α	Yes	1		
Propylene tetramer	PTT	30	D	D		Α	Yes	1		
Sulfolane	SFL	39	D	E		Α	Yes	1		
Tetraethylene glycol	TTG	40	D	Е		Α	Yes	1		
Tetrahydronaphthalene	THN	32	D	E		Α	Yes	1		
Toluene	TOL	32	D	С		Α	Yes	1		
Tricresyl phosphate (less than 1% of the ortho isomer)	TCP	34	D	Е		Α	Yes	1		



Serial #: C1-1303585

23-Oct-13

Certificate of Inspection

Cargo Authority Attachment

Vessel Name: FMT 3080 Official #: 1123520

Page 7 of 8

Shipyard: Trinity Marine-Madisonvill

Cargo Ident	ification							Condi	tions of Carriage	
						Vapor Recovery				1
Name	Chem Code	Compat Group No	Sub Chapter	Grade	Hull Type	Tank Group	App'd (Y or N)	VCS Category	Special Requirements in 46 CFR 151 General and Mat'ls of	Insp. Period
Triethylbenzene	TEB	32	D	E		Α	Yes	1		
Triethylene glycol	TEG	40	D	E		Α	Yes	1		
Triethyl phosphate	TPS	34	D	E		- A	Yes	1		
Trimethylbenzene (all isomers)	TRE	32	D	{D}		Α	Yes	1		
Trixylenyl phosphate	TRP	34	D	Е		Α	Yes	1		
Undecene	UDC	30	D	D/E		Α	Yes	4		
1-Undecyl alcohol	UND	20	D	E		Α	Yes	1		
Xylenes (ortho-, meta-, para-)	XLX	32	D	D		Α	Yes	4		



Serial #: C1-1303585 Dated:

23-Oct-13

Certificate of Inspection

Cargo Authority Attachment

Vessel Name: FMT 3080 Official #: 1123520

Page 8 of 8

Shipyard: Trinity Marine-

Hull #: 2104-1

Explanation of terms & symbols used in the Table:

Cargo Identification

Compatability Group No.

Note 1

Note 2

Subchapter O

Grade

Hu# Type

NA

The proper shipping name as listed in 46 CFR Table 30.25-1, 46 CFR Table 151.05, and 46 CFR Part 153 Table 2. Name

The three letter designation assigned to the cargo in the Chemical Hazards Response Information System (CHRIS) Manual Chem Code

Certain mixtures of cargoes may not have a CHRIS Code assigned.

The cargo reactive group number assigned for compatibility determinations in 46 CFR Part 150 Tables I and II. In accordance with 46 CFR 150, 130, the Person-in-Charge of the barge is responsible for ensuring that the compatibility requirements of 46 CFR Part 150 are met. Cargoes must be checked for compatibility using the figures, tables and appendices of 46 CFR 150 in conjunction with the assigned reactive group number.

Because of the very high reactivity or unusual conditions of carriage or potential compatibility problems, this product is not assigned to a specific group in the Compatibility Chart. For additional compatibility information, contact Commandant (CG-3PSO-3), U.S. Coast Guard, 2100 Second Street, SW, Washington, DC 20593-0001, Telephone (202) 372-1425.

See Appendix I to 46 CFR Part 150 - exceptions to the compatability chart.

Subchapter The subchapter in Title 46 Code of Federal Regulations under which the cargo has been classified.

Subchapter D Those flammable and combustible liquids listed in 46 CFR Table 30,25-1

Those hazardous cargoes listed in 46 CFR Table 151.05 and 46 CFR Part 153 Table 2.

Those cargoes listed in 46 CFR Part 153 Table 2 are non-regulated cargoes when carried in bulk on non-oceangoing barges.

The cargo classification assigned to each flammable or combustible liquid. Grades inside of "{ }" indicate a provisional assignment based upon literature sources which were not verified by manufacturers data. The Person-in-Charge shall verify the cargo grade based on Manufacturers data and ensure that the barge is authorized for carriage of that grade of cargo

A. B. C Flammable liquid cargoes, as defined in 46 CFR 30-10 22

Combustible liquid cargoes, as defined in 46 CFR 30-10.15.

The [fammability/combustibility grade of these cargoes may vary depending upon the flashpoint and Reid vapor pressure. The Person-in-Charge shall verify the Note 4

cargo grade based on Manufacturers data and ensure that the barge is authorized for carriage of that grade of cargo.

Those subchapter O cargoes which are not classified as a flammable or combustible liquid NA

No flammability/combustibility grade has been assigned yet as the necessary flash point/vapor pressure data for such assignments are presently not available.

The required barge hull classification for carriage of the specified Subchapter O hazardous material cargo, see 46 CFR 151,10-1,

Designed to carry products which require the maximum preventive measures to preclude the uncontrolled release of the cargo. See 46 CFR 151,10-1(b)(1).

Designed to carry products which require significant preventive measures to preclude the uncontrolled release of cargo. See 46 CFR 151.10-1(b)(3).

Designed to carry products of sufficeint hazard to require a moderate degree of control. See 46 CFR 151,10-1(b)(4),

Not applicable to barges certificated under Subchapter D

Conditions of Carriage

Tank Group The vessel's tank group (as defined in Section 4) which is authorized for carriage of the named cargo

Vapor Recovery Yes: The vessel's VCS has been reviewed and approved by the MSC to control vapors of the specified cargo Approved (Y or N) No: The vessel's VCS has been reviewed and is not approved by the MSC to control vapors of the specified cargo

Conditions of Carriage

The vessel's tank group (as defined under the "46 CFR Tank Group Characteristics" listed on page 1) which is authorized for carriage of the named cargo, Tank Group

Vapor Recoven Yes: The vessel's VCS has been reviewed and approved by the MSC to control vapors of the specified cargo Approved (Y or N)

No: The vessel's VCS has been reviewed and is not approved by the MSC to control vapors of the specified cargo.

VCS Category: The specified cargo's provisional classification for vapor control systems (No additional VCS requirements above those for benzene, gasolines and crude oil) All requirements applying to the handling of oil and hazardous materials in Titles Category 1

33 and 46 Code of Federal Regulations (CFR) apply to these cargoes. Those specifically dealing with vapor control systems are in 33 CFR 155, 730, 33 CFR 156, 120.
33 CFR 156,170, 46 CFR 35,35 and 46 CFR 39. The cargo tank venting system calculations (46 CFR 39.20-11) and the pressure drop calculations (46 CFR 39.30-

1(b)) must use appropriate friction factors, vapor densities and vapor growth rates.

Category 2

(Polymerizes) Polymerization and residue build-up of these cargoes can adversely affect the vessel by fouling safety components and restricting vapor flow which could lead to cargo tank overpressurization. The vessel's owner must develop a method of ensuring all VCS safety components are functional and polymer build-up is not causing an unsafe condition due to increased pressure in the vapor control piping and cargo tanks. The method shall be acceptable to the local Officer in Charge. Marine Inspection. This is in addition to the requirements of Category 1. Please note that a material not normally considered a monomer can be a problem in detonation

(Highly toxic) VCSs for these toxic cargoes cannot use a spill valve or rupture disk as the primary means to meet the overfill protection requirement of 46 CFR 39.20-9. Category 3

This requirement is in addition to the requirements of Category 1

(Polymenzes and highly toxic) Must comply with requirements of Categories 1, 2 and 3 Category 4

(High vapor pressure) VCS pressure drop calculations for cargoes with a vapor pressure greater than 14.7 psia at 115 F must take into account increased vapor-air Category 5

mixture densities and vapor growth rates as compared to Category 1cargoes. Consult the Marine Safety Center's VCS Guidelines for further information.. This

requirement is in addition to the requirements of Category 1:

(High vapor pressure and highly toxic) Must comply with requirements of Categories 1, 3 and 5, Category 6

(High vapor pressure and polymerizes) Must comply with requirements of Categories 1, 2 and 5 Category 7

The cargo has not been evaluated/classified for use in vapor control systems none