

United States of America Department of Homeland Security United States Coast Guard

Certification Date: 06 Oct 2022 06 Oct 2027 **Expiration Date:**

Certificate of Inspection

For ships on international voyages this certificate fulfills the requirements of SOLAS 74 as amended, regulation V/14, for a SAFE MANNING DOCUMENT.

	8						
Vessel Name	Official Number	IMO Nur	mber	Call Sign	Service		
FMT 3106	1131669				Tank B	arge	
						_	
Hailing Port			=5(
NEW ORLEANS, LA	Hull Ma		sepower	Propulsion			
	Stee						
UNITED STATES							
ii.							
Place Built	Delivery Da	ite Keel Laid Date	Gross Tons	Net Tons	DWT	Length	
MADISONVILLE, LA	30Aug2	2002	R-1619	R-1619		R-297.5	
UNITED STATES	00/ tug2	2002	I- (5)	1-		I-0	
ONTED STATES							
			-				
Owner PASENTINE FAMILY ENT	TEDDDISES II C	Opera		IE I I C			
2360 FIFTH ST	ERPRISES LLC		RIDA MARIN D Fifth Street	NE LLC			
MANDEVILLE, LA 70471			deville, LA 70)471			
UNITED STATES		UNI	TED STATES	3			
				, in the second			
This vessel must be manne 0 Certified Lifeboatmen, 0					hich there mu	ust be	
0 Masters		Chief Engineers	0 Oi		- 3		
0 Chief Mates	0 First Class Pilots 0	First Assistant Engine	ers				
0 Second Mates	0 Radio Officers 0	Second Assistant Eng	ineers				16
0 Third Mates	0 Able Seamen 0	Third Assistant Engine	eers				
0 Master First Class Pilot	0 Ordinary Seamen 0	Licensed Engineers					
0 Mate First Class Pilots	0 Deckhands 0	Qualified Member Eng	ineer	_(4			
In addition, this vessel may	carry 0 Passengers, 0 0	Other Persons in cr	ew, 0 Persor	s in addition to	crew, and n	o Others. T	otal

Persons allowed: 0

Route Permitted And Conditions Of Operation:

---Lakes, Bays, and Sounds---

Also, in fair weather only, not more than twelve (12) miles from shore between St. Marks and Carrabelle, Florida.

This vessel has been granted a fresh water service examination interval in accordance with 46 CFR Table 31.10-21(b); if this vessel is operated in salt water more than six (6) months in any twelve (12) month period, the vessel must be inspected using salt water intervals and the cognizant OCMI notified in writing as soon as

This tank barge is participating in the Eighth-Ninth Coast Guard District's Tank Barge Streamlined Inspection

SEE NEXT PAGE FOR ADDITIONAL CERTIFICATE INFORMATION

With this Inspection for Certification having been completed at NEW ORLEANS, LA, UNITED STATES, the Officer in Charge, Marine Inspection, Sector New Orleans certified the vessel, in all respects, is in conformity with the applicable vessel inspection laws and the rules and regulations prescribed thereunder.

	Annual/Perio	odic/Re-Inspe	ction	This certificate issued by:
Date	Zone	A/P/R	Signature	J. H: HART COMMANDER, by direction
				Officer in Charge, Marine Inspection Sector New Orleans
				Inspection Zone



United States of America Department of Homeland Security **United States Coast Guard**

Certification Date: 06 Oct 2022 **Expiration Date:** 06 Oct 2027

Certificate of Inspection

Vessel Name: FMT 3106

Program (TBSIP). Inspection activities aboard this barge shall be conducted in accordance with its Tank Barge Action Plan. Inspection issues concerning this barge should be directed to Sector New Orleans OCMI.

Yes

---Hull Exams---

Exam Type

Next Exam

Last Exam .

Prior Exam

DryDock

31Dec2031

30Sep2022

22Dec2011

Internal Structure

30Sep2027

06Sep2022

19Oct2016

--- Liquid/Gas/Solid Cargo Authority/Conditions ---

Authorization:

GRADE "A" AND LOWER AND SPECIFIED HAZARDOUS CARGOES.

Total Capacity

Units

Highest Grade Type Part151 Regulated Part153 Regulated

Part154 Regulated

29830

Barrels

No

No

Hazardous Bulk Solids Authority

Loading Constraints - Structural

Tank Location Description	Max Cargo Weight per Tank (short tons)	Maximum Density (lbs/gal)
1 P/S	809	13.6
2 P/S	803	13.6
3 P/S	782	13.6

Loading Constraints - Stability

Hull Type	Maximum Load (short tons)	Maximum Draft (ft/in)	Max Density (lbs/gal)	Route Description
III.	3574	9ft 6in	13.6	Rivers, Lakes, Bays and Sounds
III	4561	11ft 6in	13.6	Rivers, Lakes, Bays and Sounds

Conditions Of Carriage

Only those specified hazardous cargoes named in the vessel's Cargo Authority Attachment (CAA), Serial C1-1303585, dated 23Oct2013 and Grade "A" and lower cargoes may be carried, and then only in the tanks indicated.

Per 46 CFR 150.130, the Person in Charge of the vessel is responsible for ensuring that the compatibility requirements of 46 CFR 150 are met. Cargoes must be checked for compatibility using figures, tables and appendices of 46 CFR 150 in conjunction with the compatibility group numbers from the "COMPAT GRP" column listed in the vessel's CAA.

When the vessel is carrying cargoes containing greater than 0.5% benzene, the Person In Charge is responsible for ensuring the provisions of 46 CFR 197, Subpart C are applied.

Stability and Trim

Cargo tanks must be loaded uniformly whenever a 46 CFR Subchapter "O" cargo is carried; for trim purposes, the weight of cargo in each tank may exceed the uniformly loaded tank cargo weight by at most 5 percent.

The maximum density of cargo which may be filled to the tank top is 8.745 lbs/gal. Cargoes with higher densities, up to 13.6 lbs/gal, may be carried as slack loads, but shall not exceed the tank weight limits as listed above.

Vapor Control Authorization

In accordance with 46 CFR 39, excluding 46 CFR 39.4000, this vessel's vapor control system has been inspected to the plans approved by Marine Safety Center letter Serial C1-1303585, dated 23Oct2013 and the list of authorized cargoes on the CAA, Serial C1-1303585, dated 23Oct2013 and found acceptable for collection of bulk liquid cargo vapors annotated with

"Yes" in the CAA's VCS column Dept, of Home Sec., USCG, CG-841 (Rev 4-2000)(v2)



United States of America Department of Homeland Security United States Coast Guard

Certification Date: 06 Oct 2022 Expiration Date: 06 Oct 2027

Certificate of Inspection

Vessel Name: FMT 3106

In accordance with 46 CFR Part 39.1017 and 39.5001(e) this vessel's VCS has been evaluated and approved for multi-breasted tandem loading with other vessels specifically approved to tandem load with this vessel.

--- Inspection Status ---

Cargo Tanks

	Internal Exam	9		External Exar	n	
Tank ld	Previous	Last	Next	Previous	Last	Next
1 P/S	22Dec2011	30Sep2022	31Dec2031	11	(e)	2 -2 00
2 P/S	22Dec2011	30Sep2022	31Dec2031	4	ise	<u>ت</u>
3 P/S	22Dec2011	30Sep2022	31Dec2031	ā		-
			Hydro Test			
Tank ld	Safety Valves	i	Previous	Last	Next	
1 P/S	×		(ac)	×		
2 P/S	2		100	=	·	
3 P/S	*		S#6	-	-	

--- Conditional Portable Fire Extinguisher Requirements---

Required Only During Transfer of Cargo or Operation of Barge Machinery

--- Fire Fighting Equipment ---

Fire Extinguishers - Hand portable and semi-portable

Quantity

Class Type

2

40-B

END



Certificate of Inspection

Cargo Authority Attachment

Vessel Name: FMT 3106
Official #: D1131669

Shipyard: Trinity Madisonville

Serial #:

Dated

C1-1303585

23-Oct-13

Hull #: 2111-1

Tank Group Information	Cargo Identification			i	Cargo	Tanks		Cargo Transfer		Environmental Control		Fire	Special Requirements				
Tnk Grp Tanks in Group	Density	Press	Temp	Hull Typ	Seg Tank	Туре	Vent	Gauge	Pipe Class	Cont	Tanks	Handling Space	Protection Provided	General	Materials of Construction		Temp Cont
A #1 - #3 P/S	13,6	Atmos	Amb	10	1# 2#	Integral Gravity	PV	Closed	П	G-1	NR	NA	Portable	.50-7350-81(a),	55-1(b), (c), (e), (f), (h), (j), 56-1(a), (b), (c), (d), (e), (f), (g),	NR	No

Notes: 1, Under Environmental Control, Tanks, NR means that the tank group is suitable only for those cargoes which require no environmental control in the cargo tanks.

- 2. Under Environmental Control. Handling Space, NR means that the tank group is suitable only for those cargoes which require no environmental control in the cargo handling space. NA means that the vessel does not have a cargo control space, and this requirement is not applied.
- 3. Under Electrical Hazard Class, NA means that the tank group is suitable only for those cargoes which have no electrical hazard class requirement. NR means that the vessel has no electrical equipment located in a hazardous location.

List of Authorized Cargoes

Cargo Identification	n					Conditions of Carriage						
		t			2043		Vapor R	,				
Name	Chem	Compat Group No	Sub Chapter	Grade	Hull Type	Tank Group	App'd (Y or N)	VCS Calegory	Special Requirements in 46 CFR 151 General and Mat'ls of	Insp. Period		
Authorized Subchapter O Cargoes					·π							
Acetonitrile	ATN	37	0	С	Ш	А	Yes	3	No	G		
Acrylonitrile	ACN	15 ²	0	C	11	Α	No	N/A	50-70(a), 55-1(e)	G		
Adiponitrile	ADN	37	0	Е	П	Α	Yes	1	No	G		
Alkyl(C7-C9) nitrates	AKN	34 2	0	NA	10	Α	No	N/A	,50-81, 50-86	G		
Aminoethylethanolamine	AEE	8	0	E	Ш	А	Yes	1	55-1(b)	G		
Ammonium bisulfite solution (70% or less)	ABX	43 2	0	NA	Ш	Α	No	N/A	,50-73, _56-I(a), (b), (c)	G		
Ammonium hydroxide (28% or less NH3)	AMH	6	0	NA	Ш	Α	No	N/A	.56-1(a), (b), (c), (f), (g)	G		
Anthracene oil (Coal tar fraction)	AHO	33	0	NA	II	Α	No	N/A	No	G		
Benzene	BNZ	32	0	С	III	Α	Yes	1	50-60	G		
Benzene or hydrocarbon mixtures (having 10% Benzene or more)	внв	32 ²	0	С	III.	A	Yes	1	50-60	G		
Benzene or hydrocarbon mixtures (containing Acetylene and 10% Benzene or more)	ВНА	32 ²	0	С	III	А	Yes	1	50-60, 56-1(b), (d), (f), (g)	G		
Benzene, Toluene, Xylene mixtures (10% Benzene or more)	BTX	32	0	B/C	111	A`	Yes	1	50-60	G		
Butyl acrylate (all isomers)	BAR	14	0	D	Ш	А	No	N/A	50-70(a), 50-81(a), (b)	G		
Butyl methacrylate	ВМН	14	0	D	111	Α	No	N/A	50-70(a), 50-81(a), (b)	G		
Butyraldehyde (all isomers)	BAE	19	0	С	Ш	Α	Yes	1	.55-1(h)	G		
Camphor oil (light)	CPO	18	0	D	П	Α	No	N/A	No	G		
Carbon tetrachloride	CBT	36	0	NA	H	· A	No	· N/A	No	G		
Caustic potash solution	CPS	5 ²	0	NA	Ш	Α	No	N/A	50-73, 55-1(j)	G		
Caustic soda solution	CSS	5 ²	0	NA	111	А	No	N/A	50-73, 55-1(j)	G		
Chemical Oil (refined, containing phenolics)	COD	21	0	E	11	Α	No	N/A	50-73	G		
Chlorobenzene	CRB	36	0	D	Ш	Α	Yes	1	No	G		
Chloroform	CRF	36	0	NA	Ш	Α	Yes	3	No	G		
Coal tar naphtha solvent	NCT	33	0	D	Ш	Α	Yes	1	50-73	G		
Creosote	CCW	21 2	0	Е	Ш	А	Yes	1	No	G		
Cresols (all isomers)	CŖS	21	0	Е	Ш	Α	Yes	1	No	G		
Cresylate spent caustic	CSC	5	0	NA	Ш	Α	No	N/A	50-73, 55-1(b)	G		
Cresylic acid tar	CRX	21	0	E	111	Α	Yes	1	.55-1(f)	G		
Crotonaldehyde	СТА	19 ²	0	С	11	Α	No	N/A	55-1(h)	G		
Crude hydrocarbon feedstock (containing Bulyraldehydes and Ethylpropyl acrolein)	CHG		0	С	Ш	А	Yes	1.	No	G		
Cyclohexanone	ССН	18	0	D	s; Illin	Α	Yes	1	.56-1(a), (b)	G		
Cyclohexanone, Cyclohexanol mixture	CYX	18 ²	0	E	III	А	Yes	1	56-1 (b)	G		
Cyclohexylamine	СНА	7	0	D	HI	Α	Yes	.1	.56-1(a), (b), (c), (g)	G		
Cyclopentadiene, Styrene, Benzene mixture	CSB	30	0	D	III	Α	Yes	3	50-60, 56-1(b)	G		

Serial #: C1-1303585



Certificate of Inspection

Cargo Authority Attachment

Vessel Name: FMT 3106 Official #: D1131669

Page 2 of 8

Shipyard: Trinity Madisonville

Cargo Identification	on					Conditions of Carriage					
							Vapor R	ecovery		1	
Name	Chem Code	Compat Group No	Sub Chapter	Grade	Hu ll Type	Lank Group	App'd (Y or N)	VCS Category	Special Requirements in 46 CFR 151 General and Mat'ls of	Insp Period	
iso-Decyl acrylate	IAI	14	0	Е	111	Α	No	N/A	50-70(a), 50-81(a), (b), 55-1(c)	G	
Dichlorobenzene (all isomers)	DBX	36	0	Е	III	Α	Yes	3	56-1(a), (b)	G	
1,1-Dichloroethane	DCH	36	0	С	Ш	А	Yes	1	No	G	
2,2'-Dichloroethyl ether	DEE	41	0	D	П	А	Yes	1	55-1(f)	G	
Dichloromethane	DCM	1 36	0	NA	Ш	А	No	N/A	No	G	
2,4-Dichlorophenoxyacetic acid, diethanolamine salt solution	DDE	43	0	Ε	111	Α	No	N/A	.56-1(a), (b), (c), (g)	G	
2,4-Dichlorophenoxyacetic acid, dimethylamine salt solution	DAD	0 1	2 0	Α	111	Α	No	N/A	56-1(a) (b) (c) (g)	G	
2,4-Dichlorophenoxyacetic acid, triisopropanolamine salt solution	DTI	43 2	0	E	111	Α	No	N/A	56-1(a), (b), (c), (g)	G	
1,1-Dichloropropane	DPB	36	0	С	III	Α	Yes	3	No	G	
1,2-Dichloropropane	DPP	36	0	С	ш	А	Yes	3	No	G	
1,3-Dichloropropane	DPC	36	0	С	111	А	Yes	3	No	G	
1,3-Dichloropropene	DPU	15	0	D	П	Α	No	N/A	No	G	
Dichloropropene, Dichloropropane mixtures	DMX	15	0	С	II	Α	Yes	1	No	G	
Diethanolamine	DEA		0	Ε	111	А	Yes	1	55-1(c)	G	
Diethylamine	DEN		0	С	Ш	Α	Yes	3	.55-1(c)	G	
Diethylenetriamine	DET	7 2	0	E	III	A	Yes	1	55-1(c)	G	
Diisobutylamine	DBU		0	D	III	A	Yes	3	.55-1(c)	G	
Diisopropanolamine	DIP	8	0	E	HI	A	Yes	1	.55-1(c)	G	
-:	DIA	7	0	C	II.	A	Yes	3	55-1(c)	G	
Diisopropylamine N.N. Dimethylacetomide	DAC		0	E	HI	A	Yes	3	56-1(b)	G	
N,N-Dimethylacetamide	DME		0		111	A	Yes	1	56-1(b), (c)	G	
Dimethylethanolamine	DMF		0	D	101	A	Yes	1	55-1(e)	G	
Dimethylformamide	DNA		0	C	11	A	Yes	3	55-1(c)	G	
Di-n-propylamine			0	E	Ш	A		N/A		G	
Dodecyldimethylamine, Tetradecyldimethylamine mixture	DOT		_				No	N/A		G	
Dodecyl diphenyl ether disulfonate solution	000		0	#	.#	Δ	No	_		G	
EE Glycol Ether Mixture	EEG		0	D	[]]	A	No	N/A	.55-1(c)	G	
Ethanolamine	MEA		0	E	111	A	Yes	1		G	
Ethyl acrylate	EAC		0	С	- 111	A	No	N/A		G	
Ethylamine solution (72% or less)	EAN		0	A	II	Α	Yes	6	55-1(b)	G	
N-Ethylbutylamine	EBA		0	D	Ш	А	Yes	3	55-1(b)		
N-Ethylcyclohexylamine	ECC		0	D	IFI	Α	Yes	1	55-1(b)	G	
Ethylene cyanohydrin	ETC		0	E	- 111	А	Yes	1	No	G	
Ethylenediamine	EDA		0	D	Ш	А	Yes	1	55-1(c)	G	
Ethylene dichloride	EDC		0	С	III	Α	Yes	1	No	G	
Ethylene glycol hexyl ether	EGH	ł 40	0	E	Ш	A	No	N/A		G	
Ethylene glycol monoalkyl ethers	EGO	40	0	D/E	III	Α	Yes	1	No	G	
Ethylene glycol propyl ether	EGF	40	0	Ε	ш	Α	Yes	1	No	G	
2-Ethylhexyl acrylate	EAI	14	0	E	III	Α	No	N/A		G	
Ethyl methacrylate	ETM	1 14_	0	D/E		Α	No	N/A	50-70(a)	G	
2-Ethyl-3-propylacrolein	EPA	19 2	0	Ε	[1]	Α	Yes	1	No	G	
Formaldehyde solution (37% to 50%)	FMS	19 ²	0	D/E	III	Α	Yes	1	.55-1(h)	G	
Furfural	FFA	19	0) D	Ш	А	Yes	1	55-1(h)	G	
Glutaraldehyde solution (50% or less)	GTA	19	0	NA	III	А	No	N/A	, No	G	
Hexamethylenediamine solution	HMC	7	0	E	III	А	Yes	1	55-1(c)	G	
Hexamethyleneimine	НМІ	7	0	С	IL	A	Yes	1	56-1(b), (c)	G	
Hydrocarbon 5-9	HFN	1	0	С	111	А	Yes	1	50-70(a), 50-81(a), (b)	G	
Isoprene	IPR	30	0	Α	311	Α	No	N/A	50-70(a), 50-81(a), (b)	G	
Isoprene, Pentadiene mixture	IPN		0	В	- 131	А	No	N/A	50-70(a), 55-1(c)	G	

Serial #: Dated: C1-1303585

d: 23-Oct-13



Certificate of Inspection

Cargo Authority Attachment

Vessel Name: FMT 3106
Official #: D1131669

Page 3 of 8

Shipyard: Trinity Madisonville

Cargo Identification	n						Conditions of Carriage					
Name	Chem Code	Compat Group No	Sub Chapter	Grade	Hull Type	Tank Group	Vapor Re App'd (Y or N)	VCS	Special Requirements in 46 CFR 151 General and Mat'ls of	Insp. Period		
Kraft pulping liquors (free alkali content 3% or more)(including: Black, Green, or White liquor)	KPL	5	0	NA	III	А	No	N/A	.50-73, 56-1(a), (c), (g)	G		
Mesityl oxide	MSO	18 ²	0	D	III	А	Yes	1	No	G		
Methyl acrylate	MAM	14	0	С	III	А	No	N/A	50-70(a), 50-81(a), (b)	G		
Methylcyclopentadiene dimer	MCK	30	0	C	III	Α	Yes	1	No	G		
Methyl diethanolamine	MDE	8	0	E	III	Α	Yes	1	56-1(b), (c)	G		
2-Methyl-5-ethylpyridine	MEP	9	0	E	III	A	Yes	1	55-1(e)	G		
Methyl methacrylate	MMM		0	C	Ш	Α	No	N/A	50-70(a), 50-81(a) (b)	G		
2-Methylpyridine	MPR	9	0	D	HI	A	Yes	3	55-1(c)	G		
alpha-Methylstyrene	MSR	30	0	D	III	A	No	N/A	50-70(a), 50-81(a), (b)	G		
Morpholine	MPL	7 2	0	D	III	A	Yes	1	55-1(c)	G		
Nitroethane	NTE	42	0	D	11	A	No	N/A	50-81, 56-1(b)	G		
1- or 2-Nitropropane	NPM	42	0	D	m	A	Yes	1	50-81	G		
1,3-Pentadiene	PDE	30	0	A	III	A	No	N/A	50-70(a), 50-81	G		
Perchloroethylene	PER	36	0	NA	III	A	No	N/A	No	G		
Polyethylene polyamines	PEB	7 2	0	E	111	A	Yes	1	55-1(e)	G		
iso-Propanolamine	MPA	8	0	E	''' 	A	Yes	1	.55-I(c)	G		
Propanolamine (iso-, n-)	PAX	8	0	E	III	A	Yes	1	.56-1(b), (c)	G		
iso-Propylamine	IPP	7	0	A	11	A	No	N/A	55-1(c)	G		
Pyridine	PRD	9	0	C		A		1	55-1(e)	G		
Sodium acetate, Glycol, Water mixture (3% or more Sodium Hydroxide)		5	0		111	A	Yes	N/A	50-73, 55-1(j)	G		
Sodium abetate, Glycol, water mixture (3% or more Sodium Hydroxide, Sodium aluminate solution (45% or less)	SAU	5	0	NA	81		No		50-73, 56-1(a), (b), (c)	G		
Sodium chlorate solution (50% or less)	SDD	0 1.2	0			Α .	No	N/A	50-73	G		
· · · ·	SHQ	5	0	NA	III	- A	No	N/A	50-73, 56-1(a), (b)	G		
Sodium hypochlorite solution (20% or less)		0 1.2		NA	- 111	Α	No	N/A	50-73, 55-1(b)	G		
Sodium sulfide, hydrosulfide solution (H2S 15 ppm or less)	SSH	0 12	0	NA	III	A	Yes	1	50-73, 55-1(b)	G		
Sodium sulfide, hydrosulfide solution (H2S greater than 15 ppm but less than 200 ppm)	SSI			NA	#11	А	No	N/A	30-70, 30-1(0)	<u> </u>		
Sodium sulfide, hydrosulfide solution (H2S greater than 200 ppm)	SSJ	0 12	0	NA	11	Α	No	N/A	50-73, 55-1(b)	G		
Styrene (crude)	STX	30	0	D		Α	No	N/A	No	G		
Styrene monomer	STY	30	0	D	111	Α	No	N/A	50-70(a), 50-81(a), (b)	G		
1,1,2,2-Tetrachloroethane	TEC	36	0	NA		Α	No	N/A	No	G		
Tetraethylenepentamine	TTP	7	0	E	IH	Α	Yes	1	55-1(c)	G		
Tetrahydrofuran	THF	41	0	С	111	Α	Yes	1	-50-70(b)	G		
Toluenediamine	TDA	9	0	E	П	Α	No	N/A	50-73, 56-1(a), (b), (c), (g)	G		
1,2,4-Trichlorobenzene	ТСВ	36	0	Е	Ш	Α	Yes	1	No	G		
1,1,2-Trichloroethane	TCM	36	0	NA	111	Α	Yes	1	50-73, 56-1(a)	G		
Trichloroethylene	TCL	36 ²	0	NA	III.	Ą	Yes	1	No	G		
1,2,3-Trichloropropane	TCN	36	0	E	Ш	Α	Yes	3	50-73, 56-1(a)	G		
Friethanolamine	TEA	8 2	0	E	III	Α	Yes	1	55-1(b)	G		
Friethylamine	TEN	7	0	С	II	Α	Yes	3	.55-I(e)	G		
riethylenetetramine	TET	7 2	0	Ε	Ш	Α	Yes	1	.55-1(b)	G		
Friphenylborane (10% or less), caustic soda solution	TPB	5	0	NA	Ш	Α	No	N/A	.56-1(a), (b), (c)	G		
Frisodium phosphate solution	TSP	5	0	NA	Ш	А	No	N/A	50-73, 56-1(a), (c)	G		
Jrea, Ammonium nitrate solution (containing more than 2% NH3)	UAS	6	0	NA	111	А	No	N/A	.56-1(b)	G		
/anillin black liquor (free alkali content, 3% or more)	VBL	5	0	NA	III	А	No	N/A	50-73, 56-1(a), (c), (g)	G		
/inyl acetate	VAM	13	0	С	Ш	А	No	N/A	50-70(a), 50-81(a), (b)	G		
/inyl neodecanate	VND	13	0	E	111	Α	No	N/A	50-70(a), 50-81(a), (b)	G		
/inyltoluene	VNT	13	0	D	HI	Α	No	N/A	50-70(a), 50-81, 56-1(a), (b), (c), (G		

23-Oct-13



Certificate of Inspection

Cargo Authority Attachment

Vessel Name: FMT 3106 Official #: D1131669

Shipyard: Trinity Madisonville

Cargo Identificatio	n					Conditions of Carriage					
								Recovery			
Name	Chem Code	Compat Group No	Sub Chapter	Grade	Hull Type	Tank Group	App'd (Y or N)	VCS Category	Special Requirements in 46 CFR 151 General and Mat'ls of	Insp. Period	
ubchapter D Cargoes Authorized for Vapor Contr	ol										
Acetone	ACT	18 ²	D	C		А	Yes	1			
Acetophenone	ACP	18	D	Е		Α	Yes	1			
Alcohol(C12-C16) poly(1-6)ethoxylates	APU	20	D	E		Α	Yes	1			
Alcohol(C6-C17)(secondary) poly(7-12)ethoxylates	AEB	20	D	E		Α	Yes	1			
Amyl acetate (all isomers)	AEC	34	D	D		Α	Yes	1			
Amyl alcohol (iso-, n-, sec-, primary)	AAI	20	D	D		Α	Yes	1			
Benzyl alcohol	BAL	21	D	Е		Α	Yes	1			
Brake fluid base mixtures (containing Poly(2-8)alkylene(C2-C3) glycols, Polyalkylene(C2-C10) glycol monoalkyl(C1-C4) ethers, and their borate esters)	BFX	20	D	E		A	Yes	1			
Butyl acetate (all isomers)	BAX	34	D	D		Α	Yes	4			
Butyl alcohol (iso-)	IAL	20 2	D	D		Α	Yes	. 1			
Butyl alcohol (n-)	BAN	20 2	D	D		Α	Yes	1			
Butyl alcohol (sec-)	BAS	20 ²	D	С		Α	Yes	1			
Butyl alcohol (tert-)	BAT	20 ²	D	С		Α	Yes	1			
Butyl benzyl phthalate	врн	34	D	E		Α	Yes	1			
Butyl toluene	BUE	32	D	D		Α	Yes	1			
Caprolactam solutions	CLS	22	D	Е		Α	Yes	1			
Cyclohexane	CHX	31	D	С		Α	Yes	1			
Cyclohexanol	CHN	20	D	E		Α	Yes	1			
p-Cymene	CMP	32	Ų	ט		Ā	Yes	1			
iso-Decaldehyde	IDA	19	D	E		А	Yes	1	3		
n-Decaldehyde	DAL	19	D	E		A	Yes	1			
Decene	DCE	30	D	D		Α	Yes	1			
Decyl alcohol (all isomers)	DAX	20 ²	D	E		Α	Yes	1			
n-Decylbenzene, see Alkyl(C9+)benzenes	DBZ	32	D	Е		Α	Yes	1			
Diacetone alcohol	DAA	20 ²	D	D		Α	Yes	1			
ortho-Dibutyl phthalate	DPA	34	D	E		Α	Yes	4			
	DEB	32	D	D		Α	Yes	1			
Diethylpen glycol	DEG	40 2	D	E	-	A	Yes	1			
Diethylene glycol	DBL	30	D	C	_	A	Yes	1			
Diisobutylene	DIK	18	D	D		A	Yes	1			
Diisobutyl ketone	DIX	32	D	E		A	Yes	1			
Diisopropylbenzene (all isomers)	DTL	34	D	E		A	Yes	1			
Dimethyl phthalate	DOP	34	D	E		A	Yes	1			
Dioctyl phthalate			D	D		A	Yes	1			
Dipentene	DPN	30				A	Yes	1			
Diphenyl	DIL	32	D	D/E			Yes	1			
Diphenyl, Diphenyl ether mixtures	DDO		D	E		A		1			
Diphenyl ether	DPE	41	D	{E}		A	Yes	1		_	
Dipropylene glycol	DPG		D	E		A	Yes				
Distillates: Flashed feed stocks	DFF	33	D	E		A	Yes	11			
Distillates: Straight run	DSR		D	E		A	Yes	11			
Dodecene (all isomers)	DOZ		D	D		Α	Yes	1			
Dodecylbenzene, see Alkyl(C9+)benzenes	DDB		D	E		Α	Yes	1			
2-Ethoxyethyl acetate	EEA		D	D		Α	Yes	1			
Ethoxy triglycol (crude)	ETG		D	E		Α	Yes				
Ethyl acetate	ETA	34	D	С		Α	Yes				
Ethyl acetoacetate	EAA	34	D	E		Α	Yes	11			



Dated:

23-Oct-13

Certificate of Inspection

Cargo Authority Attachment

Vessel Name: FMT 3106 Official #: D1131669

Page 5 of 8

Shipyard: Trinity Madisonville

Cargo Identificati	on				1			Condi	tions of Carriage	
	1	1					Vapor F	Recovery		
Name	Chem Code	Compat Group No	Sub Chapter	Grade	Hull Type	Tank Group	App'd (Y or N)	VCS Category	Special Requirements in 46 CFR 151 General and Mat'ls of	Insp Period
Ethyl alcohol	EAL	20 ²	D	С		А	Yes	1		
Ethylbenzene	ETB	32	D	С		А	Yes	1		
Ethyl butanol	EBT	20	D	D		Α	Yes	1		
Ethyl tert-butyl ether	EBE	41	D	С		Α	Yes	1		
Ethyl butyrate	EBR	34	D	D		Α	Yes	1		
Ethyl cyclohexane	ECY	31	D	D		Α	Yes	1		
Ethylene glycol	EGL	20 2	D	Е		Α	Yes	1		
Ethylene glycol butyl ether acetate	EMA	34	D	E		Α	Yes	1		
Ethylene glycol diacetate	EGY	34	D	E		Α	Yes	1		
Ethylene glycol phenyl ether	EPE	40	D	E		А	Yes	1		
Ethyl-3-ethoxypropionate	EEP	34	D	D		А	Yes	1		
2-Ethylhexanol	EHX	20	D	Е		A	Yes	1		
Ethyl propionate	EPR	34	D	С		Α	Yes	1		
Ethyl toluene	ETE	32	D	D		A	Yes	1		
Formamide	FAM	10	D	E		Α	Yes	1		
Furfuryl alcohol	FAL	20 2	D	E		A	Yes	1		
Gasoline blending stocks: Alkylates	GAK	33	D	A/C		A	Yes	1	- V-III	
Gasoline blending stocks: Reformates	GRF	33	D	A/C		A	Yes	1		
Gasolines: Automotive (containing not over 4.23 grams lead per gallon)	GAT	33	D	С		A	Yes	1		
Gasolines: Aviation (containing not over 4.86 grams of lead per gallon)	GAV	33	D	С		А	Yes	1		
Gasolines: Casinghead (natural)	GCS	33	D	A/C	-	Α	Yes	1		
Gasolines: Polymer	GPL	33	D	A/C	-	A	Yes	1		
Gasolines: Straight run	GSR	33	D	A/C		Α .	Yes	1		
Glycerine	GCR	20 2	D	E		A	Yes	1		
Heptane (all isomers), see Alkanes (C6-C9) (all isomers)	HMX	31	D	C		A	Yes	1		
Heptanoic acid	HEP	4	D	E		A	Yes	1		
Heptanol (all isomers)	HTX	20	D	D/E		A	Yes	1		
Heptyl acetate	HPE	34	D	E						
						A	Yes	1		
Hexane (all isomers), see Alkanes (C6-C9)	HXS	31 2	D	B/C		A	Yes	1		
Hexanoic acid	HXO	4	D	E		A	Yes	1		
Hexanol	HXN	20	D	D		A	Yes	1		
Hexylene glycol	HXG	20	D	E		A	Yes	1		
Isophorone	IPH	18 ²	D	E		A	Yes	1		
Jet fuel: JP-4	JPF	33	D	E		А	Yes	1		
Jet fuel: JP-5 (kerosene, heavy)	JPV	33	D	D		Α	Yes	1		
Kerosene	KRS	33	D	D		А	Yes	1		
Methyl acetate	MTT	34	D	D		Α	Yes	1		
Methyl alcohol	MAL	20 2	D	С		Α	Yes	1		1
Methylamyl acetate	MAC	34	D	D		Α	Yes	1	•	
Methylamyl alcohol	MAA	20	D	D		Α	Yes	1		
Methyl amyl ketone	MAK	18	D	D		Α	Yes	1		
Methyl tert-butyl ether	MBE	41 2	Ď	С		Α	Yes	1		
Methyl butyl ketone	MBK	18	D	С		Α	Yes	1		
Methyl butyrate	MBU	34	D	С		А	Yes	1	ii ii	
Methyl ethyl ketone	MEK	18 ²	D	С		Α	Yes	1		
Methyl heptyl ketone	MHK	18	D	Ď		Α	Yes	1		
Methyl isobulyl ketone	MIK	18 ²	D	С		А	Yes	1		

Serial #: C1-1303585

Dated: 23-Oct-13



Certificate of Inspection

Cargo Authority Attachment

Vessel Name: FMT 3106
Official #: D1131669

Page 6 of 8

Shipyard: Trinity Madisonville

Cargo Identifica	tion					Conditions of Carriage					
		N.				_	Vapor F	Recovery			
Name	Chem Code	Compat Group No	Sub Chapter	Grade	Hull Type	Tank Group	App'd (Y or N)	VCS Category	Special Requirements in 46 CFR 151 General and Mat'ts of	Insp. Period	
Methyl naphthalene (molten)	MNA	32	D	E		Α	Yes	1	m ² /		
Mineral spirits	MNS	33	D	D		Α	Yes	1			
Myrcene	MRE	30	D	D		Α	Yes	1			
Naphtha: Heavy	NAG	33	D	#		Α	Yes	1			
Naphtha: Petroleum	PTN	33	D	#		Α	Yes	1			
Naphtha: Solvent	NSV	33	D	D		Α	Yes	1			
Naphtha: Stoddard solvent	NSS	33	D	D		Α	Yes	1			
Naphtha: Varnish makers and painters (75%)	NVM	33	D	С		Α	Yes	1			
Nonane (all isomers), see Alkanes (C6-C9)	NAX	31	D	D		Α	Yes	1			
Nonyl alcohol (all isomers)	NNS	20 2	D	E		Α	Yes	1			
Nonyl phenol	NNP	21	D	E		Α	Yes	1			
Nonyl phenol poly(4+)ethoxylates	NPE	40	D	Е		Ā	Yes	4			
Octane (all isomers), see Alkanes (C6-C9)	OAX	31	D	С		А	Yes	1			
Octanoic acid (all isomers)	OAY	4	D	E		Α	Yes	1			
Octanol (all isomers)	OCX	20 ²	D	E		Α	Yes	1			
Oil, fuel: No. 2	OTW	33	D	D/E		Ä	Yes	1			
Oil, fuel: No. 2-D	OTD	33	D	D	-	Α	Yes	1			
	OFR	33	D	D/E		A	Yes	1			
Oil, fuel: No. 4	OFV	33	D	D/E		A	Yes	1			
Oil, fuel: No. 5	OSX	33	D	E		A	Yes	1			
Oil, fuel: No. 6 Oil misc: Crude	OIL	33	D	A/D		A	Yes	1			
			D	D/E		A	Yes	1			
Oil, misc: Diesel	ODS	33						1			
Oil, misc: Gas, high pour	OGP	33	D	E		A	Yes	1			
Oil, misc: Lubricating	OLB	33	D	E		A	Yes	1			
Oil, miss, Residual	ORL	33	Ū			A	Yes				
Oil, misc: Turbine	ОТВ	33	D	E		Α .	Yes	1			
n-Pentyl propionate	PPE	34	D	D	_	Α .	Yes	1			
alpha-Pinene	PIO	30	D	D		Α	Yes	1			
beta-Pinene	PIP	30	D	D		Α	Yes	1			
Poly(2-8)alkylene glycol monoalkyl(C1-C6) ether	PAG	40	D	E		Α	Yes	1_			
Poly(2-8)alkylene glycol monoalkyl(C1-C6) ether acetate	PAF	34	D	E		Α	Yes	1			
Polybutene	PLB	30	D	E		Α	Yes	1			
Polypropylene glycol	PGC	40	D	E		A	Yes	1			
iso-Propyl acetate	IAC	34	D	С		Α	Yes	1			
n-Propyl acetate	PAT	34	D	С		Α	Yes	1			
iso-Propyl alcohol	IPA	20 ²	D	С		Α	Yes	1			
n-Propyl alcohol	PAL	20 2	D	С		Α	Yes	1			
Propylbenzene (all isomers)	PBY	32	D	D		Α	Yes	1			
iso-Propylcyclohexane	IPX	31	D	D		Α	Yes	1			
Propylene glycol	PPG	20 ²	D	E		Α	Yes	1			
Propylene glycol methyl ether acetate	PGN	34	D	D		Α	Yes	1			
Propylene tetramer	PTT	30	D	D		Α	Yes	1			
Sulfolane	SFL	39	D	Е		Α	Yes	1			
Tetraethylene glycol	TTG	40	D	E		Α	Yes	1			
Tetrahydronaphthalene	THN	32	D	Ę		Α	Yes	1			
Toluene	TOL	32	D	С		А	Yes	1			
Tricresyl phosphate (less than 1% of the ortho isomer)	TCP	34	D	E		Α	Yes	1			
Triethylbenzene	TEB	32	D	E		A	Yes	1			



C1-1303585

23-Oct-13

Certificate of Inspection

Cargo Authority Attachment

Vessel Name: FMT 3106 Official #: D1131669

Page 7 of 8

Shipyard: Trinity Madisonville

Cargo Identification					Conditions of Carriage					
Name	Chem Cade	Compat Group No	Sub Chapter	Grade	Hull Type	Tank Group	App'd		Special Requirements in 46 CFR 151 General and Mat'ls of	Insp Period
Triethylene glycol	TEG	40	D	E		Α	Yes	1		
Triethyl phosphate	TPS	34	D	Е		Α	Yes	1		
Trimethylbenzene (all isomers)	TRE	32	D	{D}		Α	Yes	1		
Trixylenyl phosphate	TRP	34	D	Е		Α	Yes	1		
Undecene	UDC	30	D	D/E		А	Yes	1		
1-Undecyl alcohol	UND	20	D	E		Α	Yes	-1		
Xylenes (ortho-, meta-, para-)	XLX	32	D	D		Α	Yes	1		

United States Coast Guard

Serial #: C1-1303585 Dated

23-Oct-13

Certificate of Inspection

Cargo Authority Attachment

Vessel Name: FMT 3106 Official #: D1131669

Page 8 of 8

Shipyard: Trinity Madison

Hull #: 2111-1

Explanation of terms & symbols used in the Table:

Cargo Identification

The proper shipping name as listed in 46 CFR Table 30 25-1, 46 CFR Table 151.05, and 46 CFR Part 153 Table 2.

Chem Code

The three letter designation assigned to the cargo in the Chemical Hazards Response Information System (CHRIS) Manual

Certain mixtures of cargoes may not have a CHRIS Code assigned. none

Compatability Group No.

The cargo reactive group number assigned for compatibility determinations in 46 CFR Part 150 Tables I and II. In accordance with 46 CFR 150,130, the Person-in-Charge of the barge is responsible for ensuring that the compatibility requirements of 46 CFR Part 150 are met. Cargoes must be checked for compatibility using the figures, tables, and appendices of 46 CFR 150 in conjunction with the assigned reactive group number.

Note 1

Because of the very high reactivity or unusual conditions of carriage or potential compatibility problems, this product is not assigned to a specific group in the Compatibility Chart, For additional compatibility information, contact Commandant (CG-3PSO-3), U.S. Coast Guard, 2100 Second Street, SW, Washington, DC 20593-

0001 Telephone (202) 372-1425

See Appendix I to 46 CFR Part 150 - exceptions to the compatability chart.

Subchapter Subchapter D Subchapter O Note 3

Note 2

The subchapter in Title 46 Code of Federal Regulations under which the cargo has been classified.

Those flammable and combustible liquids listed in 46 CFR Table 30,25-1. Those hazardous cargoes listed in 46 CFR Table 151,05 and 46 CFR Part 153 Table 2.

Those cargoes listed in 46 CFR Part 153 Table 2 are non-regulated cargoes when carried in bulk on non-oceangoing barges.

Grade

The cargo classification assigned to each flammable or combustible liquid. Grades inside of "()" indicate a provisional assignment based upon literature sources were not verified by manufacturers data. The Person-in-Charge shall verify the cargo grade based on Manufacturers data and ensure that the barge is authorized for carriage of that grade of cargo

A, B, C

Flammable liquid cargoes, as defined in 46 CFR 30-10 22

Note 4

Combustible liquid cargoes, as defined in 46 CFR 30-10.15.

The flammability/combustibility grade of these cargoes may vary depending upon the flashpoint and Reid vapor pressure. The Person-in-Charge shall verify the

cargo grade based on Manufacturers data and ensure that the barge is authorized for carriage of that grade of cargo.

Those subchapter O cargoes which are not classified as a flammable or combustible liquid.

No flammability/combustibility grade has been assigned yet as the necessary flash point/vapor pressure data for such assignments are presently not available

Hull Type

NA

NA

The required barge hull classification for carriage of the specified Subchapter O hazardous material cargo, see 46 CFR 151,10-1, Designed to carry products which require the maximum preventive measures to preclude the uncontrolled release of the cargo. See 46 CFR 151.10-1(b)(1).

Designed to carry products which require significant preventive measures to preclude the uncontrolled release of cargo. See 46 CFR 151,10-1(b)(3).

Designed to carry products of sufficient hazard to require a moderate degree of control. See 46 CFR 151_10-1(b)(4)_

Not applicable to barges certificated under Subchapter D

Conditions of Carriage

Tank Group Vapor Recovery Approved (Y or N) The vessel's tank group (as defined in Section 4) which is authorized for carriage of the named cargo

Yes: The vessel's VCS has been reviewed and approved by the MSC to control vapors of the specified cargo. No: The vessel's VCS has been reviewed and is not approved by the MSC to control vapors of the specified cargo.

Conditions of Carriage

Vapor Recovery Approved (Y or N) The vesset's tank group (as defined under the 46 CFR Tank Group Characteristics listed on page 1) which is authorized for carriage of the named cargo.

Yes: The vessel's VCS has been reviewed and approved by the MSC to control vapors of the specified cargo No: The vessel's VCS has been reviewed and is not approved by the MSC to control vapors of the specified cargo

VCS Category:

The specified cargo's provisional classification for vapor control systems,

Category 1

(No additional VCS requirements above those for benzene, gasolines and crude oil) All requirements applying to the handling of oil and hazardous materials in Titles 33 and 46 Code of Federal Regulations (CFR) apply to these cargoes. Those specifically dealing with vapor control systems are in 33 CFR 155,750, 33 CFR 156,120.
33 CFR 156,170, 46 CFR 35,35 and 46 CFR 39. The cargo tank venting system calculations (46 CFR 39,20-11) and the pressure drop calculations (46 CFR 39,30-1(b)) must use appropriate friction factors, vapor densities and vapor growth rates

Category 2

(Polymerizes) Polymerization and residue build-up of these cargoes can adversely affect the vessel by fouling safety componenets and restricting vapor flow which could lead to cargo tank overpressurization. The vessel's owner must develop a method of ensuring all VCS safety components are functional and polymer build-up is not causing an unsafe condition due to increased pressure in the vapor control piping and cargo tanks. The method shall be acceptable to the local Officer in Charge, Marine Inspection. This is in addition to the requirements of Category 1. Please note that a material not normally considered a monomer can be a problem in detonation

Category 3

(Highly toxic) VCSs for these toxic cargoes cannot use a spill valve or rupture disk as the primary means to meet the overfill protection requirement of 46 CFR 39.20-9. This requirement is in addition to the requirements of Category 1.

Category 5

(High vapor pressure) VCS pressure drop calculations for cargoes with a vapor pressure greater than 14,7 psia at 115 F must take into account increased vapor-air mixture densities and vapor growth rates as compared to Category 1 cargoes. Consult the Marine Safety Center's VCS Guidelines for further information. This

requirement is in addition to the requirements of Category 1.

Category 6 Category 7

(High vapor pressure and highly toxic) Must comply with requirements of Categories 1, 3 and 5. (High vapor pressure and polymerizes) Must comply with requirements of Categories 1, 2 and 5.

The cargo has not been evaluated/classified for use in vapor control systems,