Florida Marine Transporters, Inc.

(75 N. Causeway Blvd. Mandeville, LA 70448 (385) 629-2082 Phone (385) 629-2110 Fax

HOSE AND PYPELINE TESTS

(27)	
vesskl;	FMT 3110
8	9 9
THE FOLLOWING ITEMS HAVE BEEN 46CFR 35_35-70 AND 33CFR 1.56	CHECKED AND TESTED IN ACCORDANCE WITH
	ş as
. — —	PRESSURE GAUGES HAVE BEEN CHECKED WITHIN 10% OF ACCURACY.
	EMERGENCY SHUTDOWN HAS BEEN CHECKED AND FOUND OPERABLE.
-	TRASFER SYSTEM RELIEF VALVE HAS BEEN TESTED AND CHECKED - 125 P.S.I.
	ALL TRANSFER PIPING SYSTEMS AND ASSOCIATED VALVES HAVE BEEY TESTED AND CHECKED AT 187.5 P.S.I.
NA	CARGO HOSE VISUALLY AND HYDROSTATICALLY CHECKED TO 2:15 P.S.I.
2	9 Q 2
THE ABOVE ITEMS CHECKED, TES	TED AND VERIFIED BY:
	V

Florida Marine Transporters Inc.

MARINE VESSELS VAPOR TIGHTNESS DOCUMENTATION

REQUIRED SUBPART BB-NATIONAL EMISSION STANDARDS FOR BENZENE EMISSIONS FROM TRANSFER OPERATIONS SECTION 61.00-61.306

VESSEL: [-MT 3110	OFFICIAL NUMBER: 1/340 99
TESTING LOCATION: NEACE FLT	MAXIMUM LOADING RATE (BPH) 5,000
A	DESCRIPTION TO TORE MANOMETER
TANK(S) TESTED:	= 23/0 ELETH ST. MANDEVILLEGAA
VESSEL OWNER AND ADDRESS: PLORIDA MAKE	NE 2360 FIFTH ST. MANDENIUS GA
	RESULTS
TEST DATE: 4-17-24	
REGINNING PRESSURE: 28" of 42 0	BEGINNING TIME: 1300
ENDING PRESSURE: 28 11 OF ALLO	ENDING TIME:/ 330
TOTAL PRESSURE LOSS:	ALLOWABLE PRESSURE LOSS: 2.2 2 M20
NOTE: VESSEL IS CONSIDERED VAPOR TIGHT IF "TOT	AL PRESSURE LOSS" IS LESS THAN "ALLOWABLE PRESSURE LOSS"
THIS VESSEL HAS BEEN TESTED IN ACCORDANCE WITH SECTION 61.304F, AND IS CONSIDERED VAPOR TIGHT.	
715	
TESTER: DE MOR (PRINT)	WITNESS:
(CICAD)	WITNESS: (PRINT) WITNESS: (SIGN)
77	
TESTER: (SIGN)	
CALCULATION OF ALLOWABLE PRESSURE LOSS:	WITNESS: (SIGN) AFFILIATION OF WITNESS
CALCULATION OF ALLOWABLE PRESSURE LOSS:	WITNESS: (SIGN) AFFILIATION OF WITNESS
TESTER: (SIGN)	WITNESS: (SIGN) AFFILIATION OF WITNESS $\frac{7.06}{\text{V}} = \frac{2.2}{\text{(APL)}}$