2360 Fifth Street Mandeville, LA 70471 (985) 629-2082 Phone (985) 629-2110 Fax

## HOSE AND PIPELINE TESTS

|           | VESSEL:/            | FMT 3116  |
|-----------|---------------------|---|
|           |                     | CHECKED AND TESTED IN ACCORDANCE WITH .170 ON 3-10-24   |
|           | NIA                 | PRESSURE GAUGES HAVE BEEN CHECKED WITHIN 10% OF ACCURACY.  EMERGENCY SHUTDOWN HAS BEEN CHECKED AND FOUND OPERABLE.  TRASFER SYSTEM RELIEF VALVE HAS BEEN TESTED AND CHECKED - 125 P.S.I.  ALL TRANSFER PIPING SYSTEMS AND ASSOCIATED VALVES HAVE BEEN TESTED AND CHECKED AT 187.5 P.S.I.  CARGO HOSE VISUALLY AND HYDROSTATICALLY CHECKED TO 225 P.S.I. |
| THE ABOVE | ITEMS CHECKED, TEST |   |

Florida Marine Transporters Inc.

## MARINE VESSELS VAPOR TIGHTNESS DOCUMENTATION

REQUIRED SUBPART BB-NATIONAL EMISSION STANDARDS FOR BENZENE EMISSIONS FROM TRANSFER OPERATIONS SECTION 61.00-61.306

| VESSEL: FMT 3116   | OFFICIAL NUMBER: 1/362 78             |  |  |
|--|---------------------------------------|--|--|
| TESTING LOCATION: BAYOU FLT.   | MAXIMUM LOADING RATE (BPH) 5,000      |  |  |
| TANK(S) TESTED: A44  | PRESSURE INDICATOR: MANONIETER        |  |  |
| VESSEL OWNER AND ADDRESS: FMT 230  | O FIFTH ST. MANDEVILLE                |  |  |
|  | RESULTS                               |  |  |
| TEST DATE: 3-10-24   | 7 8<br>3 8 80                         |  |  |
| BEGINNING PRESSURE: 28" OF 42 0  | BEGINNING TIME: 1300                  |  |  |
| TEST DATE: 3-10-24  BEGINNING PRESSURE: 28" OF 42°  ENDING PRESSURE: 28" OF 112°   | ENDING TIME:                          |  |  |
| TOTAL PRESSURE LOSS:   | ALLOWABLE PRESSURE LOSS: 2.2" of 1/20 |  |  |
| NOTE: VESSEL IS CONSIDERED VAPOR TIGHT IF "TOTAL PRESSURE LOSS" IS LESS THAN "ALLOWABLE PRESSURE LOSS"   |                                       |  |  |
| THIS VESSEL HAS BEEN TESTED IN ACCORDANCE WITH SECTION 61.304F, AND IS   |                                       |  |  |
|  | ED VAPOR TIGHT.                       |  |  |
| TESTER: Chad Tollives (PRINT)  | WITNESS: Stevasile . (PRINT)          |  |  |
| TESTER: (SIGN)   | WITNESS: (SIGN)                       |  |  |
|  | EMT                                   |  |  |
|  | AFFILIATION OF WITNESS                |  |  |
| CALCULATION OF ALLOWABLE PRESSURE LOSS:  |                                       |  |  |
| 157 15000 1 30   | 706 )= 2.2                            |  |  |
| 0.861 x 15.7 x (5,000 / 30, (L)  | (APL)                                 |  |  |
| TP = 14.7 PLUS THE BARGE TEST PRESSURE IN PSI (<br>L = MAXIMUM LOADING RATE IN BARRELS PER H<br>V = VOLUME OF TANK(S) IN BARRELS<br>APL = ALLOWABLE PRESSURE LOSS IN INCHES OF | OUR                                   |  |  |
| NOTES: 14.70psi = 406.8 inches of H2O  |                                       |  |  |
| 1psi = 27.67 inches of H2O   |                                       |  |  |
| 1  inch = 25.40  mm  |                                       |  |  |
| 1  inch = 25.40  min $1  inch = 2.54  cm$  |                                       |  |  |