



SOUTHWEST SHIPYARD, L.P.

18310 Market Street, Channelview, Texas 77530 Phone: 281-860-3200 Fax: 281-860-3215
8502 Cypress Street, Houston, Texas 77012 Phone: 713-967-6300 Fax: 713-967-6301
1002 Texas Clipper Rd., Galveston, Texas 77554 Phone: 409-740-3755 Fax: 409-740-3451

F-7.5.1(C/R).6 - A

BARGE PIPING TEST LETTER

Note: Test Results are valid for One (1) Year from Date of Test !

INSTRUCTIONS: FILL OUT COMPLETELY. WRITE "N/A" ON ANY NON-APPLICABLE LINE.

BARGE NAME/NUMBER: FMT 3188

LETTER EXPIRATION DATE (One Year from Test): 12-06-2024

1. Cargo Piping and Valves (Date of Test): 12-06-2023

Test Pressure (psi): 188 PSI

2. Cargo Pressure Gauge (Date of Test): _____

Percent Accuracy (%): 98%

3. Steam Piping and Valves (Date of Test): _____

Test Pressure (psi): 125 PSI

SWSLP Signature: Phonio Park

Date: 12-06-23

DISTRIBUTION: Place original as last page of "USCG Papers Folder" located in Barge document mailbox.



SOUTHWEST SHIPYARD, L.P.

F-7.5.1(R).19-C

18310 Market Street, Channelview, Texas 77330 Phone: 281-860-3200 Fax: 281-860-3215
8502 Cypress Street, Houston, Texas 77012 Phone: 713-967-6300 Fax: 713-967-6301
1002 Texas Clipper Rd., Galveston, Texas 77554 Phone: 409-740-3755 Fax: 409-740-3451

BARGE VAPOR - TIGHTNESS DOCUMENT

THE FOLLOWING BARGE WAS TESTED IN ACCORDANCE WITH THE NATIONAL EMISSION STANDARD FOR BENZENE EMISSIONS FROM BENZENE TRANSFER OPERATIONS, 40 CFR - Sub-Chapter C, PART 61, SECTION 304(f), MARINE VESSEL VAPOR TIGHTNESS REQUIREMENTS.

BARGE NAME/NUMBER: FMT 3188
BARGE OWNER: FLORIDA MARINE
OWNER ADDRESS: _____

TESTING
LOCATION:

SOUTHWEST SHIPYARD, L.P.
18310 MARKET STREET
CHANNELVIEW, TX 77330

SOUTHWEST SHIPYARD, L.P.
8502 CYPRESS
HOUSTON, TX 77012

SOUTHWEST SHIPYARD, L.P.
1002 TEXAS CLIPPER RD.
GALVESTON, TX 77554

Identify Location by Checking Box



DATE OF TEST: 12-06-2023
NAME OF TESTER/POSITION: Alan Darr
TESTER SIGNATURE: [Signature]
WITNESSING INSPECTOR/POSITION: [Signature]
INSPECTOR SIGNATURE: [Signature]

TEST RESULTS

THIS BARGE HAS BEEN TESTED IN ACCORDANCE WITH 40 CFR, PART 61, SECTION 304(F) AND IS CONSIDERED VAPOR TIGHT.

SIGNATURE OF TEST: Alan Darr
TIME START: 7:00
STARTING PRESSURE: 28" inches of water
TIME STOP: 8:00
ENDING PRESSURE: 27.5 inches of water