

## United States of America Department of Homeland Security United States Coast Guard

Certification Date: 23 Jun 2022 Expiration Date: 23 Jun 2027

Certificate of Inspection

For ships on international voyages this certificate fulfills the requirements of SOLAS 74 as amended, regulation V/14, for a SAFE MANNING DOCUMENT.

Vessel Name			Official Number	IN	MO Numi	per	Call Sign	Service		
FMT 3194			1191579					Tank	Barge	
Hailing Port										
NEW ORLI	EANS, LA		Hull Material		Horse	power	Propulsion			
			Steel							32
UNITED ST	TATES						or .			
Place Built			Delivery Date	Keel Laid Da	ate	Gross Tons	Net Tons	DWT	Length	
JEFFERSC	NVILLE, IN		28Nov2006	29Sep2	വര	R-1619	R-1619		R-297.5	;
UNITED ST	TATES -		2014042000	200cp2	000	l-	J-		I-0	
	20					4				
Owner										
	ARINE TRANS	SPORTERS	SLLC		Operator FI OF	IDA MARII	NE LLC			
2360 FIFTH	STREET				2360	FIFTH ST.	12			
MANDEVILI UNITED ST	LE, LA 70471					DEVILLE, L				
ONTILE OF	AILO				UNIII	ED STATE:	5			
This vessel r	must be manne	d with the f	ollowing licensed	and unlic	ensed	Personnel	Included in	which there	must be	
0 Masters	ileboaumen, o d		nkermen, 0 HSC		ling, a	nd 0 GMDS	SS Operators	S.		
0 Masters 0 Chief Mate	25	0 Licensed N 0 First Class		Engineers		0 Oi	lers			
0 Second M		0 Radio Offic		Assistant En Id Assistant					W	
0 Third Mate	es	0 Able Seam	0 2000	Assistant E	٠.					
0 Master Fir	st Class Pilot	0 Ordinary S		sed Enginee	-	Ŭ				
0 Mate First	Class Pilots	0 Deckhands		ied Member		eer				9
In addition, the Persons allow	his vessel may wed: 0	carry 0 Pas	sengers, 0 Other	Persons	in cre	w, 0 Persor	ns in addition	to crew, and	no Others	. Total
Route Perr	nitted And Co	nditions Of	Operation:							
	Bays, and		•							
Also in fa	ir waathan an	1		44.01						
Florida.	ii weather on	ιγ, not mo	re than twelve	(12) mil	es fr	om shore l	petween St.	Marks and (	Carrabelle	∍,
This vessel	has been gra	nted a fre	sh water servic	re examir	ation	interval	in aggorda	naa with 16	CED M-1-1	- 21 10
Z 1 (D) , II L	nra vesser is	operated	in sait water m	iore than	siv	(6) months	in any tra	0.1720 (12) mc	anth mania	a al 4 L -
change occu	be inspected	using sai	t water interva	.1s and t	the co	gnizant 00	CMI notified	d in writing	g as soon	as this
This tank ba	arge is parti	cipating i	n the Eighth-Ni	nth Coas	t Gua	rd Distric	ct's Tank Ba	arge Streaml	lined Insp	pection
***SEE NE	XT PAGE FO	R ADDITIC	NAL CERTIFIC	ATE INF	ORM.	ATION***				
With this Insp	ection for Certi	ification hav	ring been complete	ted at MA	NDE	/ILLE. LA	UNITED STA	ATES: the Of	ficer in Ch	arge
iviarine inspe	ction, Sector N	ew Orleans	certified the vess cribed thereunder	sel, in all r	espec	ts, is in con	formity with	the applicable	vessel in	spection
	Annual/Per	iodic/Re-In	spection		Thi	s certificate	issued by:	~/	11	
Date	Zone	A/P/R	Signatur	e			-	MANDER, b	Virection	
					Office	er in Charge, Man			, mi cotion	
						3		New Orleans	6	

Inspection Zone



### **United States of America Department of Homeland Security United States Coast Guard**

Certification Date: 23 Jun 2022 **Expiration Date:** 23 Jun 2027

Certificate of Inspection

Program (TBSIP). Inspection activities aboard this barge shall be conducted in accordance with its Tank Barge Action Plan. Inspection issues concerning this barge should be directed to Sector New Orleans OCMI.

#### ---Hull Exams---

Exam Type

Next Exam

Last Exam

Prior Exam

DryDock

19May2027

19May2017

06Jan2012

Internal Structure

31May2027

14Jun2022

19May2017

### --- Liquid/Gas/Solid Cargo Authority/Conditions ---

Authorization:

GRADE "A" AND LOWER AND SPECIFIED HAZARDOUS CARGOES

**Total Capacity** 

Units

Highest Grade Type Part151 Regulated Part153 Regulated Part154 Regulated

30713

Barrels

Yes

No

No

### \*Hazardous Bulk Solids Authority\*

Not Authorized

### \*Loading Constraints - Structural\*

Tank Number	Max Cargo Weight per Tank (short tons)	Maximum Density (lbs/gal)
1 P/S	849	13.6
2 P/S	868	13.6
3 P/S	786	13.6

PORT SLOP

STBD SLOP

### \*Loading Constraints - Stability\*

Hull Type	Maximum Load (short tons)	Maximum Draft (ft/in)	Max Density (lbs/gal)	Route Description
II	3766	9ft 6in	13.6	R, LBS
Ш	4767	11ft 6in	13.6	R, LBS

### \*Conditions Of Carriage\*

Only those specified hazardous cargoes named in the vessel's Cargo Authority Attachment (CAA), Serial C1-1303585, dated 23OCT13, and Grade "A" and lower cargoes may be carried, and then only in the tanks indicated.

Per 46 CFR 150.130, the Person in Charge of the vessel is responsible for ensuring that the compatibility requirements of 46 CFR 150 are met. Cargoes must be checked for compatibility using figures, tables and appendices of 46 CFR 150 in conjunction with the compatibility group numbers from the "COMPAT GRP" column listed in the vessel's CAA.

When the vessel is carrying cargoes containing greater than 0.5% benzene, the Person In Charge is responsible for ensuring the provisions of 46 CFR 197, Subpart C are applied.

In accordance with 46 CFR Part 39, excluding part 39.40, this vessel's vapor control system has been inspected to the plans approved by Marine Safety Center letter Serial #C2-0602574 dated August 24, 2006, and found acceptable for the collection of bulk liquid cargo vapors annotated with "Yes" in the CAA's VCS column.

\*Stability and Trim\*

Cargo tanks must be loaded uniformly whenever a 46 CFR Subchapter "O" cargo is carried; for trim purposes, the weight of cargo in each tank may exceed the uniformly loaded tank cargo weight by at most 5 percent.



## United States of America Department of Homeland Security United States Coast Guard

Certification Date: 23 Jun 2022 Expiration Date: 23 Jun 2027

## Certificate of Inspection

Vessel Name: FMT 3194

	Ins	pection	<b>Status</b>	
--	-----	---------	---------------	--

#### \*Cargo Tanks\*

		Internal Exam			External Exam	1	
	Tank ld	Previous	Last	Next	Previous	Last	Next
	1 P/S	06Jan2012	19May2017	19May2027	(€)	2	:4:
	2 P/S	06Jan2012	19May2017	19May2027	<b>2</b> 7	Ē	: <u>=</u> :
	3 P/S	06Jan2012	19May2017	19May2027			:=:
	PORT SLOP	06Jan2012	19May2017	19May2027	<u>u</u>	4	Œ.
	STBD SLOP	06Jan2012	19May2017	19May2027	s	( <del>5</del>	= 1
1				Hydro Test			
	Tank Id	Safety Valves		Previous	Last	Next	
I	1 P/S	=		<b>#</b> 0	-	-	
1	2 P/S	*		<b>4</b> 0	₹ 1	. <del></del>	
I	3 P/S	ž c		*:	+	(±)	
	PORT SLOP	.=		<u> </u>	¥	Ē.	
	STBD SLOP	=		_	-		

### ---Conditional Portable Fire Extinguisher Requirements---

Required Only During Transfer of Cargo or Operation of Barge Machinery

### --- Fire Fighting Equipment ---

\*Fire Extinguishers - Hand portable and semi-portable\*

Quantity

Class Type

2

40-B

\*\*\*END\*\*\*

Serial #

C1-1303585

Dated: 23-Oct-13



## Certificate of Inspection

### Cargo Authority Attachment

Vessel Name: FMT 3194
Official #: 1191579

Shipyard: Jeffboat

Hull #: 05-2521

#### 46 CFR 151 Tank Group Characteristics

Tank Group Information	Cargo I	dentificati	ion		Cargo		Tanks		Carg Tran		Enviror Contro	rmental	Fire	Special Require			
Tnk Grp Tanks in Group	Density	Press,	Temp_	Hull Typ	Seg Tank	Pipe Handling Protection Materials of	Materials of Construction	10	Temp Cont								
A #1 P/S, #2 P/S, #3 P/S	13,6	Atmos.	Amb	II	tii 2ii	Integral Gravity	PV	Closed	II	G-1	NR	NA	Portable		55-1(b), (c), (e), (f), (h), (j), 56-1(a), (b), (c), (d), (e), (f), (g),	NR	No

Notes: 1. Under Environmental Control, Tanks, NR means that the tank group is suitable only for those cargoes which require no environmental control in the cargo tanks,

#### **List of Authorized Cargoes**

Cargo Identificatio	n					Conditions of Carriage					
							Vapor Re	ecovery			
Name	Chem Code	Compat Group No	Sub Chapter	Grade	Hull Type	Tank Group	App'd (Y or N)	VCS Category	Special Requirements in 46 CFR 151 General and Mat'ls of	Insp. Period	
Authorized Subchapter O Cargoes											
Acetonitrile	ATN	37	0	С	III	Α	Yes	3	No	G	
Acrylonitrile	ACN	15 <sup>2</sup>	0	С	H	Α	No	N/A	50-70(a), 55-1(e)	G	
Adiponitrile	ADN	37	0	Е	Ш	Α	Yes	1	No	G	
Alkyl(C7-C9) nitrates	AKN	34 2	0	NA	Ш	Α	No	N/A	50-81, 50-86	G	
Aminoethylethanolamine	AEE	8	0	Е	III	Α	Yes	1	55-1(b)	G	
Ammonium bisulfite solution (70% or less)	ABX	43 <sup>2</sup>	0	NA	III	Α	No	N/A	50-73, 56-1(a), (b), (c)	G	
Ammonium hydroxide (28% or less NH3)	AMH	6	0	NA	III	Α	No	N/A	56-1(a), (b), (c), (f), (g)	G	
Anthracene oil (Coal tar fraction)	AHO	33	0	NA	II	Α	No	N/A	No	G	
Benzene	BNZ	32	0	С	Ш	Α	Yes	1	50-60	G	
Benzene or hydrocarbon mixtures (having 10% Benzene or more)	внв	32 <sup>2</sup>	0	С	Ш	Α	Yes	1	50-60	G	
Benzene or hydrocarbon mixtures (containing Acetylene and 10% Benzene or more)	ВНА	32 <sup>2</sup>	0	С	Ш	А	Yes	1	50-60, 56-1(b), (d), (f), (g)	G	
Benzene, Toluene, Xylene mixtures (10% Benzene or more)	BTX	32	0	B/C	III	Α	Yes	1	50-60	G	
Butyl acrylate (all isomers)	BAR	14	0	D	III	Α	No	N/A	50-70(a), 50-81(a), (b)	G	
Butyl methacrylate	ВМН	14	0	D	Ш	Α	No	N/A	50-70(a), 50-81(a), (b)	G	
Butyraldehyde (all isomers)	BAE	19	0	С	Ш	Α	Yes	1	55-1(h)	G	
Camphor oil (light)	CPO	18	0	D	П	Α	No	N/A	No	G	
Carbon tetrachloride	CBT	36	0	NA	Ш	Α	No	N/A	No	G	
Caustic potash solution	CPS	5 <sup>2</sup>	0	NA	- 111	Α	No	N/A	50-73, 55-1(j)	G	
Caustic soda solution	CSS	5 <sup>2</sup>	0	NA	III	Α	No	N/A	50-73, 55-1(j)	G	
Chemical Oil (refined, containing phenolics)	COD	21	0	Е	Ш	Α	No	N/A	50-73	G	
Chlorobenzene	CRB	36	0	D	Ш	Α	Yes	1	No	G	
Chloroform	CRF	36	0	NA	Ш	Α	Yes	3	No	G	
Coal tar naphtha solvent	NCT	33	0	D	Ш	Α	Yes	1	50-73	G	
Creosote	CCW	21 <sup>2</sup>	0	Е	III	Α	Yes	1	No	G	
Cresols (all isomers)	CRS	21	0	Е	II1	Α	Yes	1	No	G	
Cresylate spent caustic	CSC	5	0	NA	Ш	Α	No	N/A	50-73, 55-1(b)	G	
Cresylic acid tar	CRX	21	0	E	III	Α	Yes	1	55-1(f)	G	
Crotonaldehyde	СТА	19 <sup>2</sup>	0	С	- 11	Α	No	N/A	55-1(h)	G	
Crude hydrocarbon feedstock (containing Butyraldehydes and Ethylpropyl acrolein)	CHG		0	С	Ш	А	Yes	1	No	G	
Cyclohexanone	ССН	18	0	D	Ш	Α	Yes	1	56-1(a), (b)	G	
Cyclohexanone, Cyclohexanol mixture	CYX	18 <sup>2</sup>	0	Е	Ш	Α	Yes	1	,56-1 (b)	G	
Cyclohexylamine	СНА	7	0	D	Ш	Α	Yes	1	56-1(a), (b), (c), (g)	G	

<sup>2.</sup> Under Environmental Control, Handling Space, NR means that the tank group is suitable only for those cargoes which require no environmental control in the cargo handling space. NA means that the vessel does not have a cargo control space, and this requirement is not applied.

<sup>3.</sup> Under Electrical Hazard Class, NA means that the tank group is suitable only for those cargoes which have no electrical hazard class requirement. NR means that the vessel has no electrical equipment located in a hazardous location.



Serial #: C1-1303585

23-Oct-13

## Certificate of Inspection

## Cargo Authority Attachment

Vessel Name: FMT 3194 Official #: 1191579

Page 2 of 8

Shipyard: Jeffboat Hull #: 05-2521

Cargo Identification	n						(	Condi	tions of Carriage	
	Chem	Compat	Sub		Hull	Tank	Vapor R App'd	ecovery	Special Requirements in 46 CFR	Insp.
Name	Code	Group No	Chapter	Grade	Туре	Group				Period
Cyclopentadiene, Styrene, Benzene mixture	CSB	30	0	D	III	А	Yes	1	50-60, 56-1(b)	G
iso-Decyl acrylate	IAI	14	0	Е	Ш	Α	No	N/A	50-70(a), 50-81(a), (b), 55-1(c)	G
Dichlorobenzene (all isomers)	DBX	36	0	Е	HI	Α	Yes	3	.56-1(a), (b)	G
1,1-Dichloroethane	DCH	36	0	С	III	Α	Yes	1	No	G
2,2'-Dichloroethyl ether	DEE	41	0	D	11	Α	Yes	1	,55-1(f)	G
Dichloromethane	DCM	36	0	NA	111	Α	No	N/A	No	G
2,4-Dichlorophenoxyacetic acid, diethanolamine salt solution	DDE	43	0	E	Ш	А	No	N/A	56-1(a), (b), (c), (g)	G
2,4-Dichlorophenoxyacetic acid, dimethylamine salt solution	DAD	0 1,2	0	А	III	Α	No	N/A	.56-1(a), (b), (c), (g)	G
2,4-Dichlorophenoxyacetic acid, triisopropanolamine salt solution	DTI	43 2	0	Е	Ш	Α	No	N/A	56-1(a), (b), (c), (g)	G
1,1-Dichloropropane	DPB	36	0	С	811	Α	Yes	3	No	G
1,2-Dichloropropane	DPP	36	0	С	Ш	Α	Yes	3	No	G
1,3-Dichloropropane	DPC	36	0	С	Ш	Α	Yes	3	No	G
1,3-Dichloropropene	DPU	15	0	D	11	Α	No	N/A	No	G
Dichloropropene, Dichloropropane mixtures	DMX	15	0	С	н	Α	Yes	1	No	G
Diethanolamine	DEA	8	0	Ε	111	Α	Yes	1	.55-I(c)	G
Diethylamine	DEN	7	0	С	III	Α	Yes	3	.55-1(c)	G
Diethylenetriamine	DET	7 2	0	E	III	Α	Yes	1	.55-1(c)	G
Diisobutylamine	DBU	7	0	D	III	Α	Yes	3	.55-1(c)	G
Diisopropanolamine	DIP	8	0	E	III	A	Yes	1	.55-1(c)	G
Diisopropylamine	DIA	7	0	С	11	A	Yes	3	.55-1(c)	G
N,N-Dimethylacetamide	DAC	10	0	E	III	A	Yes	3	.56-1(b)	G
Dimethylethanolamine	DMB	8	0	D	111	A	Yes	1	,56-1(b), (c)	G
Dimethylformamide	DMF	10	0	D	III	A	Yes	1	.55-1(e)	G
Di-n-propylamine	DNA	7	0	С	Ш	A	Yes	3	.55-1(c)	G
Dodecyldimethylamine, Tetradecyldimethylamine mixture	DOT	7	0	E	III	A	No	N/A	.56-1(b)	G
Dodecyl diphenyl ether disulfonate solution	DOS	43	0	#	11	A	Nó	N/A	No	G
EE Glycol Ether Mixture	EEG	40	0		111	A	No	N/A	No	G
Ethanolamine	MEA	8	0	E	111	A	Yes	1	,55-1(c)	G
Ethyl acrylate	EAC	14	0	C	III	A	No	N/A	50-70(a), 50-81(a), (b)	G
Ethylamine solution (72% or less)	EAN	7	0	A	11	A	Yes	6	.55-1(b)	Ğ
N-Ethylbutylamine	EBA	7	0	D	111	A	Yes	3	.55-1(b)	G
N-Ethylcyclohexylamine N-Ethylcyclohexylamine	ECC	7	0	D				1	55-1(b)	G
	ETC	20	0	E	111	A	Yes	1	No	G
Ethylene cyanohydrin						A		1	.55-1(c)	G
Ethylenediamine  Ethylene displacida	EDA	7 2	0	D	- 111	Α	Yes	1	No No	G
Ethylene dichloride	EDC	36 <sup>2</sup>	0	С	III	Α	Yes		No	G
Ethylene glycol hexyl ether	EGH	40	0	E	III	A	No	N/A		G
Ethylene glycol monoalkyl ethers	EGC	40	0	D/E	III	A	Yes	- 1	No	G
Ethylene glycol propyl ether	EGP	40	0	E	111	A	Yes	1	No	
2-Ethylhexyl acrylate	EAL	14	0	E	III	Α .	No	N/A	.50-70(a),  50-81(a), (b)	G
Ethyl methacrylate	ETM	14	0	D/E	111	A	No	N/A	.50-70(a)	G
2-Ethyl-3-propylacrolein	EPA	19 2	0	E	III	A	Yes	1	Ne SE 400	G
Formaldehyde solution (37% to 50%)	FMS	19 <sup>2</sup>	0	D/E		A	Yes	1	55-1(h)	G
Furfural	FFA	19	0	D	III	A	Yes	1	.55-1(h)	G
Glutaraldehyde solution (50% or less)	GTA	19	0	NA	III	Α	No	N/A	No	G
Hexamethylenediamine solution	HMC	7	0	Е	III	Α	Yes	1	.55-1(c)	G
Hexamethyleneimine	HMI	7	0	С	II	Α	Yes	1	,56-1(b), (c)	G
Hydrocarbon 5-9	HFN		0	С	III	Α	Yes	1	.50-70(a),50-81(a), (b)	G
Isoprene	IPR	30	0	Α	III	Α	No	N/A	.50-70(a), .50-81(a), (b)	G



Serial #: C1-1303585 Dated: 23-Oct-13

## Certificate of Inspection

### Cargo Authority Attachment

Vessel Name: FMT 3194 Official #: 1191579

Page 3 of 8

Shipyard: Jeffboat Hull #: 05-2521

Cargo Identification								Condi	tions of Carriage	
Name	Chem Code	Compat Group No	Sub Chapter	Grade	Hull Type	Tank Group	App'd		Special Requirements in 46 CFR 151 General and Mat'ls of	Insp. Period
Isoprene, Pentadiene mixture	IPN		0	В	Ш	Α	No	N/A	50-70(a), 55-1(c)	G
Kraft pulping liquors (free alkali content 3% or more)(including: Black, Green, or White liquor)	KPL	5	0	NA	111	А	No	N/A	,50-73, ,56-1(a), (c), (g)	G
Mesityl oxide	MSQ	18 <sup>2</sup>	0	D	Ш	Α	Yes	1	No	G
Methyl acrylate	MAM	14	0	С	III	Α	No	N/A	,50-70(a), ,50-81(a), (b)	G
Methylcyclopentadiene dimer	MCK	30	0	С	Ш	Α	Yes	1	No	G
Methyl diethanolamine	MDE	8	0	Е	311	Α	Yes	1	,56-1(b), (c)	G
2-Methyl-5-ethylpyridine	MEP	9	0	E	III	Α	Yes	1	55-1(e)	G
Methyl methacrylate	MMM	1 14	0	С	III	Α	No	N/A	,50-70(a), ,50-81(a), (b)	G
2-Methylpyridine	MPR	9	0	D	Ш	Α	Yes	3	55-1(c)	G
alpha-Methylstyrene	MSR	30	0	D	- III	А	No	N/A	50-70(a), 50-81(a), (b)	G
Morpholine	MPL	7 2	0	D	111	А	Yes	1	,55-1(c)	G
Nitroethane	NTE	42	0	D	-11	Α	No	N/A	50-81, 56-1(b)	G
1- or 2-Nitropropane	NPM	42	0	D	III	А	Yes	1	50-81	G
1,3-Pentadiene	PDE	30	0	A	III	Α	No	N/A	50-70(a), 50-81	G
Perchloroethylene	PER	36	0	NA	BI	Α	No	N/A	No	G
Polyethylene polyamines	PEB	7 2	0	E	III	A	Yes	1	55-1(e)	G
iso-Propanolamine	MPA	8	0	E	III	A	Yes	1	55-1(c)	G
Propanolamine (iso-, n-)	PAX	8	0	E	III	A	Yes	1	56-1(b), (c)	G
iso-Propylamine	IPP	7	0	A	11	A	No	N/A	.55-1(c)	G
Pyridine	PRD	9	0	C	- m	A	Yes	1	55-1(e)	G
Sodium acetate, Glycol, Water mixture (3% or more Sodium Hydroxide)		5	0		111	A	No	N/A	50-73, 55-1(j)	G
Sodium aluminate solution (45% or less)	SAU	5	0	NA	111	A	No	N/A	50-73, 56-1(a), (b), (c)	G
Sodium chlorate solution (50% or less)	SDD	0 1,2		NA	10	A	No	N/A	50-73	G
Sodium hypochlorite solution (20% or less)	SHQ	5	0		III	A		N/A	.50-73, .56-1(a), (b)	G
	SSH	0 1,2		NA NA	III	A	No Yes	1	50-73, 55-1(b)	G
Sodium sulfide, hydrosulfide solution (H2S 15 ppm or less)  Sodium sulfide, hydrosulfide solution (H2S greater than 15 ppm but less than 200 ppm)	SSI	0 1,2		NA	111	A	No	N/A	50-73, 55-1(b)	G
Sodium sulfide, hydrosulfide solution (H2S greater than 200 ppm)	SSJ	0 1,2	0	NA	П	Α	No	N/A	50-73, 55-1(b)	G
Styrene (crude)	STX	30	0	D	- 111	A	No	N/A	No	G
Styrene monomer	STY	30	0	D	111	A	No	N/A	50-70(a), 50-81(a), (b)	G
1,1,2,2-Tetrachloroethane	TEC	36	0	NA	HI	A	No	N/A	No	G
Tetraethylenepentamine	TTP	7	0	E	111	A	Yes	1	,55-1(c)	G
Tetrahydrofuran	THE	41	0	С	III	A	Yes	1	50-70(b)	G
Toluenediamine	TDA	9	0	E		A	No	N/A	50-73, 56-1(a), (b), (c), (g)	G
1,2,4-Trichlorobenzene	TCB	36	0	E		A	Yes	1	No	G
1,1,2-Trichloroethane	TCM	36	0		111			1	50-73, 56-1(a)	G
	TCL	36 <sup>2</sup>	0	NA NA	101	A	Yes	1	No	G
Trichloroethylene	TCN		0	E		Α	Yes	3	50-73, 56-1(a)	G
1,2,5-monioropropane		36				A	Yes		.55-1(b)	G
Triethanolamine	TEA	8 2	0	E		Α	Yes	1	.55-1(e)	G
Triethylamine	TEN	7	0	С	II.	A	Yes	3		
Triethylenetetramine	TET	7 2	0	E	- 111	Α	Yes	1	.55-1(b)	G
Triphenylborane (10% or less), caustic soda solution	TPB	5	0	NA	- 111	A	No	N/A	56-1(a), (b), (c)	G
Trisodium phosphate solution	TSP	5	0	NA	181	A	No	N/A	50-73, 56-1(a), (c)	
Urea, Ammonium nitrate solution (containing more than 2% NH3)	UAS	6	0	NA	111	A	No	N/A	.56-1(b)	G
Vanillin black liquor (free alkali content, 3% or more).	VBL	5	0	NA	III	A .	No	N/A	50-73, 56-1(a), (c), (g)	G
Vinyl acetate	VAM	13	0	C	III	A	No	N/A	.50-70(a), .50-81(a), (b)	G
Vinyl neodecanate	VND	13	0	E	III	A	No	N/A	50-70(a), 50-81(a), (b)	G
Vinyltoluene	VNT	13	0	D	III	Α	No	N/A	.50-70(a), .50-81, .56-1(a), (b), (c), (	G

Serial #: Dated:

Serial #: C1-1303585

23-Oct-13



# Certificate of Inspection

## Cargo Authority Attachment

Vessel Name: FMT 3194
Official #: 1191579

Page 4 of 8

Shipyard: Jeffboat

Hull #: 05-2521

Cargo Identification	n							Condi	tions of Carriage	
Name	Chem Code	Compat Group No	Sub Chapter	Grade	Hull Type	Tank Group	App'd		Special Requirements in 46 CFR 151 General and Mat'ls of	Insp. Period
Subchapter D Cargoes Authorized for Vapor Cont	rol									
Acetone	ACT	18 <sup>2</sup>	D	С		Α	Yes	1		
Acetophenone	ACP	18	D	Е		Α	Yes	1		
Alcohol(C12-C16) poly(1-6)ethoxylates	APU	20	D	E		Α	Yes	1		
Alcohol(C6-C17)(secondary) poly(7-12)ethoxylates	AEB	20	D	E		Α	Yes	1		
Amyl acetate (all isomers)	AEC	34	D	D		А	Yes	1		
Amyl alcohol (iso-, n-, sec-, primary)	AAI	20	D	D		А	Yes	1		
Benzyl alcohol	BAL	21	D	E		Α	Yes	1		
Brake fluid base mixtures (containing Poly(2-8)alkylene(C2-C3) glycols, Polyalkylene(C2-C10) glycol monoalkyl(C1-C4) ethers, and their borate esters)	BFX	20	D	Е		А	Yes	1		
Butyl acetate (all isomers)	BAX	34	D	D		А	Yes	1		
Butyl alcohol (iso-)	IAL	20 <sup>2</sup>	D	D		А	Yes	1		
Butyl alcohol (n-)	BAN	20 <sup>2</sup>	D	D		Α	Yes	1		
Butyl alcohol (sec-)	BAS	20 2	D	С		А	Yes	1		
Butyl alcohol (tert-)	BAT	20 <sup>2</sup>	D	С		Α	Yes	1		
Butyl benzyl phthalate	врн	34	D	Е		Α	Yes	1		
Butyl toluene	BUE	32	D	D		Α	Yes	1		
Caprolactam solutions	CLS	22	D	E		Α	Yes	1		
Cyclohexane	CHX	31	D	С		Α	Yes	1		
Cyclohexanol	CHN	20	D	Е		Α	Yes	1		
p-Cymene	CMP	32	D	D		Α	Yes	1		
iso-Decaldehyde	IDA	19	D	Ε		Α	Yes	1		
n-Decaldehyde	DAL	19	D	Е		Α	Yes	1		
Decene	DCE	30	D	D		Α	Yes	1		
Decyl alcohol (all isomers)	DAX	20 <sup>2</sup>	D	E		А	Yes	1		
n-Decylbenzene, see Alkyl(C9+)benzenes	DBZ	32	D	E		Α	Yes	1		
Diacetone alcohol	DAA	20 <sup>2</sup>	D	D		Α	Yes	1		
ortho-Dibutyl phthalate	DPA	34	D	Е		Α	Yes	1		
Diethylbenzene	DEB	32	D	D		Α	Yes	1		
Diethylene glycol	DEG	40 <sup>2</sup>	D	E		Α	Yes	1		
Diisobutylene	DBL	30	D	С		Α	Yes	1		
Diisobutyl ketone	DIK	18	D	D		A	Yes	1		
Diisopropylbenzene (all isomers)	DIX	32	D	E		A	Yes	1		
Dimethyl phthalate	DTL	34	D	E		A	Yes	1		
Dioctyl phthalate	DOP	34	D	E		Α	Yes	1		
Dipentene	DPN	30	D	D		Α	Yes	1		
Diphenyl	DIL	32	D	D/E		A	Yes	1		
Diphenyl, Diphenyl ether mixtures	DDO	33	D	E		A	Yes	1		
Diphenyl ether	DPE	41	D	{E}		A	Yes	1		
Dipropylene glycol	DPG	40	D	E		A	Yes	1		
Distillates: Flashed feed stocks	DFF	33	D	E		A	Yes	1	79	
Distillates: Straight run	DSR	33	D	E		A	Yes	1		
Dodecene (all isomers)	DOZ	30	D	D		A	Yes	1		
Dodecylbenzene, see Alkyl(C9+)benzenes	DDB	32	D	E		A	Yes	1		
2-Ethoxyethyl acetate	EEA	34	D	D		A	Yes	1		
Ethoxy triglycol (crude)	ETG	40	D	E		A	Yes	1		
Ethyl acetate	ETA	34	D	C		A	Yes	1		

Certifica

Serial #: C1-1303585 Dated: 23-Oct-13

# Certificate of Inspection

### Cargo Authority Attachment

Vessel Name: FMT 3194
Official #: 1191579

Page 5 of 8

Shipyard: Jeffboat Hull #: 05-2521

Cargo Identificati	on							Condi	tions of Carriage	
Name	Chem Code	Compat Group No	Sub Chapter	Grade	Hull Type	Tank Group	App'd	Recovery VCS Category	Special Requirements in 46 CFR 151 General and Mat'ls of	Insp. Period
Ethyl acetoacetate	EAA	34	D	Ε		Α	Yes	1_		
Ethyl alcohol	EAL	20 <sup>2</sup>	D	С		Α	Yes	1		
Ethylbenzene	ETB	32	D	С		Α	Yes	1		
Ethyl butanol	EBT	20	D	D		Α	Yes	1		
Ethyl tert-butyl ether	EBE	41	D	С		Α	Yes	1		
Ethyl butyrate	EBR	34	D	D		Α	Yes	1		
Ethyl cyclohexane	ECY	31	D	D		А	Yes	1		
Ethylene glycol	EGL	20 <sup>2</sup>	D	E		Α	Yes	1		
Ethylene glycol butyl ether acetate	EMA	34	D	E		А	Yes	1		
Ethylene glycol diacetate	EGY	34	D	E		А	Yes	4		
Ethylene glycol phenyl ether	EPE	40	D	E		Α	Yes	1		
Ethyl-3-ethoxypropionate	EEP	34	D	D		A	Yes	1		
2-Ethylhexanol	EHX	20	D	E		Α	Yes	1		
Ethyl propionate	EPR	34	D	С		Α	Yes	1		
Ethyl toluene	ETE	32	D	D		A	Yes	1		
Formamide	FAM	10	D	E		A	Yes	1		
Furfuryl alcohol	FAL	20 2	D	E		A	Yes	1		
	GAK	33	D	A/C		A	Yes	1		
Gasoline blending stocks: Alkylates	GRF	33	D	A/C		A	Yes	1		
Gasoline blending stocks: Reformates	GAT	33	D	C		A	Yes	1		
Gasolines: Automotive (containing not over 4.23 grams lead per gallon)				С				1		
Gasolines: Aviation (containing not over 4.86 grams of lead per gallon)	GAV	33	D	C		Α	Yes	1		
Gasolines: Casinghead (natural)	GCS	33	D	A/C		Α	Yes	1		
Gasolines: Polymer	GPL	33	D	A/C		Α	Yes	1		
Gasolines: Straight run	GSR	33	D	A/C		Α	Yes	1		
Glycerine	GCR	20 <sup>2</sup>	D	Е		Α	Yes	1		
Heptane (all isomers), see Alkanes (C6-C9) (all isomers)	HMX	31	D	С		Α	Yes	1		
Heptanoic acid	HEP	4	D	E		Α	Yes	1		
Heptanol (all isomers)	HTX	20	D	D/E		Α	Yes	1		
Heptyl acetate	HPE	34	D	Е		Α	Yes	1		
Hexane (all isomers), see Alkanes (C6-C9)	HXS	31 <sup>2</sup>	D	B/C		Α	Yes	1		
Hexanoic acid	HXO	4	D	E		Α	Yes	1		
Hexanol	HXN	20	D	D		А	Yes	1		
Hexylene glycol	HXG	20	D	E		Α	Yes	1		
Isophorone	IPH	18 <sup>2</sup>	D	E		А	Yes	1		
Jet fuel: JP-4	JPF	33	D	E		Α	Yes	1		
Jet fuel: JP-5 (kerosene, heavy)	JPV	33	D	D		Α	Yes	1		
Kerosene	KRS	33	D	D		A	Yes	1		
Methyl acetate	MTT	34	D	D		A	Yes	1		
Methyl alcohol	MAL	20 <sup>2</sup>	D	С		A	Yes	1		
Methylamyl acetate	MAC	34	D	D		A	Yes	1		
	MAA	20	D	D				1		
Methylamyl alcohol				D		A	Yes	1		
Methyl amyl ketone	MAK	18	D				Yes			
Methyl tert-butyl ether	MBE	41 2	D	С		A	Yes	11		
Methyl butyl ketone	MBK	18	D	С		A	Yes	1		
Methyl butyrate	MBU	34	D	С		A	Yes	1		
Methyl ethyl ketone	MEK	18 <sup>2</sup>	D	С		A	Yes	1		
Methyl heptyl ketone	MHK	18	D	D		Α	Yes	1		



Serial #: C1-1303585 23-Oct-13

# Certificate of Inspection

## Cargo Authority Attachment

Vessel Name: FMT 3194 Official #: 1191579

Page 6 of 8

Shipyard: Jeffboat

Hull #: 05-2521

Cargo Identifica	ation					Conditions of Carriage					
								Recovery			
Name	Chem Code	Compat Group No	Sub Chapter	Grade	Hull Type	Tank Group	App'd (Y or N)	VCS Category	Special Requirements in 46 CFR 151 General and Mat'ls of	Insp. Period	
Methyl isobutyl ketone	MIK	18 <sup>2</sup>	D	С		А	Yes	1			
Methyl naphthalene (molten)	MNA	32	D	E		Α	Yes	1			
Mineral spirits	MNS	33	D	D		Α	Yes	1			
Myrcene	MRE	30	D	D		Α	Yes	1			
Naphtha: Heavy	NAG	33	D	#		Α	Yes	- 1			
Naphtha: Petroleum	PTN	33	D	#		Α	Yes	-1			
Naphtha: Solvent	NSV	33	D	D		Α	Yes	1			
Naphtha: Stoddard solvent	NSS	33	D	D		А	Yes	1			
Naphtha: Varnish makers and painters (75%)	NVM	33	D	С		Α	Yes	1			
Nonane (all isomers), see Alkanes (C6-C9)	NAX	31	D	D		А	Yes	-1			
Nonyl alcohol (all isomers)	NNS	20 <sup>2</sup>	D	E		Α	Yes	1			
Nonyl phenol	NNP	21	D	Е		Α	Yes	1			
Nonyl phenol poly(4+)ethoxylates	NPE	40	D	Е		А	Yes	1			
Octane (all isomers), see Alkanes (C6-C9)	OAX	31	D	С		Α	Yes	1			
Octanoic acid (all isomers)	OAY	4	D	E		Α	Yes	1			
Octanol (all isomers)	OCX	20 <sup>2</sup>	D	E		Α	Yes	1			
Oil, fuel: No. 2	OTW	33	D	D/E		A	Yes	1			
Oil, fuel: No. 2-D	OTD	33	D	D		A	Yes	1			
Oil, fuel: No. 4	OFR	33	D	D/E		A	Yes	1			
Oil, fuel: No. 5	OFV	33	D	D/E		A	Yes	1			
	OSX	33	D	E				1			
Oil, fuel: No. 6						A	Yes				
Oil, misc: Crude	OIL	33	D	A/D		A	Yes	1			
Oil, misc: Diesel	ODS	33	D	D/E		A	Yes	1			
Oil, misc: Gas, high pour	OGP	33	D	E		A	Yes	1			
Oil, misc: Lubricating	OLB	33	D	E		A	Yes	1			
Oil, misc: Residual	ORL	33	D	E		A	Yes	1			
Oil, misc: Turbine	ОТВ	33	D	E		A	Yes	1			
n-Pentyl propionate	PPE	34	D	D		Α	Yes	1			
alpha-Pinene	PIO	30	D	D		А	Yes	1			
beta-Pinene	PIP	30	D	D		Α	Yes	1			
Poly(2-8)alkylene glycol monoalkyl(C1-C6) ether	PAG	40	D	Е		Α	Yes	1			
Poly(2-8)alkylene glycol monoalkyl(C1-C6) ether acetate	PAF	34	D	E		Α	Yes	1			
Polybutene	PLB	30	D	E		Α	Yes	1			
Polypropylene glycol	PGC	40	D	Е		Α	Yes	1			
iso-Propyl acetate	IAC	34	D	С		Α	Yes	1			
n-Propyl acetate	PAT	34	D	С		Α	Yes	1			
iso-Propyl alcohol	IPA	20 2	D	С		Α	Yes	1			
n-Propyl alcohol	PAL	20 2	D	С		Α	Yes	1			
Propylbenzene (all isomers)	PBY	32	D	D		Α	Yes	1			
iso-Propylcyclohexane	IPX	31	D	D		А	Yes	1			
Propylene glycol	PPG	20 2	D	Е		А	Yes	1			
Propylene glycol methyl ether acetate	PGN	34	D	D		А	Yes	1			
Propylene tetramer	PTT	30	D	D		Α	Yes	1			
Sulfolane	SFL	39	D	E		Α	Yes	1			
Tetraethylene glycol	TTG	40	D	E		Α	Yes	1			
Tetrahydronaphthalene	THN	32	Đ	E		A	Yes	1			
Toluene	TOL	32	D	С		A	Yes	1			
Tricresyl phosphate (less than 1% of the ortho isomer)	TCP	34	D	E		A	Yes	1			

Serial #: C1-1303585

23-Oct-13

# Certificate of Inspection

Cargo Authority Attachment


Page 7 of 8

Vessel Name: FMT 3194 Official #: 1191579

Shipyard: Jeffboat

Hull #: 05-2521

Cargo Identification						Conditions of Carriage				
Name	Chem Code	Compat Group No	Sub Chapler	Grade	Hull Type	Tank Group	App'd	Recovery VCS Category	Special Requirements in 46 CFR 151 General and Mat'ls of	Insp. Period
Triethylbenzene	TEB	32	D	E		Α	Yes	1		
Triethylene glycol	TEG	40	D	Е		Α	Yes	1		
Triethyl phosphate	TPS	34	D	Е		Α	Yes	1		
Trimethylbenzene (all isomers)	TRE	32	D	{D}		Α	Yes	1		
Trixylenyl phosphate	TRP	34	D	E		Α	Yes	1		
Undecene	UDC	30	D	D/E		Α	Yes	1		
1-Undecyl alcohol	UND	20	D	Е		Α	Yes	1		
Xylenes (ortho-, meta-, para-)	XLX	32	D	D		Α	Yes	1		



Department of Homeland Security

Serial #: C1-1303585 Dated:

23-Oct-13



## Certificate of Inspection

### Cargo Authority Attachment

Vessel Name: FMT 3194 Official #: 1191579

Page 8 of 8

Shipyard: Jeffboat

Hull #: 05-2521

#### Explanation of terms & symbols used in the Table:

Cargo Identification

Chem Code

Compatability Group No.

Note 1

Note 2

Subchapter O Note 3

Subchapter

Grade

A, B, C

Note 4 NA

See Appendix I to 46 CFR Part 150 - exceptions to the compatability chart. The subchapter in Title 46 Code of Federal Regulations under which the cargo has been classified.

Those flammable and combustible liquids listed in 46 CFR Table 30 25-

0001. Telephone (202) 372-1425.

Those hazardous cargoes listed in 46 CFR Table 151,05 and 46 CFR Part 153 Table 2.

Those cargoes listed in 46 CFR Part 153 Table 2 are non-regulated cargoes when carried in bulk on non-oceangoing barges.

The proper shipping name as listed in 46 CFR Table 30,25-1, 46 CFR Table 151,05, and 46 CFR Part 153 Table 2.

The three letter designation assigned to the cargo in the Chemical Hazards Response Information System (CHRIS) Manual

The cargo classification assigned to each flammable or combustible liquid. Grades inside of "{ }" indicate a provisional assignment based upon literature sources which were not verified by manufacturers data. The Person-in-Charge shall verify the cargo grade based on Manufacturers data and ensure that the barge is authorized for

The cargo reactive group number assigned for compatibility determinations in 46 CFR Part 150 Tables I and II. In accordance with 46 CFR 150.130, the Person-in-Charge of the barge is responsible for ensuring that the compatibility requirements of 46 CFR Part 150 are met. Cargoes must be checked for compatibility using the figures, tables,

and appendices of 46 CFR 150 in conjunction with the assigned reactive group number.

Because of the very high reactivity or unusual conditions of carriage or potential compatibility problems, this product is not assigned to a specific group in the Compatibility Chart. For additional compatibility information, contact Commandant (CG-3PSO-3), U.S. Coast Guard, 2100 Second Street, SW, Washington, DC 20593-

Flammable liquid cargoes, as defined in 46 CFR 30-10.22, Combustible liquid cargoes, as defined in 46 CFR 30-10.15.

Certain mixtures of cargoes may not have a CHRIS Code assigned

The flammability/combustibility grade of these cargoes may vary depending upon the flashpoint and Reid vapor pressure. The Person-in-Charge shall verify the cargo grade based on Manufacturers data and ensure that the barge is authorized for carriage of that grade of cargo.

Those subchapter O cargoes which are not classified as a flammable or combustible liquid.

No flammability/combustibility grade has been assigned yet, as the necessary flash point/vapor pressure data for such assignments are presently not available.

Hull Type

NA

The required barge hull classification for carriage of the specified Subchapter O hazardous material cargo, see 46 CFR 151,10-1,

Designed to carry products which require the maximum preventive measures to preclude the uncontrolled release of the cargo. See 46 CFR 151,10-1(b)(1), Designed to carry products which require significant preventive measures to preclude the uncontrolled release of cargo. See 46 CFR 151,10-1(b)(3), Designed to carry products of sufficeint hazard to require a moderate degree of control. See 46 CFR 151.10-1(b)(4).

Not applicable to barges certificated under Subchapter D.

#### Conditions of Carriage

Tank Group Vapor Recovery Approved (Y or N) The vessel's tank group (as defined in Section 4) which is authorized for carriage of the named cargo.

Yes: The vessel's VCS has been reviewed and approved by the MSC to control vapors of the specified cargo No: The vessel's VCS has been reviewed and is not approved by the MSC to control vapors of the specified cargo.

#### Conditions of Carriage

Vapor Recovery Approved (Y or N) The vessel's tank group (as defined under the "46 CFR Tank Group Characteristics" listed on page 1) which is authorized for carriage of the named cargo,

Yes: The vessel's VCS has been reviewed and approved by the MSC to control vapors of the specified cargo No: The vessel's VCS has been reviewed and is not approved by the MSC to control vapors of the specified cargo.

VCS Category:

Category 1

The specified cargo's provisional classification for vapor control systems.

(No additional VCS requirements above those for benzene, gasolines and crude oil) All requirements applying to the handling of oil and hazardous materials in Titles 33 and 46 Code of Federal Regulations (CFR) apply to these cargoes. Those specifically dealing with vapor control systems are in 33 CFR 155,750, 33 CFR 156,120, 33 CFR 156,170, 46 CFR 35,35 and 46 CFR 39. The cargo tank venting system calculations (46 CFR 39,20-11) and the pressure drop calculations (46 CFR 39,30-1(b)) must use appropriate friction factors, vapor densities and vapor growth rates

Category 2

(Polymerizes) Polymerization and residue build-up of these cargoes can adversely affect the vessel by fouling safety componenets and restricting vapor flow which could lead to cargo lank overpressurization. The vessel's owner must develop a method of ensuring all VCS safety components are functional and polymer build-up is not causing an unsafe condition due to increased pressure in the vapor control piping and cargo tanks. The method shall be acceptable to the local Officer in Charge Marine Inspection. This is in addition to the requirements of Category 1. Please note that a material not normally considered a monomer can be a problem in detonation

Category 3

(Highly toxic) VCSs for these toxic cargoes cannot use a spill valve or rupture disk as the primary means to meet the overfill protection requirement of 46 CFR 39.20-9. This requirement is in addition to the requirements of Category 1

Category 4

(Polymerizes and highly toxic) Must comply with requirements of Categories 1, 2 and 3,

Category 5

(High vapor pressure) VCS pressure drop calculations for cargoes with a vapor pressure greater than 14.7 psia at 115 F must take into account increased vapor-air mixture densities and vapor growth rates as compared to Category 1 cargoes. Consult the Marine Safety Center's VCS Guidelines for further information. This requirement is in addition to the requirements of Category 1,

Category 6 Category 7

(High vapor pressure and highly toxic) Must comply with requirements of Categories 1, 3 and 5, (High vapor pressure and polymerizes) Must comply with requirements of Categories 1, 2 and 5.

none

The cargo has not been evaluated/classified for use in vapor control systems.