



BARGE "FMT-3288"
FLORIDA MARINE

INNAGE TABLE

1 PORT OR STAR

BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

HULL NO. G007

BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN																												KEEL NOT COG																											
#	0 FT.	#	1 FT.	#	2 FT.	#	3 FT.	#	4 FT.	#	5 FT.	#	6 FT.	#	7 FT.	#	8 FT.	#	9 FT.	#	10 FT.	#	11 FT.	#	12 FT.	#	13 FT.	#	14 FT.	#	15 FT.																								
0	14.13	0	331.22	0	662.10	0	992.98	0	1,323.81	0	1,654.68	0	1,985.56	0	2,316.44	0	2,647.32	0	2,978.20	0	3,309.08	0	3,639.96	0	3,970.84	0	4,301.72	0	4,631.13	0	4,895.16																								
1/4	18.43	1/4	338.11	1/4	668.99	1/4	999.88	1/4	1,330.70	1/4	1,661.57	1/4	1,992.45	1/4	2,323.33	1/4	2,654.21	1/4	2,985.09	1/4	3,315.97	1/4	3,646.85	1/4	3,977.73	1/4	4,308.62	1/4	4,637.99	1/4	4,895.58																								
1/2	22.74	1/2	345.01	1/2	675.89	1/2	1,006.77	1/2	1,337.59	1/2	1,668.46	1/2	1,999.34	1/2	2,330.22	1/2	2,661.11	1/2	2,991.99	1/2	3,322.87	1/2	3,653.75	1/2	3,984.63	1/2	4,315.51	1/2	4,644.85	1/2	4,895.00																								
3/4	27.05	3/4	351.90	3/4	682.78	3/4	1,013.66	3/4	1,344.48	3/4	1,675.36	3/4	2,006.24	3/4	2,337.12	3/4	2,668.00	3/4	2,998.88	3/4	3,329.76	3/4	3,660.64	3/4	3,991.52	3/4	4,322.37	3/4	4,651.72	3/4	4,895.16																								
1	31.36	1	358.79	1	689.67	1	1,020.56	1	1,351.38	1	1,682.25	1	2,013.13	1	2,344.01	1	2,674.89	1	3,005.77	1	3,336.65	1	3,667.53	1	3,998.41	1	4,329.23	1	4,658.58	1	4,895.58																								
1/4	37.39	1/4	365.69	1/4	696.57	1/4	1,027.45	1/4	1,358.27	1/4	1,689.14	1/4	2,020.02	1/4	2,350.90	1/4	2,681.79	1/4	3,012.67	1/4	3,343.55	1/4	3,674.43	1/4	4,005.31	1/4	4,336.09	1/4	4,665.44	1/4	4,895.58																								
1/2	43.42	1/2	372.58	1/2	703.46	1/2	1,034.34	1/2	1,365.16	1/2	1,696.04	1/2	2,026.92	1/2	2,357.80	1/2	2,688.68	1/2	3,019.56	1/2	3,350.44	1/2	3,681.32	1/2	4,012.20	1/2	4,342.95	1/2	4,672.30	1/2	4,895.58																								
3/4	49.46	3/4	379.47	3/4	710.36	3/4	1,041.24	3/4	1,372.05	3/4	1,702.93	3/4	2,033.81	3/4	2,364.69	3/4	2,695.57	3/4	3,026.45	3/4	3,357.33	3/4	3,688.21	3/4	4,019.10	3/4	4,349.82	3/4	4,679.16	3/4	4,895.58																								
2	55.49	2	386.37	2	717.25	2	1,048.13	2	1,378.94	2	1,709.82	2	2,040.70	2	2,371.58	2	2,702.47	2	3,033.35	2	3,364.23	2	3,695.11	2	4,025.99	2	4,356.88	2	4,686.02	2	4,895.58																								
1/4	62.38	1/4	393.28	1/4	724.14	1/4	1,055.02	1/4	1,385.84	1/4	1,716.72	1/4	2,047.60	1/4	2,378.48	1/4	2,709.36	1/4	3,040.24	1/4	3,371.12	1/4	3,702.00	1/4	4,032.88	1/4	4,363.54	1/4	4,692.88	1/4	4,895.58																								
1/2	69.27	1/2	400.15	1/2	731.04	1/2	1,061.92	1/2	1,392.73	1/2	1,723.61	1/2	2,054.49	1/2	2,385.37	1/2	2,716.25	1/2	3,047.13	1/2	3,378.01	1/2	3,708.89	1/2	4,039.78	1/2	4,370.40	1/2	4,699.74	1/2	4,895.58																								
3/4	76.17	3/4	407.05	3/4	737.93	3/4	1,068.81	3/4	1,399.62	3/4	1,730.50	3/4	2,061.38	3/4	2,392.26	3/4	2,723.15	3/4	3,054.03	3/4	3,384.91	3/4	3,715.79	3/4	4,046.67	3/4	4,377.26	3/4	4,706.61	3/4	4,895.58																								
3	83.06	3	413.94	3	744.82	3	1,075.70	3	1,406.52	3	1,737.40	3	2,068.28	3	2,399.16	3	2,730.04	3	3,060.92	3	3,391.80	3	3,722.68	3	4,053.56	3	4,384.12	3	4,713.47	3	4,895.58																								
1/4	89.95	1/4	420.83	1/4	751.72	1/4	1,082.60	1/4	1,413.41	1/4	1,744.29	1/4	2,075.17	1/4	2,406.05	1/4	2,736.93	1/4	3,067.81	1/4	3,398.69	1/4	3,729.57	1/4	4,060.46	1/4	4,390.98	1/4	4,720.33	1/4	4,895.58																								
1/2	96.85	1/2	427.73	1/2	758.61	1/2	1,089.49	1/2	1,420.30	1/2	1,751.18	1/2	2,082.06	1/2	2,412.94	1/2	2,743.83	1/2	3,074.71	1/2	3,405.59	1/2	3,736.47	1/2	4,067.35	1/2	4,397.85	1/2	4,727.19	1/2	4,895.58																								
3/4	103.74	3/4	434.62	3/4	765.50	3/4	1,096.38	3/4	1,427.20	3/4	1,758.08	3/4	2,088.96	3/4	2,419.84	3/4	2,750.72	3/4	3,081.60	3/4	3,412.48	3/4	3,743.36	3/4	4,074.24	3/4	4,404.71	3/4	4,734.05	3/4	4,895.58																								
4	110.63	4	441.51	4	772.40	4	1,103.28	4	1,434.09	4	1,764.97	4	2,095.85	4	2,426.73	4	2,757.61	4	3,088.49	4	3,419.37	4	3,750.25	4	4,081.14	4	4,411.57	4	4,740.91	4	4,895.58																								
1/4	117.53	1/4	448.41	1/4	779.29	1/4	1,110.17	1/4	1,440.98	1/4	1,771.86	1/4	2,102.74	1/4	2,433.62	1/4	2,764.51	1/4	3,095.39	1/4	3,426.27	1/4	3,757.15	1/4	4,088.03	1/4	4,418.43	1/4	4,747.77	1/4	4,895.58																								
1/2	124.42	1/2	455.30	1/2	786.18	1/2	1,117.06	1/2	1,447.88	1/2	1,778.76	1/2	2,109.64	1/2	2,440.52	1/2	2,771.40	1/2	3,102.28	1/2	3,433.16	1/2	3,764.04	1/2	4,094.92	1/2	4,425.29	1/2	4,754.64	1/2	4,895.58																								
3/4	131.31	3/4	462.19	3/4	793.08	3/4	1,123.95	3/4	1,454.77	3/4	1,785.65	3/4	2,116.53	3/4	2,447.41	3/4	2,778.29	3/4	3,109.17	3/4	3,440.05	3/4	3,770.93	3/4	4,101.82	3/4	4,432.15	3/4	4,761.50	3/4	4,895.58																								
5	138.21	5	469.09	5	799.97	5	1,130.84	5	1,461.66	5	1,792.54	5	2,123.42	5	2,454.30	5	2,785.19	5	3,116.07	5	3,446.95	5	3,777.83	5	4,108.71	5	4,439.01	5	4,768.36	5	4,895.58																								
1/4	145.10	1/4	475.98	1/4	806.86	1/4	1,137.73	1/4	1,468.56	1/4	1,799.44	1/4	2,130.32	1/4	2,461.20	1/4	2,792.08	1/4	3,122.96	1/4	3,453.84	1/4	3,784.72	1/4	4,115.60	1/4	4,445.87	1/4	4,775.22	1/4	4,895.58																								
1/2	151.99	1/2	482.87	1/2	813.76	1/2	1,144.63	1/2	1,475.45	1/2	1,806.33	1/2	2,137.21	1/2	2,468.09	1/2	2,798.97	1/2	3,129.85	1/2	3,460.73	1/2	3,791.61	1/2	4,122.50	1/2	4,452.74	1/2	4,782.08	1/2	4,895.58																								
3/4	158.89	3/4	489.77	3/4	820.65	3/4	1,151.52	3/4	1,482.34	3/4	1,813.22	3/4	2,144.10	3/4	2,474.98	3/4	2,805.87	3/4	3,136.75	3/4	3,467.63	3/4	3,798.51	3/4	4,129.39	3/4	4,459.60	3/4	4,788.94	3/4	4,895.58																								
6	165.78	6	496.66	6	827.54	6	1,158.41	6	1,489.24	6	1,820.12	6	2,151.00	6	2,481.88	6	2,812.76	6	3,143.64	6	3,474.52	6	3,805.40	6	4,136.28	6	4,466.46	6	4,795.80	6	4,895.58																								
1/4	172.67	1/4	503.55	1/4	834.44	1/4	1,165.30	1/4	1,496.13	1/4	1,827.01	1/4	2,157.89	1/4	2,488.77	1/4	2,819.65	1/4	3,150.53	1/4	3,481.41	1/4	3,812.29	1/4	4,143.18	1/4	4,473.32	1/4	4,802.66	1/4	4,895.58																								
1/2	179.57	1/2	510.45	1/2	841.33	1/2	1,172.19	1/2	1,503.02	1/2	1,833.90	1/2	2,164.78	1/2	2,495.66	1/2	2,826.55	1/2	3,157.43	1/2	3,488.31	1/2	3,819.19	1/2	4,150.07	1/2	4,480.18	1/2	4,809.53	1/2	4,895.58																								
3/4	186.46	3/4	517.34	3/4	848.22	3/4	1,179.08	3/4	1,509.92	3/4	1,840.80	3/4	2,171.68	3/4	2,502.56	3/4	2,833.44	3/4	3,164.32	3/4	3,495.20	3/4	3,826.08	3/4	4,156.96	3/4	4,487.04	3/4	4,816.39	3/4	4,895.58																								
7	193.35	7	524.23	7	855.12	7	1,185.98	7	1,516.81	7	1,847.69	7	2,178.57	7	2,509.45	7	2,840.33	7	3,171.21	7	3,502.09	7	3,832.97	7	4,163.86	7	4,493.90	7	4,822.65	7	4,895.58																								
1/4	200.25	1/4	531.13	1/4	862.01	1/4	1,192.87	1/4	1,523.70	1/4	1,854.58	1/4	2,185.46	1/4	2,516.34	1																																							



INSPECTORATE

BARGE "FMT-3288" FLORIDA MARINE

INNAGE TABLE

2 PORT OR STAR

BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

HULL NO. G007

BARREL CHOICE BE ON EVEN-LEVEL REEL WHEN GAUGES ARE TAKEN																															
IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.	IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.
0	★ 15.76	0	370.34	0	740.34	0	1,110.34	0	1,480.29	0	1,850.28	0	2,220.28	0	2,590.28	0	2,960.28	0	3,330.28	0	3,700.28	0	4,070.28	0	4,440.28	0	4,810.28	0	5,178.81	0	5,473.04
1/4	20.57	1/4	378.05	1/4	748.05	1/4	1,118.05	1/4	1,488.00	1/4	1,857.98	1/4	2,227.99	1/4	2,597.99	1/4	2,967.99	1/4	3,337.99	1/4	3,707.99	1/4	4,077.99	1/4	4,447.99	1/4	4,817.99	1/4	5,186.49	1/4	5,473.51
1/2	25.39	1/2	385.76	1/2	755.76	1/2	1,125.76	1/2	1,495.70	1/2	1,865.69	1/2	2,235.69	1/2	2,605.69	1/2	2,975.70	1/2	3,345.70	1/2	3,715.70	1/2	4,085.70	1/2	4,455.70	1/2	4,825.70	1/2	5,194.16	1/2	5,473.98
3/4	30.21	3/4	393.47	3/4	763.47	3/4	1,133.47	3/4	1,503.41	3/4	1,873.40	3/4	2,243.40	3/4	2,613.40	3/4	2,983.40	3/4	3,353.40	3/4	3,723.41	3/4	4,093.41	3/4	4,463.41	3/4	4,833.38	3/4	5,201.84	3/4	
1	35.03	1	401.17	1	771.18	1	1,141.18	1	1,511.12	1	1,881.11	1	2,251.11	1	2,621.11	1	2,991.11	1	3,361.11	1	3,731.11	1	4,101.11	1	4,471.12	1	4,841.05	1	5,209.52	1	
1/4	41.77	1/4	408.88	1/4	778.88	1/4	1,148.88	1/4	1,518.82	1/4	1,888.82	1/4	2,258.82	1/4	2,628.82	1/4	2,998.82	1/4	3,368.82	1/4	3,738.82	1/4	4,108.82	1/4	4,478.82	1/4	4,848.73	1/4	5,217.19	1/4	
1/2	48.52	1/2	416.59	1/2	786.59	1/2	1,156.59	1/2	1,526.53	1/2	1,896.53	1/2	2,266.53	1/2	2,636.53	1/2	3,006.53	1/2	3,376.53	1/2	3,746.53	1/2	4,116.53	1/2	4,486.53	1/2	4,856.40	1/2	5,224.87	1/2	
3/4	55.26	3/4	424.30	3/4	794.30	3/4	1,164.30	3/4	1,534.24	3/4	1,904.23	3/4	2,274.24	3/4	2,644.24	3/4	3,014.24	3/4	3,384.24	3/4	3,754.24	3/4	4,124.24	3/4	4,494.24	3/4	4,864.08	3/4	5,232.55	3/4	
2	62.01	2	432.01	2	802.01	2	1,172.01	2	1,541.94	2	1,911.94	2	2,281.94	2	2,651.94	2	3,021.95	2	3,391.95	2	3,761.95	2	4,131.95	2	4,501.95	2	4,871.76	2	5,240.22	2	
1/4	69.72	1/4	439.72	1/4	809.72	1/4	1,179.72	1/4	1,549.65	1/4	1,919.65	1/4	2,289.65	1/4	2,659.65	1/4	3,029.65	1/4	3,399.65	1/4	3,769.66	1/4	4,139.66	1/4	4,509.66	1/4	4,879.43	1/4	5,247.90	1/4	
1/2	77.42	1/2	447.42	1/2	817.43	1/2	1,187.43	1/2	1,557.36	1/2	1,927.36	1/2	2,297.36	1/2	2,667.36	1/2	3,037.36	1/2	3,407.36	1/2	3,777.36	1/2	4,147.36	1/2	4,517.37	1/2	4,887.11	1/2	5,255.57	1/2	
3/4	85.13	3/4	455.13	3/4	825.13	3/4	1,195.13	3/4	1,565.07	3/4	1,935.07	3/4	2,305.07	3/4	2,675.07	3/4	3,045.07	3/4	3,415.07	3/4	3,785.07	3/4	4,155.07	3/4	4,525.07	3/4	4,894.79	3/4	5,263.25	3/4	
3	92.84	3	462.84	3	832.84	3	1,202.84	3	1,572.78	3	1,942.78	3	2,312.78	3	2,682.78	3	3,052.78	3	3,422.78	3	3,792.78	3	4,162.78	3	4,532.78	3	4,902.46	3	5,270.93	3	
1/4	100.55	1/4	470.55	1/4	840.55	1/4	1,210.55	1/4	1,580.48	1/4	1,950.48	1/4	2,320.49	1/4	2,690.49	1/4	3,060.49	1/4	3,430.49	1/4	3,800.49	1/4	4,170.49	1/4	4,540.49	1/4	4,910.14	1/4	5,278.60	1/4	
1/2	108.26	1/2	478.26	1/2	848.26	1/2	1,218.26	1/2	1,588.19	1/2	1,958.19	1/2	2,328.19	1/2	2,698.19	1/2	3,068.20	1/2	3,438.20	1/2	3,808.20	1/2	4,178.20	1/2	4,548.20	1/2	4,917.82	1/2	5,286.28	1/2	
3/4	115.97	3/4	485.97	3/4	855.97	3/4	1,225.97	3/4	1,595.90	3/4	1,965.90	3/4	2,335.90	3/4	2,705.90	3/4	3,075.90	3/4	3,445.90	3/4	3,815.91	3/4	4,185.91	3/4	4,555.91	3/4	4,925.49	3/4	5,295.96	3/4	
4	123.67	4	493.67	4	863.68	4	1,233.68	4	1,603.61	4	1,973.61	4	2,343.61	4	2,713.61	4	3,083.61	4	3,453.61	4	3,823.61	4	4,193.61	4	4,563.62	4	4,933.17	4	5,301.63	4	
1/4	131.38	1/4	501.38	1/4	871.38	1/4	1,241.38	1/4	1,611.32	1/4	1,981.32	1/4	2,351.32	1/4	2,721.32	1/4	3,091.32	1/4	3,461.32	1/4	3,831.32	1/4	4,201.32	1/4	4,571.32	1/4	4,940.84	1/4	5,309.31	1/4	
1/2	139.09	1/2	509.09	1/2	879.09	1/2	1,249.09	1/2	1,619.03	1/2	1,989.03	1/2	2,359.03	1/2	2,729.03	1/2	3,099.03	1/2	3,469.03	1/2	3,839.03	1/2	4,209.03	1/2	4,579.03	1/2	4,948.52	1/2	5,316.99	1/2	
3/4	146.80	3/4	516.80	3/4	886.80	3/4	1,256.80	3/4	1,626.73	3/4	1,996.73	3/4	2,366.74	3/4	2,736.74	3/4	3,106.74	3/4	3,476.74	3/4	3,846.74	3/4	4,216.74	3/4	4,586.74	3/4	4,956.20	3/4	5,324.66	3/4	
5	154.51	5	524.51	5	894.51	5	1,264.50	5	1,634.44	5	2,004.44	5	2,374.44	5	2,744.44	5	3,114.45	5	3,484.45	5	3,854.45	5	4,224.45	5	4,594.45	5	4,963.87	5	5,332.34	5	
1/4	162.22	1/4	532.22	1/4	902.22	1/4	1,272.21	1/4	1,642.15	1/4	2,012.15	1/4	2,382.15	1/4	2,752.15	1/4	3,122.15	1/4	3,492.15	1/4	3,862.16	1/4	4,232.16	1/4	4,602.16	1/4	4,971.55	1/4	5,340.01	1/4	
1/2	169.92	1/2	539.92	1/2	909.93	1/2	1,279.92	1/2	1,649.86	1/2	2,019.86	1/2	2,389.86	1/2	2,759.86	1/2	3,129.86	1/2	3,499.86	1/2	3,869.86	1/2	4,239.86	1/2	4,609.86	1/2	4,979.23	1/2	5,347.69	1/2	
3/4	177.63	3/4	547.63	3/4	917.63	3/4	1,287.62	3/4	1,657.57	3/4	2,027.57	3/4	2,397.57	3/4	2,767.57	3/4	3,137.57	3/4	3,507.57	3/4	3,877.57	3/4	4,247.57	3/4	4,617.57	3/4	4,986.90	3/4	5,355.37	3/4	
6	185.34	6	555.34	6	925.34	6	1,295.33	6	1,665.28	6	2,035.28	6	2,405.28	6	2,775.28	6	3,145.28	6	3,515.28	6	3,885.28	6	4,255.28	6	4,625.28	6	4,994.58	6	5,363.04	6	
1/4	193.05	1/4	563.05	1/4	933.05	1/4	1,303.04	1/4	1,672.98	1/4	2,042.98	1/4	2,412.99	1/4	2,782.99	1/4	3,152.99	1/4	3,522.99	1/4	3,892.99	1/4	4,262.99	1/4	4,632.99	1/4	5,002.26	1/4	5,370.72	1/4	
1/2	200.76	1/2	570.76	1/2	940.76	1/2	1,310.74	1/2	1,680.69	1/2	2,050.69	1/2	2,420.69	1/2	2,790.69	1/2	3,160.70	1/2	3,530.70	1/2	3,900.70	1/2	4,270.70	1/2	4,640.70	1/2	5,009.93	1/2	5,378.40	1/2	
3/4	208.47	3/4	578.47	3/4	948.47	3/4	1,318.45	3/4	1,688.40	3/4	2,058.40	3/4	2,428.40	3/4	2,798.40	3/4	3,168.40	3/4	3,538.40	3/4	3,908.41	3/4	4,278.41	3/4	4,648.41	3/4	5,017.61	3/4	5,386.07	3/4	
7	216.17	7	586.17	7	956.18	7	1,326.16	7	1,696.11	7	2,066.11	7	2,436.11	7	2,806.11	7	3,176.11	7	3,546.11	7	3,916.11	7	4,286.11	7	4,656.12	7	5,025.28	7	5,393.08	7	
1/4	223.88	1/4	593.88	1/4	963.88	1/4	1,333.86	1/4	1,703.82	1/4	2,073.82	1/4	2,443.82	1/4	2,813.82	1/4	3,183.82	1/4	3,553.82	1/4	3,923.82	1/4	4,293.82	1/4	4,663.82	1/4	5,032.96	1/4	5,400.08	1/4	
1/2	231.59	1/2	601.59	1/2	971.59	1/2	1,341.57	1/2	1,711.53	1/2	2,081.53	1/2	2,451.53	1/2	2,821.53	1/2	3,191.53	1/2	3,561.53	1/2	3,931.53	1/2	4,301.53	1/2	4,671.53	1/2					



INSPECTORATE

BARGE "FMT-3288" FLORIDA MARINE

INNAGE TABLE

3 PORT OR STAR

BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

HULL NO. G007

	0 FT.	1 FT.	2 FT.	3 FT.	4 FT.	5 FT.	6 FT.	7 FT.	8 FT.	9 FT.	10 FT.	11 FT.	12 FT.	13 FT.	14 FT.	15 FT.
0	15.71	369.12	737.86	1,106.60	1,475.29	1,844.02	2,212.76	2,581.50	2,950.24	3,318.98	3,639.12	3,899.34	4,159.56	4,419.79	4,678.54	4,884.96
1/4	20.52	376.80	745.55	1,114.29	1,482.97	1,851.70	2,220.44	2,589.18	2,957.92	3,326.66	3,644.54	3,904.76	4,164.98	4,425.21	4,683.93	4,885.28
1/2	25.32	384.49	753.23	1,121.97	1,490.65	1,859.38	2,228.12	2,596.86	2,965.60	3,334.35	3,649.96	3,910.18	4,170.40	4,430.63	4,689.32	4,885.50
3/4	30.13	392.17	760.91	1,129.65	1,498.33	1,867.06	2,235.80	2,604.55	2,973.29	3,342.03	3,655.38	3,915.60	4,175.83	4,436.02	4,694.71	
1	34.93	399.85	768.59	1,137.33	1,506.01	1,874.75	2,243.49	2,612.23	2,980.97	3,349.71	3,660.80	3,921.02	4,181.25	4,441.41	4,700.09	
1/4	41.66	407.53	776.27	1,145.01	1,513.69	1,882.43	2,251.17	2,619.91	2,988.65	3,357.39	3,666.22	3,926.45	4,186.67	4,446.80	4,705.48	
1/2	48.39	415.22	783.96	1,152.70	1,521.37	1,890.11	2,258.85	2,627.59	2,996.33	3,365.07	3,671.64	3,931.87	4,192.09	4,452.19	4,710.87	
3/4	55.11	422.90	791.64	1,160.38	1,529.05	1,897.79	2,266.53	2,635.27	3,004.01	3,372.76	3,677.06	3,937.29	4,197.51	4,457.58	4,716.26	
2	61.84	430.58	799.32	1,168.06	1,536.73	1,905.47	2,274.22	2,642.96	3,011.70	3,380.44	3,682.49	3,942.71	4,202.93	4,462.96	4,721.65	
1/4	69.52	438.26	807.00	1,175.74	1,544.42	1,913.16	2,281.90	2,650.64	3,019.38	3,388.12	3,687.91	3,948.13	4,208.35	4,468.35	4,727.04	
1/2	77.20	445.94	814.68	1,183.43	1,552.10	1,920.84	2,289.58	2,658.32	3,027.06	3,395.80	3,693.33	3,953.55	4,213.78	4,473.74	4,732.43	
3/4	84.88	453.63	822.37	1,191.11	1,559.78	1,928.52	2,297.26	2,666.00	3,034.74	3,403.48	3,698.75	3,958.97	4,219.20	4,479.13	4,737.82	
3	92.57	461.31	830.05	1,198.79	1,567.46	1,936.20	2,304.94	2,673.68	3,042.43	3,411.17	3,704.17	3,964.39	4,224.62	4,484.52	4,743.21	
1/4	100.25	468.99	837.73	1,206.47	1,575.14	1,943.88	2,312.63	2,681.37	3,050.11	3,418.85	3,709.59	3,969.82	4,230.04	4,489.91	4,748.60	
1/2	107.93	476.67	845.41	1,214.15	1,582.83	1,951.57	2,320.31	2,689.05	3,057.79	3,426.53	3,715.01	3,975.24	4,235.46	4,495.30	4,753.99	
3/4	115.61	484.35	853.09	1,221.84	1,590.51	1,959.25	2,327.99	2,696.73	3,065.47	3,434.21	3,720.43	3,980.66	4,240.88	4,500.69	4,759.38	
4	123.30	492.04	860.78	1,229.52	1,598.19	1,966.93	2,335.67	2,704.41	3,073.15	3,441.70	3,725.86	3,986.08	4,246.30	4,506.08	4,764.77	
1/4	130.98	499.72	868.46	1,237.20	1,605.87	1,974.61	2,343.35	2,712.09	3,080.84	3,449.18	3,731.28	3,991.50	4,251.72	4,511.47	4,770.16	
1/2	138.66	507.40	876.14	1,244.88	1,613.55	1,982.30	2,351.04	2,719.78	3,088.52	3,456.67	3,736.70	3,996.92	4,257.15	4,516.86	4,775.55	
3/4	146.34	515.08	883.82	1,252.56	1,621.24	1,989.98	2,358.72	2,727.46	3,096.20	3,464.15	3,742.12	4,002.34	4,262.57	4,522.25	4,780.93	
5	154.02	522.76	891.51	1,260.24	1,628.92	1,997.66	2,366.40	2,735.14	3,103.88	3,471.25	3,747.54	4,007.77	4,267.99	4,527.64	4,786.32	
1/4	161.71	530.45	899.19	1,267.92	1,636.60	2,005.34	2,374.08	2,742.82	3,111.56	3,478.34	3,752.96	4,013.19	4,273.41	4,533.03	4,791.71	
1/2	169.39	538.13	906.87	1,275.60	1,644.28	2,013.02	2,381.76	2,750.51	3,119.25	3,485.43	3,758.38	4,018.61	4,278.83	4,538.41	4,797.10	
3/4	177.07	545.81	914.55	1,283.28	1,651.97	2,020.71	2,389.45	2,758.19	3,126.93	3,492.52	3,763.81	4,024.03	4,284.25	4,543.80	4,802.49	
6	184.75	553.49	922.23	1,290.96	1,659.65	2,028.39	2,397.13	2,765.87	3,134.61	3,499.22	3,769.23	4,029.45	4,289.67	4,549.19	4,807.88	
1/4	192.43	561.17	929.92	1,298.64	1,667.33	2,036.07	2,404.81	2,773.55	3,142.29	3,505.92	3,774.65	4,034.87	4,295.10	4,554.58	4,813.27	
1/2	200.12	568.86	937.60	1,306.32	1,675.01	2,043.75	2,412.49	2,781.23	3,149.97	3,512.62	3,780.07	4,040.29	4,300.52	4,559.97	4,818.66	
3/4	207.80	576.54	945.28	1,314.00	1,682.69	2,051.43	2,420.18	2,788.92	3,157.66	3,519.32	3,785.49	4,045.71	4,305.94	4,565.36	4,824.06	
7	215.48	584.22	952.96	1,321.68	1,690.38	2,059.12	2,427.86	2,796.60	3,165.34	3,525.63	3,790.91	4,051.14	4,311.36	4,570.75	4,828.97	
1/4	223.16	591.90	960.64	1,329.36	1,698.06	2,066.80	2,435.54	2,804.28	3,173.02	3,531.93	3,796.33	4,056.56	4,316.78	4,576.14	4,833.88	
1/2	230.84	599.59	968.33	1,337.04	1,705.74	2,074.48	2,443.22	2,811.96	3,180.70	3,538.24	3,801.75	4,061.98	4,322.20	4,581.53	4,838.80	
3/4	238.53	607.27	976.01	1,344.72	1,713.42	2,082.16	2,450.90	2,819.64	3,188.39	3,544.54	3,807.18	4,067.40	4,327.62	4,586.92	4,843.72	
8	246.21	614.95	983.69	1,352.40	1,721.10	2,089.84	2,458.59	2,827.33	3,196.07	3,550.46	3,812.60	4,072.82	4,333.04	4,592.31	4,847.69	
1/4	253.89	622.63	991.37	1,360.08	1,728.79	2,097.53	2,466.27	2,835.01	3,203.75	3,556.37	3,818.02	4,078.24	4,338.47	4,597.70	4,851.67	
1/2	261.57	630.31	999.05	1,367.76	1,736.47	2,105.21	2,473.95	2,842.69	3,211.43	3,562.28	3,823.44	4,083.66	4,343.89	4,603.09	4,855.64	
3/4	269.26	638.00	1,006.74	1,375.45	1,744.15	2,112.89	2,481.63	2,850.37	3,219.11	3,568.20	3,828.86	4,089.08	4,349.31	4,608.48	4,859.61	
9	276.94	645.68	1,014.42	1,383.13	1,751.83	2,120.57	2,489.31	2,858.05	3,226.80	3,573.76	3,834.28	4,094.51	4,354.73	4,613.87	4,862.64	
1/4	284.62	653.36	1,022.10	1,390.81	1,759.51	2,128.26	2,497.00	2,865.74	3,234.48	3,579.33	3,839.70	4,099.93	4,360.15	4,619.25	4,865.67	
1/2	292.30	661.04	1,029.78	1,398.49	1,767.20	2,135.94	2,504.68	2,873.42	3,242.16	3,584.90	3,845.13	4,105.35	4,365.57	4,624.64	4,868.70	
3/4	299.98	668.72	1,037.47	1,406.17	1,774.88	2,143.62	2,512.36	2,881.10	3,249.84	3,590.32	3,850.55	4,110.77	4,370.99	4,630.03	4,871.73	
10	307.67	676.41	1,045.15	1,413.85	1,782.56	2,151.30	2,520.04	2,888.78	3,257.52	3,595.74	3,855.97	4,116.19	4,376.42	4,635.42	4,873.82	
1/4	315.35	684.09	1,052.83	1,421.53	1,790.24	2,158.98	2,527.72	2,896.47	3,265.21	3,601.17	3,861.39	4,121.61	4,381.84	4,640.81	4,875.91	
1/2	323.03	691.77	1,060.51	1,429.21	1,797.93	2,166.67	2,535.41	2,904.15	3,272.89	3,606.59	3,866.81	4,127.03	4,387.26	4,646.20	4,877.99	
3/4	330.71	699.45	1,068.19	1,436.89	1,805.61	2,174.35	2,543.09	2,911.83	3,280.57	3,612.01	3,872.23	4,132.46	4,392.68	4,651.59	4,880.08	
11	338.39	707.13	1,075.88	1,444.57	1,813.29	2,182.03	2,550.77	2,919.51	3,288.25	3,617.43	3,877.65	4,137.88	4,398.10	4,656.98	4,881.22	
1/4	346.08	714.82	1,083.56	1,452.25	1,820.97	2,189.71	2,558.45	2,927.19	3,295.93	3,622.85	3,883.07	4,143.30	4,403.52	4,662.37	4,882.36	
1/2	353.76	722.50	1,091.24	1,459.93	1,828.65	2,197.39	2,566.14	2,934.88	3,303.62	3,628.27	3,888.60	4,148.72	4,408.94	4,667.76	4,883.51	
3/4	361.44	730.18	1,098.92	1,467.61	1,836.34	2,205.08	2,573.82	2,942.56	3,311.30	3,633.69	3,893.92	4,154.14	4,414.36	4,673.15	4,884.65	

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS.

STRAPPED: 06/18/2015

* CAPACITY BELOW STRIKE POINT

REFERENCE GAUGE HEIGHT : 15'-9 1/4" (TO RIM OF 2" DIA. BALL VALVE LOCATED NEAR CENTER OF TANK)

WE CERTIFY ALL MEASUREMENTS AND COMPUTATIONS ARE IN ACCORDANCE WITH APPLICABLE API STANDARDS AND ARE TRUE AND CORRECT TO THE BEST OF OUR KNOWLEDGE.

Inspectorate America Corporation
INSPECTORATE AMERICA CORPORATION



INSPECTORATE

BARGE "FMT-3288" FLORIDA MARINE

OUTAGE TABLE

1 PORT OR STAR

BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

HULL NO. G007

0 FT.		1 FT.		2 FT.		3 FT.		4 FT.		5 FT.		6 FT.		7 FT.		8 FT.		9 FT.		10 FT.		11 FT.		12 FT.		13 FT.		14 FT.		15 FT.	
0	0	4,869.95	0	4,555.66	0	4,225.90	0	3,895.01	0	3,564.13	0	3,233.25	0	2,902.37	0	2,571.49	0	2,240.61	0	1,909.73	0	1,578.85	0	1,248.00	0	917.16	0	586.27	0	255.39	
1/4	1/4	4,865.82	1/4	4,548.79	1/4	4,219.00	1/4	3,888.12	1/4	3,557.24	1/4	3,226.36	1/4	2,895.48	1/4	2,564.60	1/4	2,233.72	1/4	1,902.84	1/4	1,571.96	1/4	1,241.11	1/4	910.26	1/4	579.38	1/4	248.50	
1/2	1/2	4,861.69	1/2	4,544.93	1/2	4,212.11	1/2	3,881.23	1/2	3,550.35	1/2	3,219.47	1/2	2,888.59	1/2	2,557.70	1/2	2,226.82	1/2	1,895.94	1/2	1,565.06	1/2	1,234.22	1/2	903.37	1/2	572.49	1/2	241.61	
3/4	3/4	4,856.62	3/4	4,535.07	3/4	4,205.22	3/4	3,874.33	3/4	3,543.45	3/4	3,212.57	3/4	2,881.69	3/4	2,550.81	3/4	2,219.93	3/4	1,889.05	3/4	1,558.17	3/4	1,227.33	3/4	896.48	3/4	565.59	3/4	234.71	
1	1	4,851.56	1	4,528.21	1	4,198.32	1	3,867.44	1	3,536.56	1	3,205.68	1	2,874.80	1	2,543.92	1	2,213.04	1	1,882.16	1	1,551.28	1	1,220.43	1	889.58	1	558.70	1	227.82	
1/4	1/4	4,846.50	1/4	4,521.35	1/4	4,191.43	1/4	3,860.55	1/4	3,529.67	1/4	3,198.79	1/4	2,867.91	1/4	2,537.02	1/4	2,206.14	1/4	1,875.26	1/4	1,544.38	1/4	1,213.54	1/4	882.69	1/4	551.81	1/4	220.93	
1/2	1/2	4,841.44	1/2	4,514.49	1/2	4,184.54	1/2	3,853.65	1/2	3,522.77	1/2	3,191.89	1/2	2,861.01	1/2	2,530.13	1/2	2,199.25	1/2	1,868.37	1/2	1,537.49	1/2	1,206.65	1/2	875.80	1/2	544.91	1/2	214.03	
3/4	3/4	4,835.17	3/4	4,507.63	3/4	4,177.64	3/4	3,846.76	3/4	3,515.88	3/4	3,185.00	3/4	2,854.12	3/4	2,523.24	3/4	2,192.36	3/4	1,861.48	3/4	1,530.60	3/4	1,199.76	3/4	868.90	3/4	538.02	3/4	207.14	
2	2	4,828.91	2	4,500.77	2	4,170.75	2	3,839.87	2	3,508.99	2	3,178.11	2	2,847.23	2	2,516.34	2	2,185.46	2	1,854.58	2	1,523.70	2	1,192.87	2	862.01	2	531.13	2	200.25	
1/4	1/4	4,822.65	1/4	4,493.90	1/4	4,163.86	1/4	3,832.97	1/4	3,502.09	1/4	3,171.21	1/4	2,840.33	1/4	2,509.45	1/4	2,178.57	1/4	1,847.69	1/4	1,516.81	1/4	1,185.98	1/4	855.12	1/4	524.23	1/4	193.35	
1/2	1/2	4,816.39	1/2	4,487.04	1/2	4,156.96	1/2	3,826.08	1/2	3,495.20	1/2	3,164.32	1/2	2,833.44	1/2	2,502.56	1/2	2,171.68	1/2	1,840.80	1/2	1,509.92	1/2	1,179.08	1/2	848.22	1/2	517.34	1/2	186.46	
3/4	3/4	4,809.53	3/4	4,480.18	3/4	4,150.07	3/4	3,819.19	3/4	3,488.31	3/4	3,157.43	3/4	2,826.55	3/4	2,495.66	3/4	2,164.78	3/4	1,833.90	3/4	1,503.02	3/4	1,172.19	3/4	841.33	3/4	510.45	3/4	179.57	
3	3	4,802.66	3	4,473.32	3	4,143.18	3	3,812.29	3	3,481.41	3	3,150.53	3	2,819.65	3	2,488.77	3	2,157.89	3	1,827.01	3	1,496.13	3	1,165.30	3	834.44	3	503.55	3	172.67	
1/4	1/4	4,795.80	1/4	4,466.46	1/4	4,136.28	1/4	3,805.40	1/4	3,474.52	1/4	3,143.64	1/4	2,812.76	1/4	2,481.88	1/4	2,151.00	1/4	1,820.12	1/4	1,489.24	1/4	1,158.41	1/4	827.54	1/4	496.66	1/4	165.78	
1/2	1/2	4,788.94	1/2	4,459.60	1/2	4,129.39	1/2	3,798.51	1/2	3,467.63	1/2	3,136.75	1/2	2,805.87	1/2	2,474.98	1/2	2,144.10	1/2	1,813.22	1/2	1,482.34	1/2	1,151.52	1/2	820.65	1/2	489.77	1/2	158.89	
3/4	3/4	4,782.08	3/4	4,452.74	3/4	4,122.50	3/4	3,791.61	3/4	3,460.73	3/4	3,129.85	3/4	2,798.97	3/4	2,468.09	3/4	2,137.21	3/4	1,806.33	3/4	1,475.45	3/4	1,144.63	3/4	813.76	3/4	482.87	3/4	151.99	
4	4	4,775.22	4	4,445.87	4	4,115.60	4	3,784.72	4	3,453.84	4	3,122.96	4	2,792.08	4	2,461.20	4	2,130.32	4	1,799.44	4	1,468.56	4	1,137.73	4	806.86	4	475.98	4	145.10	
1/4	1/4	4,768.36	1/4	4,439.01	1/4	4,108.71	1/4	3,777.83	1/4	3,446.95	1/4	3,116.07	1/4	2,785.19	1/4	2,454.30	1/4	2,123.42	1/4	1,792.54	1/4	1,461.66	1/4	1,130.84	1/4	799.97	1/4	469.09	1/4	138.21	
1/2	1/2	4,761.50	1/2	4,432.15	1/2	4,101.82	1/2	3,770.93	1/2	3,440.05	1/2	3,109.17	1/2	2,778.29	1/2	2,447.41	1/2	2,116.53	1/2	1,785.65	1/2	1,454.77	1/2	1,123.95	1/2	793.08	1/2	462.19	1/2	131.31	
3/4	3/4	4,754.64	3/4	4,425.29	3/4	4,094.92	3/4	3,764.04	3/4	3,433.16	3/4	3,102.28	3/4	2,771.40	3/4	2,440.52	3/4	2,109.64	3/4	1,778.76	3/4	1,447.88	3/4	1,117.06	3/4	786.18	3/4	455.30	3/4	124.42	
5	5	4,747.77	5	4,418.43	5	4,088.03	5	3,757.15	5	3,426.27	5	3,095.39	5	2,764.51	5	2,433.62	5	2,102.74	5	1,771.86	5	1,440.98	5	1,110.17	5	779.29	5	448.41	5	117.53	
1/4	1/4	4,740.91	1/4	4,411.57	1/4	4,081.14	1/4	3,750.25	1/4	3,419.37	1/4	3,088.49	1/4	2,757.61	1/4	2,426.73	1/4	2,095.85	1/4	1,764.97	1/4	1,434.09	1/4	1,103.28	1/4	772.40	1/4	441.51	1/4	110.63	
1/2	1/2	4,734.05	1/2	4,404.71	1/2	4,074.24	1/2	3,743.36	1/2	3,412.48	1/2	3,081.60	1/2	2,750.72	1/2	2,419.84	1/2	2,088.96	1/2	1,758.08	1/2	1,427.20	1/2	1,096.38	1/2	765.50	1/2	434.62	1/2	103.74	
3/4	3/4	4,727.19	3/4	4,397.85	3/4	4,067.35	3/4	3,736.47	3/4	3,405.59	3/4	3,074.71	3/4	2,743.83	3/4	2,412.94	3/4	2,082.06	3/4	1,751.18	3/4	1,420.30	3/4	1,089.49	3/4	758.61	3/4	427.73	3/4	96.85	
6	6	4,720.33	6	4,390.98	6	4,060.46	6	3,729.57	6	3,398.69	6	3,067.81	6	2,736.93	6	2,406.05	6	2,075.17	6	1,744.29	6	1,413.41	6	1,082.60	6	751.72	6	420.83	6	89.95	
1/4	1/4	4,713.47	1/4	4,384.12	1/4	4,053.56	1/4	3,722.68	1/4	3,391.80	1/4	3,060.92	1/4	2,730.04	1/4	2,399.16	1/4	2,068.28	1/4	1,737.40	1/4	1,406.52	1/4	1,075.70	1/4	744.82	1/4	413.94	1/4	83.06	
1/2	1/2	4,706.61	1/2	4,377.26	1/2	4,046.67	1/2	3,715.79	1/2	3,384.91	1/2	3,054.03	1/2	2,723.15	1/2	2,392.26	1/2	2,061.38	1/2	1,730.50	1/2	1,399.62	1/2	1,068.81	1/2	737.93	1/2	407.05	1/2	76.17	
3/4	3/4	4,699.74	3/4	4,370.40	3/4	4,039.78	3/4	3,708.89	3/4	3,378.01	3/4	3,047.13	3/4	2,716.25	3/4	2,385.37	3/4	2,054.49	3/4	1,723.61	3/4	1,392.73	3/4	1,061.92	3/4	731.04	3/4	400.15	3/4	69.27	
7	7	4,692.88	7	4,363.54	7	4,032.88	7	3,702.00	7	3,371.12	7	3,040.24	7	2,709.36	7	2,378.48	7	2,047.60	7	1,716.72	7	1,385.84	7	1,055.02	7	724.14	7	393.26	7	62.38	
1/4	1/4	4,686.02	1/4	4,356.68	1/4	4,025.99	1/4	3,695.11	1/4	3,364.23	1/4	3,033.35	1/4	2,702.47	1/4	2,371.58	1/4	2,040.70	1/4	1,709.82	1/4	1,378.94	1/4	1,048.13	1/4	717.25	1/4	386.37	1/4	55.49	
1/2	1/2	4,679.16	1/2	4,349.82	1/2	4,019.10	1/2	3,688.21	1/2	3,357.33	1/2	3,026.45	1/2	2,695.57	1/2	2,364.69	1/2	2,033.81	1/2	1,702.93	1/2	1,372.05	1/2	1,041.24	1/2	710.36	1/2	379.47	1/2	49.46	
3/4	3/4	4,672.30	3/4	4,342.95	3/4	4,012.20	3/4	3,681.32	3/4	3,350.44	3/4	3,019.56	3/4	2,688.68	3/4	2,357.80	3/4	2,026.92	3/4	1,696.04	3/4	1,365.16	3/4	1,034.34							



INSPECTORATE

BARGE "FMT-3288" FLORIDA MARINE

OUTAGE TABLE

1 PORT OR STAR

BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

HULL NO. G007

	2 FT.	3 FT.	4 FT.	5 FT.	6 FT.	7 FT.	8 FT.	9 FT.	10 FT.	11 FT.	12 FT.	13 FT.	14 FT.	15 FT.	16 FT.	17 FT.															
0	0	4,734.05	0	4,404.71	0	4,074.24	0	3,743.36	0	3,412.48	0	3,081.60	0	2,750.72	0	2,419.84	0	2,088.96	0	1,758.08	0	1,427.20	0	1,096.38	0	765.50	0	434.62	0	103.74	
1/4	1/4	4,727.19	1/4	4,397.85	1/4	4,067.35	1/4	3,736.47	1/4	3,405.59	1/4	3,074.71	1/4	2,743.83	1/4	2,412.94	1/4	2,082.06	1/4	1,751.18	1/4	1,420.30	1/4	1,089.49	1/4	758.61	1/4	427.73	1/4	96.85	
1/2	1/2	4,720.33	1/2	4,390.98	1/2	4,060.46	1/2	3,729.57	1/2	3,398.69	1/2	3,067.81	1/2	2,736.93	1/2	2,406.05	1/2	2,075.17	1/2	1,744.29	1/2	1,413.41	1/2	1,082.60	1/2	751.72	1/2	420.83	1/2	89.95	
3/4	3/4	4,713.47	3/4	4,384.12	3/4	4,053.56	3/4	3,722.68	3/4	3,391.80	3/4	3,060.92	3/4	2,730.04	3/4	2,399.16	3/4	2,068.28	3/4	1,737.40	3/4	1,406.52	3/4	1,075.70	3/4	744.82	3/4	413.94	3/4	83.06	
1	1	4,706.61	1	4,377.26	1	4,046.67	1	3,715.79	1	3,384.91	1	3,054.03	1	2,723.15	1	2,392.26	1	2,061.38	1	1,730.50	1	1,399.62	1	1,068.81	1	737.93	1	407.05	1	76.17	
1/4	1/4	4,699.74	1/4	4,370.40	1/4	4,039.78	1/4	3,708.89	1/4	3,378.01	1/4	3,047.13	1/4	2,716.25	1/4	2,385.37	1/4	2,054.49	1/4	1,723.61	1/4	1,392.73	1/4	1,061.92	1/4	731.04	1/4	400.15	1/4	69.27	
1/2	1/2	4,692.88	1/2	4,363.54	1/2	4,032.88	1/2	3,702.00	1/2	3,371.12	1/2	3,040.24	1/2	2,709.36	1/2	2,378.48	1/2	2,047.60	1/2	1,716.72	1/2	1,385.84	1/2	1,055.02	1/2	724.14	1/2	393.26	1/2	62.38	
3/4	3/4	4,686.02	3/4	4,356.68	3/4	4,025.99	3/4	3,695.11	3/4	3,364.23	3/4	3,033.35	3/4	2,702.47	3/4	2,371.58	3/4	2,040.70	3/4	1,709.82	3/4	1,378.94	3/4	1,048.13	3/4	717.25	3/4	386.37	3/4	55.49	
2	2	4,679.16	2	4,349.82	2	4,019.10	2	3,688.21	2	3,357.33	2	3,026.45	2	2,695.57	2	2,364.69	2	2,033.81	2	1,702.93	2	1,372.05	2	1,041.24	2	710.36	2	379.47	2	49.46	
1/4	1/4	4,672.30	1/4	4,342.95	1/4	4,012.20	1/4	3,681.32	1/4	3,350.44	1/4	3,019.56	1/4	2,688.68	1/4	2,357.80	1/4	2,026.92	1/4	1,696.04	1/4	1,365.16	1/4	1,034.34	1/4	703.46	1/4	372.58	1/4	43.42	
1/2	1/2	4,665.44	1/2	4,336.09	1/2	4,005.31	1/2	3,674.43	1/2	3,343.55	1/2	3,012.67	1/2	2,681.79	1/2	2,350.90	1/2	2,020.02	1/2	1,689.14	1/2	1,358.27	1/2	1,027.45	1/2	696.57	1/2	365.69	1/2	37.39	
3/4	3/4	4,658.58	3/4	4,329.23	3/4	3,998.41	3/4	3,667.53	3/4	3,336.65	3/4	3,005.77	3/4	2,674.89	3/4	2,344.01	3/4	2,013.13	3/4	1,682.25	3/4	1,351.38	3/4	1,020.56	3/4	689.67	3/4	358.79	3/4	31.36	
3	3	4,651.72	3	4,322.37	3	3,991.52	3	3,660.64	3	3,329.76	3	2,998.88	3	2,668.00	3	2,337.12	3	2,006.24	3	1,675.36	3	1,344.48	3	1,013.66	3	682.78	3	351.90	3	27.05	
1/4	4,896.00	1/4	4,644.85	1/4	4,315.51	1/4	3,984.63	1/4	3,653.75	1/4	3,322.87	1/4	2,991.99	1/4	2,661.11	1/4	2,330.22	1/4	1,999.34	1/4	1,668.46	1/4	1,337.59	1/4	1,006.77	1/4	675.89	1/4	345.01	1/4	22.74
1/2	4,895.58	1/2	4,637.99	1/2	4,308.62	1/2	3,977.73	1/2	3,646.85	1/2	3,315.97	1/2	2,985.09	1/2	2,654.21	1/2	2,323.33	1/2	1,992.45	1/2	1,661.57	1/2	1,330.70	1/2	999.88	1/2	668.99	1/2	338.11	1/2	18.43
3/4	4,895.16	3/4	4,631.13	3/4	4,301.72	3/4	3,970.84	3/4	3,639.96	3/4	3,309.08	3/4	2,978.20	3/4	2,647.32	3/4	2,316.44	3/4	1,985.56	3/4	1,654.68	3/4	1,323.81	3/4	992.98	3/4	662.10	3/4	331.22	3/4	* 14.13
4	4,894.75	4	4,624.27	4	4,294.83	4	3,963.95	4	3,633.07	4	3,302.19	4	2,971.31	4	2,640.43	4	2,309.54	4	1,978.66	4	1,647.78	4	1,316.92	4	986.09	4	655.21	4	324.33		
1/4	4,893.28	1/4	4,617.41	1/4	4,287.94	1/4	3,957.05	1/4	3,626.17	1/4	3,295.29	1/4	2,964.41	1/4	2,633.53	1/4	2,302.65	1/4	1,971.77	1/4	1,640.89	1/4	1,310.03	1/4	979.20	1/4	648.31	1/4	317.43		
1/2	4,891.81	1/2	4,610.55	1/2	4,281.04	1/2	3,950.16	1/2	3,619.28	1/2	3,288.40	1/2	2,957.52	1/2	2,626.64	1/2	2,295.76	1/2	1,964.88	1/2	1,634.00	1/2	1,303.13	1/2	972.30	1/2	641.42	1/2	310.54		
3/4	4,890.35	3/4	4,603.69	3/4	4,274.15	3/4	3,943.27	3/4	3,612.39	3/4	3,281.51	3/4	2,950.63	3/4	2,619.74	3/4	2,288.86	3/4	1,957.98	3/4	1,627.10	3/4	1,296.24	3/4	965.41	3/4	634.53	3/4	303.65		
5	4,888.88	5	4,596.82	5	4,267.26	5	3,936.37	5	3,605.49	5	3,274.61	5	2,943.73	5	2,612.85	5	2,281.97	5	1,951.09	5	1,620.21	5	1,289.35	5	958.52	5	627.63	5	296.75		
1/4	4,886.21	1/4	4,589.96	1/4	4,260.36	1/4	3,929.48	1/4	3,598.60	1/4	3,267.72	1/4	2,936.84	1/4	2,605.96	1/4	2,275.08	1/4	1,944.20	1/4	1,613.32	1/4	1,282.46	1/4	951.62	1/4	620.74	1/4	289.86		
1/2	4,883.55	1/2	4,583.10	1/2	4,253.47	1/2	3,922.59	1/2	3,591.71	1/2	3,260.83	1/2	2,929.95	1/2	2,599.06	1/2	2,268.18	1/2	1,937.30	1/2	1,606.42	1/2	1,275.57	1/2	944.73	1/2	613.85	1/2	282.97		
3/4	4,880.88	3/4	4,576.24	3/4	4,246.58	3/4	3,915.69	3/4	3,584.81	3/4	3,253.93	3/4	2,923.05	3/4	2,592.17	3/4	2,261.29	3/4	1,930.41	3/4	1,599.53	3/4	1,268.68	3/4	937.84	3/4	606.95	3/4	276.07		
6	4,878.22	6	4,569.38	6	4,239.68	6	3,908.80	6	3,577.92	6	3,247.04	6	2,916.16	6	2,585.28	6	2,254.40	6	1,923.52	6	1,592.64	6	1,261.78	6	930.94	6	600.06	6	269.18		
1/4	4,874.09	1/4	4,562.52	1/4	4,232.79	1/4	3,901.91	1/4	3,571.03	1/4	3,240.15	1/4	2,909.27	1/4	2,578.38	1/4	2,247.50	1/4	1,916.62	1/4	1,585.74	1/4	1,254.89	1/4	924.05	1/4	593.17	1/4	262.29		
1/2	4,869.95	1/2	4,555.66	1/2	4,225.90	1/2	3,895.01	1/2	3,564.13	1/2	3,233.25	1/2	2,902.37	1/2	2,571.49	1/2	2,240.61	1/2	1,909.73	1/2	1,578.85	1/2	1,248.00	1/2	917.16	1/2	586.27	1/2	255.39		
3/4	4,865.82	3/4	4,548.79	3/4	4,219.00	3/4	3,888.12	3/4	3,557.24	3/4	3,226.36	3/4	2,895.48	3/4	2,564.60	3/4	2,233.72	3/4	1,902.84	3/4	1,571.96	3/4	1,241.11	3/4	910.26	3/4	579.38	3/4	248.60		
7	4,861.69	7	4,541.93	7	4,212.11	7	3,881.23	7	3,550.35	7	3,219.47	7	2,888.59	7	2,557.70	7	2,226.82	7	1,895.94	7	1,565.06	7	1,234.22	7	903.37	7	572.49	7	241.61		
1/4	4,856.62	1/4	4,535.07	1/4	4,205.22	1/4	3,874.33	1/4	3,543.45	1/4	3,212.57	1/4	2,881.69	1/4	2,550.81	1/4	2,219.93	1/4	1,889.05	1/4	1,558.17	1/4	1,227.33	1/4	896.48	1/4	565.59	1/4	234.71		
1/2	4,851.56	1/2	4,528.21	1/2	4,198.32	1/2	3,867.44	1/2	3,536.56	1/2	3,205.68	1/2	2,874.80	1/2	2,543.92	1/2	2,213.04	1/2	1,882.16	1/2	1,551.28	1/2	1,220.43	1/2	889.58	1/2	558.70	1/2	227.82		
3/4	4,846.50	3/4	4,521.35	3/4	4,191.43	3/4																									



INSPECTORATE

BARGE "FMT-3288" FLORIDA MARINE

OUTAGE TABLE

2 PORT

BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

HULL NO. G007

	0 FT.	1 FT.	2 FT.	3 FT.	4 FT.	5 FT.	6 FT.	7 FT.	8 FT.	9 FT.	10 FT.	11 FT.	12 FT.	13 FT.	14 FT.	15 FT.
0	0	5,441.08	5,086.69	4,717.78	4,347.78	3,977.78	3,607.78	3,237.78	2,867.78	2,497.78	2,127.78	1,757.78	1,387.81	1,017.84	647.84	277.84
1/4	1/4	5,436.76	5,079.02	4,710.07	4,340.07	3,970.07	3,600.07	3,230.07	2,860.07	2,490.07	2,120.07	1,750.07	1,380.10	1,010.13	640.13	270.13
1/2	1/2	5,431.09	5,071.34	4,702.37	4,332.36	3,962.36	3,592.36	3,222.36	2,852.36	2,482.36	2,112.36	1,742.36	1,372.40	1,002.43	632.42	262.42
3/4	3/4	5,425.43	5,063.67	4,694.66	4,324.66	3,954.66	3,584.65	3,214.65	2,844.65	2,474.65	2,104.65	1,734.65	1,364.69	994.72	624.72	254.72
1	1	5,419.76	5,055.99	4,686.95	4,316.95	3,946.95	3,576.95	3,206.95	2,836.94	2,466.94	2,096.94	1,726.94	1,356.98	987.01	617.01	247.01
1/4	1/4	5,414.10	5,048.31	4,679.24	4,309.24	3,939.24	3,569.24	3,199.24	2,829.24	2,459.24	2,089.23	1,719.23	1,349.28	979.30	609.30	239.30
1/2	1/2	5,407.09	5,040.64	4,671.53	4,301.53	3,931.53	3,561.53	3,191.53	2,821.53	2,451.53	2,081.53	1,711.53	1,341.57	971.59	601.59	231.59
3/4	3/4	5,400.08	5,032.96	4,663.82	4,293.82	3,923.82	3,553.82	3,183.82	2,813.82	2,443.82	2,073.82	1,703.82	1,333.86	963.88	593.88	223.88
2	2	5,393.08	5,025.28	4,656.12	4,286.11	3,916.11	3,546.11	3,176.11	2,806.11	2,436.11	2,066.11	1,696.11	1,326.16	956.16	586.17	216.17
1/4	1/4	5,386.07	5,017.61	4,648.41	4,278.41	3,908.41	3,538.40	3,168.40	2,798.40	2,428.40	2,058.40	1,688.40	1,318.45	948.47	578.47	208.47
1/2	1/2	5,378.40	5,009.93	4,640.70	4,270.70	3,900.70	3,530.70	3,160.70	2,790.69	2,420.69	2,050.69	1,680.69	1,310.74	940.76	570.76	200.76
3/4	3/4	5,370.72	5,002.25	4,632.99	4,262.99	3,892.99	3,522.99	3,152.99	2,782.99	2,412.99	2,042.98	1,672.98	1,303.04	933.05	563.05	193.05
3	3	5,363.04	4,994.58	4,625.28	4,255.28	3,885.28	3,515.28	3,145.28	2,775.28	2,405.28	2,035.28	1,665.28	1,295.33	925.34	555.34	185.34
1/4	1/4	5,355.37	4,986.90	4,617.57	4,247.57	3,877.57	3,507.57	3,137.57	2,767.57	2,397.57	2,027.57	1,657.57	1,287.62	917.63	547.63	177.63
1/2	1/2	5,347.69	4,979.23	4,609.87	4,239.86	3,869.86	3,499.86	3,129.86	2,759.86	2,389.86	2,019.86	1,649.86	1,279.92	909.93	539.92	169.92
3/4	3/4	5,340.01	4,971.55	4,602.16	4,232.16	3,862.16	3,492.15	3,122.15	2,752.15	2,382.15	2,012.15	1,642.15	1,272.21	902.22	532.22	162.22
4	4	5,332.34	4,963.87	4,594.45	4,224.45	3,854.45	3,484.45	3,114.45	2,744.44	2,374.44	2,004.44	1,634.44	1,264.50	894.51	524.51	154.51
1/4	1/4	5,324.66	4,956.20	4,586.74	4,216.74	3,846.74	3,476.74	3,106.74	2,736.74	2,366.74	1,996.73	1,626.73	1,256.80	886.80	516.80	146.80
1/2	1/2	5,316.99	4,948.52	4,579.03	4,209.03	3,839.03	3,469.03	3,099.03	2,729.03	2,359.03	1,989.03	1,619.03	1,249.09	879.09	509.09	139.09
3/4	3/4	5,309.31	4,940.84	4,571.32	4,201.32	3,831.32	3,461.32	3,091.32	2,721.32	2,351.32	1,981.32	1,611.32	1,241.38	871.38	501.38	131.38
5	5	5,301.63	4,933.17	4,563.62	4,193.61	3,823.61	3,453.61	3,083.61	2,713.61	2,343.61	1,973.61	1,603.61	1,233.68	863.68	493.67	123.67
1/4	1/4	5,293.96	4,925.49	4,555.91	4,185.91	3,815.91	3,445.90	3,075.90	2,705.90	2,335.90	1,965.90	1,595.90	1,225.97	855.97	485.97	115.97
1/2	1/2	5,286.28	4,917.82	4,548.20	4,178.20	3,808.20	3,438.20	3,068.20	2,698.19	2,328.19	1,958.19	1,588.19	1,218.26	848.26	478.26	108.26
3/4	3/4	5,278.60	4,910.14	4,540.49	4,170.49	3,800.49	3,430.49	3,060.49	2,690.49	2,320.49	1,950.48	1,580.48	1,210.55	840.55	470.55	100.55
6	6	5,270.93	4,902.46	4,532.78	4,162.78	3,792.78	3,422.78	3,052.78	2,682.78	2,312.78	1,942.78	1,572.78	1,202.84	832.84	462.84	92.84
1/4	1/4	5,263.25	4,894.79	4,525.07	4,155.07	3,785.07	3,415.07	3,045.07	2,675.07	2,305.07	1,935.07	1,565.07	1,195.13	825.13	455.13	85.13
1/2	1/2	5,255.57	4,887.11	4,517.37	4,147.36	3,775.36	3,405.36	3,035.36	2,665.36	2,295.36	1,925.36	1,555.36	1,185.42	817.42	447.42	77.42
3/4	3/4	5,247.90	4,879.43	4,509.66	4,139.66	3,765.66	3,395.65	3,025.65	2,655.65	2,285.65	1,915.65	1,545.65	1,175.72	809.72	439.72	69.72
7	7	5,240.22	4,871.76	4,501.95	4,131.95	3,761.95	3,391.95	3,021.95	2,651.94	2,281.94	1,911.94	1,541.94	1,172.01	802.01	432.01	62.01
1/4	1/4	5,232.55	4,864.08	4,494.24	4,124.24	3,754.24	3,384.24	3,014.24	2,644.24	2,274.24	1,904.23	1,534.24	1,164.30	794.30	424.30	55.26
1/2	1/2	5,224.87	4,856.40	4,486.53	4,116.53	3,746.53	3,376.53	3,006.53	2,636.53	2,266.53	1,896.53	1,526.53	1,156.59	786.59	416.59	48.52
3/4	3/4	5,217.19	4,848.73	4,478.82	4,108.82	3,738.82	3,368.82	2,998.82	2,628.82	2,258.82	1,888.82	1,518.82	1,148.88	778.88	408.88	41.77
8	8	5,209.52	4,841.05	4,471.11	4,101.11	3,731.11	3,361.11	2,991.11	2,621.11	2,251.11	1,881.11	1,511.12	1,141.18	771.17	401.17	35.03
1/4	1/4	5,201.84	4,833.38	4,463.41	4,093.41	3,723.41	3,353.40	2,983.40	2,613.40	2,243.40	1,873.40	1,503.41	1,133.47	763.47	393.47	30.21
1/2	1/2	5,194.16	4,825.70	4,455.70	4,085.70	3,715.70	3,345.70	2,975.70	2,605.69	2,235.69	1,865.69	1,495.70	1,125.76	755.76	385.76	25.39
3/4	3/4	5,186.49	4,817.99	4,447.99	4,077.99	3,707.99	3,337.99	2,967.99	2,597.99	2,227.99	1,857.99	1,488.00	1,118.05	748.05	378.05	20.57
9	9	5,178.81	4,810.28	4,440.28	4,070.28	3,700.28	3,330.28	2,960.28	2,590.28	2,220.28	1,850.28	1,480.29	1,110.34	740.34	370.34	15.76
1/4	1/4	5,171.13	4,802.57	4,432.57	4,062.57	3,692.57	3,322.57	2,952.57	2,582.57	2,212.57	1,842.57	1,472.58	1,102.63	732.63	362.63	
1/2	1/2	5,163.46	4,794.87	4,424.86	4,054.86	3,684.86	3,314.86	2,944.86	2,574.86	2,204.86	1,834.86	1,464.88	1,094.93	724.92	354.92	
3/4	3/4	5,155.78	4,787.16	4,417.16	4,047.16	3,677.15	3,307.15	2,937.15	2,567.15	2,197.15	1,827.15	1,457.17	1,087.22	717.22	347.22	
10	10	5,148.11	4,779.45	4,409.45	4,039.45	3,669.45	3,299.45	2,929.44	2,559.44	2,189.44	1,819.44	1,449.46	1,079.51	709.51	339.51	
1/4	1/4	5,140.43	4,771.74	4,401.74	4,031.74	3,661.74	3,291.74	2,921.74	2,551.74	2,181.74	1,811.73	1,441.76	1,071.80	701.80	331.80	
1/2	1/2	5,132.75	4,764.03	4,394.03	4,024.03	3,654.03	3,284.03	2,914.03	2,544.03	2,174.03	1,804.03	1,434.05	1,064.09	694.09	324.09	
3/4	3/4	5,125.08	4,756.32	4,386.32	4,016.32	3,646.32	3,276.32	2,906.32	2,536.32	2,166.32	1,796.32	1,426.34	1,056.38	686.38	316.38	
11	11	5,117.40	4,748.62	4,378.61	4,008.61	3,638.61	3,268.61	2,898.61	2,528.61	2,158.61	1,788.61	1,418.64	1,048.68	678.67	308.67	
1/4	1/4	5,109.72	4,740.91	4,370.91	4,000.91	3,630.90	3,260.90	2,890.90	2,520.90	2,150.90	1,780.90	1,410.93	1,040.97	670.97	300.97	
1/2	1/2	5,102.05	4,733.20	4,363.20	3,993.20	3,623.20	3,253.20	2,883.19	2,513.19	2,143.19	1,773.19	1,403.22	1,033.26	663.26	293.26	
3/4	3/4	5,094.37	4,725.49	4,355.49	3,985.49	3,615.49	3,245.49	2,875.49	2,505.49	2,135.48	1,765.48	1,395.52	1,025.55	655.55	285.55	

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

STRAPPED: 06/18/2015

* CAPACITY BELOW STRIKE POINT

REFERENCE GAUGE HEIGHT : 15'-9" (TO RIM OF 2" DIA. BALL VALVE LOCATED
NEAR CENTER OF TANK)WE CERTIFY ALL MEASUREMENTS AND COMPUTATIONS ARE
IN ACCORDANCE WITH APPLICABLE API STANDARDS AND
ARE TRUE AND CORRECT TO THE BEST OF OUR KNOWLEDGE.

INSPECTORATE AMERICA CORPORATION



INSPECTORATE

BARGE "FMT-3288" FLORIDA MARINE

OUTAGE TABLE

2 STAR

BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

HULL NO. G007

	0 FT.	1 FT.	2 FT.	3 FT.	4 FT.	5 FT.	6 FT.	7 FT.	8 FT.	9 FT.	10 FT.	11 FT.	12 FT.	13 FT.	14 FT.	15 FT.
0	0	5,436.76	0	5,079.02	0	4,710.07	0	3,970.07	0	3,600.07	0	2,490.07	0	1,750.07	0	1,380.10
1/4	1/4	5,431.09	1/4	5,071.34	1/4	4,702.37	1/4	3,962.36	1/4	3,222.36	1/4	2,482.36	1/4	1,742.36	1/4	1,372.40
1/2	1/2	5,425.43	1/2	5,063.67	1/2	4,694.66	1/2	3,954.66	1/2	3,214.65	1/2	2,474.65	1/2	1,734.65	1/2	1,364.69
3/4	3/4	5,419.76	3/4	5,055.99	3/4	4,686.95	3/4	3,946.95	3/4	3,206.95	3/4	2,466.94	3/4	1,726.94	3/4	1,356.98
1	1	5,414.10	1	5,048.31	1	4,679.24	1	3,939.24	1	3,569.24	1	2,829.24	1	2,459.24	1	2,089.23
1/4	1/4	5,407.09	1/4	5,040.64	1/4	4,671.53	1/4	3,931.53	1/4	3,561.53	1/4	2,821.53	1/4	2,451.53	1/4	2,081.53
1/2	1/2	5,400.08	1/2	5,032.96	1/2	4,663.82	1/2	3,923.82	1/2	3,553.82	1/2	2,813.82	1/2	2,443.82	1/2	2,073.82
3/4	3/4	5,393.08	3/4	5,025.28	3/4	4,656.12	3/4	3,916.11	3/4	3,546.11	3/4	2,806.11	3/4	2,436.11	3/4	2,066.11
2	2	5,386.07	2	5,017.61	2	4,648.41	2	3,908.41	2	3,538.40	2	2,798.40	2	2,428.40	2	2,058.40
1/4	1/4	5,378.40	1/4	5,009.93	1/4	4,640.70	1/4	3,900.70	1/4	3,530.70	1/4	2,790.69	1/4	2,420.69	1/4	2,050.69
1/2	1/2	5,370.72	1/2	5,002.26	1/2	4,632.99	1/2	3,892.99	1/2	3,522.99	1/2	2,782.99	1/2	2,412.99	1/2	2,042.98
3/4	3/4	5,363.04	3/4	4,994.58	3/4	4,625.28	3/4	3,885.28	3/4	3,515.28	3/4	2,775.28	3/4	2,405.28	3/4	2,035.28
3	3	5,355.37	3	4,986.90	3	4,617.57	3	3,877.57	3	3,507.57	3	2,767.57	3	2,397.57	3	2,027.57
1/4	1/4	5,347.69	1/4	4,979.23	1/4	4,609.87	1/4	3,869.86	1/4	3,499.86	1/4	2,759.86	1/4	2,389.86	1/4	2,019.86
1/2	1/2	5,340.01	1/2	4,971.55	1/2	4,602.16	1/2	3,862.16	1/2	3,492.15	1/2	2,752.15	1/2	2,382.15	1/2	2,012.15
3/4	3/4	5,332.34	3/4	4,963.87	3/4	4,594.45	3/4	3,854.45	3/4	3,484.45	3/4	2,744.44	3/4	2,374.44	3/4	2,004.44
4	4	5,324.66	4	4,956.20	4	4,586.74	4	3,846.74	4	3,476.74	4	2,736.74	4	2,366.74	4	1,996.73
1/4	1/4	5,316.99	1/4	4,948.52	1/4	4,579.03	1/4	3,839.03	1/4	3,469.03	1/4	2,729.03	1/4	2,359.03	1/4	1,989.03
1/2	1/2	5,309.31	1/2	4,940.84	1/2	4,571.32	1/2	3,831.32	1/2	3,461.32	1/2	2,721.32	1/2	2,351.32	1/2	1,981.32
3/4	3/4	5,301.63	3/4	4,933.17	3/4	4,563.62	3/4	3,823.61	3/4	3,453.61	3/4	2,713.61	3/4	2,343.61	3/4	1,973.61
5	5	5,293.96	5	4,925.49	5	4,555.91	5	3,815.91	5	3,445.90	5	2,705.90	5	2,335.90	5	1,965.90
1/4	1/4	5,286.28	1/4	4,917.82	1/4	4,548.20	1/4	3,808.20	1/4	3,438.20	1/4	2,698.19	1/4	2,328.19	1/4	1,958.19
1/2	1/2	5,278.60	1/2	4,910.14	1/2	4,540.49	1/2	3,800.49	1/2	3,430.49	1/2	2,690.49	1/2	2,320.49	1/2	1,950.48
3/4	3/4	5,270.93	3/4	4,902.46	3/4	4,532.78	3/4	3,792.78	3/4	3,422.78	3/4	2,682.78	3/4	2,312.78	3/4	1,942.78
6	6	5,263.25	6	4,894.79	6	4,525.07	6	3,785.07	6	3,415.07	6	2,675.07	6	2,305.07	6	1,935.07
1/4	1/4	5,255.57	1/4	4,887.11	1/4	4,517.37	1/4	3,777.36	1/4	3,407.36	1/4	2,667.36	1/4	2,297.36	1/4	1,927.36
1/2	1/2	5,247.90	1/2	4,879.43	1/2	4,509.66	1/2	3,769.66	1/2	3,399.65	1/2	2,659.65	1/2	2,289.65	1/2	1,919.65
3/4	3/4	5,240.22	3/4	4,871.75	3/4	4,501.95	3/4	3,761.95	3/4	3,391.95	3/4	2,651.94	3/4	2,281.94	3/4	1,911.94
7	7	5,232.55	7	4,864.08	7	4,494.24	7	3,754.24	7	3,384.24	7	2,644.24	7	2,274.24	7	1,904.23
1/4	1/4	5,224.87	1/4	4,856.40	1/4	4,486.53	1/4	3,746.53	1/4	3,376.53	1/4	2,636.53	1/4	2,266.53	1/4	1,896.53
1/2	1/2	5,217.19	1/2	4,848.73	1/2	4,478.82	1/2	3,738.82	1/2	3,368.82	1/2	2,628.82	1/2	2,258.82	1/2	1,888.82
3/4	3/4	5,209.52	3/4	4,841.05	3/4	4,471.11	3/4	3,731.11	3/4	3,361.11	3/4	2,621.11	3/4	2,251.11	3/4	1,881.11
8	8	5,201.84	8	4,833.38	8	4,463.41	8	3,723.41	8	3,353.40	8	2,613.40	8	2,243.40	8	1,873.40
1/4	1/4	5,194.16	1/4	4,825.70	1/4	4,455.70	1/4	3,715.70	1/4	3,345.70	1/4	2,605.69	1/4	2,235.69	1/4	1,865.69
1/2	1/2	5,186.49	1/2	4,817.99	1/2	4,447.99	1/2	3,707.99	1/2	3,337.99	1/2	2,597.99	1/2	2,227.99	1/2	1,857.99
3/4	3/4	5,178.81	3/4	4,810.28	3/4	4,440.28	3/4	3,700.28	3/4	3,330.28	3/4	2,590.28	3/4	2,220.28	3/4	1,850.28
9	9	5,172.57	9	4,802.57	9	4,432.57	9	3,692.57	9	3,322.57	9	2,582.57	9	2,212.57	9	1,842.57
1/4	1/4	5,164.89	1/4	4,794.87	1/4	4,424.86	1/4	3,684.86	1/4	3,314.86	1/4	2,574.86	1/4	2,204.86	1/4	1,834.86
1/2	1/2	5,157.20	1/2	4,787.16	1/2	4,417.16	1/2	3,677.15	1/2	3,307.15	1/2	2,567.15	1/2	2,197.15	1/2	1,827.15
3/4	3/4	5,149.52	3/4	4,779.45	3/4	4,409.45	3/4	3,669.45	3/4	3,299.45	3/4	2,559.44	3/4	2,189.44	3/4	1,819.44
10	10	5,141.84	10	4,771.74	10	4,401.74	10	3,661.74	10	3,291.74	10	2,551.74	10	2,181.74	10	1,811.73
1/4	1/4	5,134.16	1/4	4,764.03	1/4	4,394.03	1/4	3,654.03	1/4	3,284.03	1/4	2,544.03	1/4	2,174.03	1/4	1,804.03
1/2	1/2	5,126.48	1/2	4,756.32	1/2	4,386.32	1/2	3,646.32	1/2	3,276.32	1/2	2,536.32	1/2	2,166.32	1/2	1,796.32
3/4	3/4	5,118.80	3/4	4,748.62	3/4	4,378.61	3/4	3,638.61	3/4	3,268.61	3/4	2,528.61	3/4	2,158.61	3/4	1,788.61
11	11	5,111.12	11	4,740.91	11	4,370.91	11	3,630.90	11	3,260.90	11	2,520.90	11	2,150.90	11	1,780.90
1/4	1/4	5,103.44	1/4	4,733.20	1/4	4,363.20	1/4	3,623.20	1/4	3,253.20	1/4	2,513.19	1/4	2,143.19	1/4	1,773.19
1/2	1/2	5,095.76	1/2	4,725.49	1/2	4,355.49	1/2	3,615.49	1/2	3,245.49	1/2	2,505.49	1/2	2,135.48	1/2	1,765.48
3/4	3/4	5,088.08	3/4	4,717.78	3/4	4,347.78	3/4	3,607.78	3/4	3,237.78	3/4	2,507.78	3/4	2,127.78	3/4	1,757.78

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

STRAPPED: 06/18/2015

* CAPACITY BELOW STRIKE POINT

REFERENCE GAUGE HEIGHT : 15'-8 3/4" (TO RIM OF 2" DIA. BALL VALVE LOCATED NEAR CENTER OF TANK)

WE CERTIFY ALL MEASUREMENTS AND COMPUTATIONS ARE IN ACCORDANCE WITH APPLICABLE API STANDARDS AND ARE TRUE AND CORRECT TO THE BEST OF OUR KNOWLEDGE.

INSPECTORATE AMERICA CORPORATION



INSPECTORATE

BARGE "FMT-3288"
FLORIDA MARINE

OUTAGE TABLE

2 PORT

BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

HULL NO. G007

		2 FT.		3 FT.		4 FT.		5 FT.		6 FT.		7 FT.		8 FT.		9 FT.		10 FT.		11 FT.		12 FT.		13 FT.		14 FT.		15 FT.		16 FT.		17 FT.	
0		0	5,286.28	0	4,917.82	0	4,548.20	0	4,178.20	0	3,808.20	0	3,438.20	0	3,068.20	0	2,698.19	0	2,328.19	0	1,958.19	0	1,588.19	0	1,218.26	0	848.26	0	478.26	0	108.26		
1/4		1/4	5,278.60	1/4	4,910.14	1/4	4,540.49	1/4	4,170.49	1/4	3,800.49	1/4	3,430.49	1/4	3,060.49	1/4	2,690.49	1/4	2,320.49	1/4	1,950.48	1/4	1,580.48	1/4	1,210.55	1/4	840.55	1/4	470.55	1/4	100.55		
1/2		1/2	5,270.93	1/2	4,902.46	1/2	4,532.78	1/2	4,162.78	1/2	3,792.78	1/2	3,422.78	1/2	3,052.78	1/2	2,682.78	1/2	2,312.78	1/2	1,942.78	1/2	1,572.78	1/2	1,202.84	1/2	832.84	1/2	462.84	1/2	92.84		
3/4		3/4	5,263.25	3/4	4,894.79	3/4	4,525.07	3/4	4,155.07	3/4	3,785.07	3/4	3,415.07	3/4	3,045.07	3/4	2,675.07	3/4	2,305.07	3/4	1,935.07	3/4	1,565.07	3/4	1,195.13	3/4	825.13	3/4	455.13	3/4	85.13		
1		1	5,255.57	1	4,887.11	1	4,517.37	1	4,147.36	1	3,777.36	1	3,407.36	1	3,037.36	1	2,667.36	1	2,297.36	1	1,927.36	1	1,557.36	1	1,187.43	1	817.43	1	447.42	1	77.42		
1/4		1/4	5,247.90	1/4	4,879.43	1/4	4,509.66	1/4	4,139.66	1/4	3,769.66	1/4	3,399.65	1/4	3,029.65	1/4	2,659.65	1/4	2,289.65	1/4	1,919.65	1/4	1,549.65	1/4	1,179.72	1/4	809.72	1/4	439.72	1/4	69.72		
1/2		1/2	5,240.22	1/2	4,871.76	1/2	4,501.95	1/2	4,131.95	1/2	3,761.95	1/2	3,391.95	1/2	3,021.95	1/2	2,651.94	1/2	2,281.94	1/2	1,911.94	1/2	1,541.94	1/2	1,172.01	1/2	802.01	1/2	432.01	1/2	62.01		
3/4		3/4	5,232.55	3/4	4,864.08	3/4	4,494.24	3/4	4,124.24	3/4	3,754.24	3/4	3,384.24	3/4	3,014.24	3/4	2,644.24	3/4	2,274.24	3/4	1,904.23	3/4	1,534.24	3/4	1,164.30	3/4	794.30	3/4	424.30	3/4	55.26		
2		2	5,224.87	2	4,856.40	2	4,486.53	2	4,116.53	2	3,746.53	2	3,376.53	2	3,006.53	2	2,636.53	2	2,266.53	2	1,896.53	2	1,526.53	2	1,156.59	2	786.59	2	416.59	2	48.52		
1/4		1/4	5,217.19	1/4	4,848.73	1/4	4,478.82	1/4	4,108.82	1/4	3,738.82	1/4	3,368.82	1/4	2,998.82	1/4	2,628.82	1/4	2,258.82	1/4	1,888.82	1/4	1,518.82	1/4	1,148.88	1/4	778.88	1/4	408.88	1/4	41.77		
1/2		1/2	5,209.52	1/2	4,841.05	1/2	4,471.11	1/2	4,101.11	1/2	3,731.11	1/2	3,361.11	1/2	2,991.11	1/2	2,621.11	1/2	2,251.11	1/2	1,881.11	1/2	1,511.12	1/2	1,141.18	1/2	771.17	1/2	401.17	1/2	35.03		
3/4		3/4	5,201.84	3/4	4,833.38	3/4	4,463.41	3/4	4,093.41	3/4	3,723.41	3/4	3,353.40	3/4	2,983.40	3/4	2,613.40	3/4	2,243.40	3/4	1,873.40	3/4	1,503.41	3/4	1,133.47	3/4	763.47	3/4	393.47	3/4	30.21		
3	5,473.98	3	5,194.16	3	4,825.70	3	4,455.70	3	4,085.70	3	3,715.70	3	3,345.70	3	2,975.70	3	2,605.69	3	2,235.69	3	1,865.69	3	1,495.70	3	1,125.76	3	755.76	3	385.76	3	25.39		
1/4	5,473.51	1/4	5,186.49	1/4	4,817.99	1/4	4,447.99	1/4	4,077.99	1/4	3,707.99	1/4	3,337.99	1/4	2,967.99	1/4	2,597.99	1/4	2,227.99	1/4	1,857.98	1/4	1,488.00	1/4	1,118.05	1/4	748.05	1/4	378.05	1/4	20.57		
1/2	5,473.04	1/2	5,178.81	1/2	4,810.28	1/2	4,440.28	1/2	4,070.28	1/2	3,700.28	1/2	3,330.28	1/2	2,960.28	1/2	2,590.28	1/2	2,220.28	1/2	1,850.28	1/2	1,480.29	1/2	1,110.34	1/2	740.34	1/2	370.34	1/2	15.76		
3/4	5,472.57	3/4	5,171.13	3/4	4,802.57	3/4	4,432.57	3/4	4,062.57	3/4	3,692.57	3/4	3,322.57	3/4	2,952.57	3/4	2,582.57	3/4	2,212.57	3/4	1,842.57	3/4	1,472.58	3/4	1,102.63	3/4	732.63	3/4	362.63				
4	5,470.93	4	5,163.46	4	4,794.87	4	4,424.86	4	4,054.86	4	3,684.86	4	3,314.86	4	2,944.86	4	2,574.86	4	2,204.86	4	1,834.86	4	1,464.88	4	1,094.93	4	724.92	4	354.92				
1/4	5,469.28	1/4	5,155.78	1/4	4,787.16	1/4	4,417.16	1/4	4,047.16	1/4	3,677.15	1/4	3,307.15	1/4	2,937.15	1/4	2,567.15	1/4	2,197.15	1/4	1,827.15	1/4	1,457.17	1/4	1,087.22	1/4	717.22	1/4	347.22				
1/2	5,467.64	1/2	5,148.11	1/2	4,779.45	1/2	4,409.45	1/2	4,039.45	1/2	3,669.45	1/2	3,299.45	1/2	2,929.44	1/2	2,559.44	1/2	2,189.44	1/2	1,819.44	1/2	1,449.46	1/2	1,079.51	1/2	709.51	1/2	339.51				
3/4	5,466.00	3/4	5,140.43	3/4	4,771.74	3/4	4,401.74	3/4	4,031.74	3/4	3,661.74	3/4	3,291.74	3/4	2,921.74	3/4	2,551.74	3/4	2,181.74	3/4	1,811.73	3/4	1,441.76	3/4	1,071.80	3/4	701.80	3/4	331.80				
5	5,463.01	5	5,132.75	5	4,764.03	5	4,394.03	5	4,024.03	5	3,654.03	5	3,284.03	5	2,914.03	5	2,544.03	5	2,174.03	5	1,804.03	5	1,434.05	5	1,064.09	5	694.09	5	324.09				
1/4	5,460.03	1/4	5,125.08	1/4	4,756.32	1/4	4,386.32	1/4	4,016.32	1/4	3,646.32	1/4	3,276.32	1/4	2,906.32	1/4	2,536.32	1/4	2,166.32	1/4	1,796.32	1/4	1,426.34	1/4	1,056.38	1/4	686.38	1/4	316.38				
1/2	5,457.04	1/2	5,117.40	1/2	4,748.62	1/2	4,378.61	1/2	4,008.61	1/2	3,638.61	1/2	3,268.61	1/2	2,898.61	1/2	2,528.61	1/2	2,158.61	1/2	1,788.61	1/2	1,418.64	1/2	1,048.68	1/2	678.67	1/2	308.67				
3/4	5,454.06	3/4	5,109.72	3/4	4,740.91	3/4	4,370.91	3/4	4,000.91	3/4	3,630.90	3/4	3,260.90	3/4	2,890.90	3/4	2,520.90	3/4	2,150.90	3/4	1,780.90	3/4	1,410.93	3/4	1,040.97	3/4	670.97	3/4	300.97				
6	5,449.73	6	5,102.05	6	4,733.20	6	4,363.20	6	3,993.20	6	3,623.20	6	3,253.20	6	2,883.19	6	2,513.19	6	2,143.19	6	1,773.19	6	1,403.22	6	1,033.26	6	663.26	6	293.26				
1/4	5,445.41	1/4	5,094.37	1/4	4,725.49	1/4	4,355.49	1/4	3,985.49	1/4	3,615.49	1/4	3,245.49	1/4	2,875.49	1/4	2,505.49	1/4	2,135.48	1/4	1,765.48	1/4	1,395.52	1/4	1,025.55	1/4	655.55	1/4	285.55				
1/2	5,441.08	1/2	5,086.69	1/2	4,717.78	1/2	4,347.78	1/2	3,977.78	1/2	3,607.78	1/2	3,237.78	1/2	2,867.78	1/2	2,497.78	1/2	2,127.78	1/2	1,757.78	1/2	1,387.81	1/2	1,017.84	1/2	647.84	1/2	277.84				
3/4	5,436.76	3/4	5,079.02	3/4	4,710.07	3/4	4,340.07	3/4	3,970.07	3/4	3,600.07	3/4	3,230.07	3/4	2,860.07	3/4	2,490.07	3/4	2,120.07	3/4	1,750.07	3/4	1,380.10	3/4	1,010.13	3/4	640.13	3/4	270.13				
7	5,431.09	7	5,071.34	7	4,702.37	7	4,332.36	7	3,962.36	7	3,592.36	7	3,222.36	7	2,852.36	7	2,482.36	7	2,112.36	7	1,742.36	7	1,372.40	7	1,002.43	7	632.42	7	262.42				
1/4	5,425.43	1/4	5,063.67	1/4	4,694.66	1/4	4,324.66	1/4	3,954.66	1/4	3,584.65	1/4	3,214.65	1/4	2,844.65	1/4	2,474.65	1/4	2,104.65	1/4	1,734.65	1/4	1,364.69	1/4	994.72	1/4	624.72	1/4	254.72				
1/2	5,419.76	1/2	5,055.99	1/2	4,686.95	1/2	4,316.95	1/2	3,946.95	1/2	3,576.95	1/2	3,206.95	1/2	2,836.94	1/2	2,466.94	1/2	2,096.94	1/2	1,726.94	1/2	1,356.98	1/2	987.01	1/2	617.01	1/2	247.01				
3/4	5,414.10	3/4	5,048.31	3/4																													



BARGE "FMT-3288" FLORIDA MARINE

OUTAGE TABLE

2 STAR

BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

HULL NO. G007

	2 FT.	3 FT.	4 FT.	5 FT.	6 FT.	7 FT.	8 FT.	9 FT.	10 FT.	11 FT.	12 FT.	13 FT.	14 FT.	15 FT.	16 FT.	17 FT.
0	0	5,278.60	0	4,910.14	0	4,540.49	0	4,170.49	0	3,800.49	0	3,430.49	0	3,060.49	0	2,690.49
1/4	1/4	5,270.93	1/4	4,902.46	1/4	4,532.78	1/4	4,162.78	1/4	3,792.78	1/4	3,422.78	1/4	3,052.78	1/4	2,682.78
1/2	1/2	5,263.25	1/2	4,894.79	1/2	4,525.07	1/2	4,155.07	1/2	3,785.07	1/2	3,415.07	1/2	3,045.07	1/2	2,675.07
3/4	3/4	5,255.57	3/4	4,887.11	3/4	4,517.37	3/4	4,147.36	3/4	3,777.36	3/4	3,407.36	3/4	3,037.36	3/4	2,667.36
1	1	5,247.90	1	4,879.43	1	4,509.66	1	4,139.66	1	3,769.66	1	3,399.65	1	3,029.65	1	2,659.65
1/4	1/4	5,240.22	1/4	4,871.76	1/4	4,501.95	1/4	4,131.95	1/4	3,761.95	1/4	3,391.95	1/4	3,021.95	1/4	2,651.94
1/2	1/2	5,232.55	1/2	4,864.08	1/2	4,494.24	1/2	4,124.24	1/2	3,754.24	1/2	3,384.24	1/2	3,014.24	1/2	2,644.24
3/4	3/4	5,224.87	3/4	4,856.40	3/4	4,486.53	3/4	4,116.53	3/4	3,746.53	3/4	3,376.53	3/4	3,006.53	3/4	2,636.53
2	2	5,217.19	2	4,848.73	2	4,478.82	2	4,108.82	2	3,738.82	2	3,368.82	2	2,998.82	2	2,628.82
1/4	1/4	5,209.52	1/4	4,841.05	1/4	4,471.11	1/4	4,101.11	1/4	3,731.11	1/4	3,361.11	1/4	2,991.11	1/4	2,621.11
1/2	1/2	5,201.84	1/2	4,833.38	1/2	4,463.41	1/2	4,093.41	1/2	3,723.41	1/2	3,353.40	1/2	2,983.40	1/2	2,613.40
3/4	3/4	5,194.16	3/4	4,825.70	3/4	4,455.70	3/4	4,085.70	3/4	3,715.70	3/4	3,345.70	3/4	2,975.70	3/4	2,605.69
3	3	5,186.49	3	4,817.99	3	4,447.99	3	4,077.99	3	3,707.99	3	3,337.99	3	2,967.99	3	2,597.99
1/4	1/4	5,178.81	1/4	4,810.28	1/4	4,440.28	1/4	4,070.28	1/4	3,700.28	1/4	3,330.28	1/4	2,960.28	1/4	2,590.28
1/2	1/2	5,171.13	1/2	4,802.57	1/2	4,432.57	1/2	4,062.57	1/2	3,692.57	1/2	3,322.57	1/2	2,952.57	1/2	2,582.57
3/4	3/4	5,163.46	3/4	4,794.87	3/4	4,424.86	3/4	4,054.86	3/4	3,684.86	3/4	3,314.86	3/4	2,944.86	3/4	2,574.86
4	4	5,155.78	4	4,787.16	4	4,417.16	4	4,047.16	4	3,677.15	4	3,307.15	4	2,937.15	4	2,567.15
1/4	1/4	5,148.11	1/4	4,779.45	1/4	4,409.45	1/4	4,039.45	1/4	3,669.45	1/4	3,299.45	1/4	2,929.44	1/4	2,559.44
1/2	1/2	5,140.43	1/2	4,771.74	1/2	4,401.74	1/2	4,031.74	1/2	3,661.74	1/2	3,291.74	1/2	2,921.74	1/2	2,551.74
3/4	3/4	5,132.75	3/4	4,764.03	3/4	4,394.03	3/4	4,024.03	3/4	3,654.03	3/4	3,284.03	3/4	2,914.03	3/4	2,544.03
5	5	5,125.08	5	4,756.32	5	4,386.32	5	4,016.32	5	3,646.32	5	3,276.32	5	2,906.32	5	2,536.32
1/4	1/4	5,117.40	1/4	4,748.62	1/4	4,378.61	1/4	4,008.61	1/4	3,638.61	1/4	3,268.61	1/4	2,898.61	1/4	2,528.61
1/2	1/2	5,109.72	1/2	4,740.91	1/2	4,370.91	1/2	4,000.91	1/2	3,630.90	1/2	3,260.90	1/2	2,890.90	1/2	2,520.90
3/4	3/4	5,102.05	3/4	4,733.20	3/4	4,363.20	3/4	3,993.20	3/4	3,623.20	3/4	3,253.20	3/4	2,883.19	3/4	2,513.19
6	6	5,094.37	6	4,725.49	6	4,355.49	6	3,985.49	6	3,615.49	6	3,245.49	6	2,875.49	6	2,505.49
1/4	1/4	5,086.69	1/4	4,717.78	1/4	4,347.78	1/4	3,977.78	1/4	3,607.78	1/4	3,237.78	1/4	2,867.78	1/4	2,497.78
1/2	1/2	5,079.02	1/2	4,710.07	1/2	4,340.07	1/2	3,970.07	1/2	3,600.07	1/2	3,230.07	1/2	2,860.07	1/2	2,490.07
3/4	3/4	5,071.34	3/4	4,702.37	3/4	4,332.36	3/4	3,962.36	3/4	3,592.36	3/4	3,222.36	3/4	2,852.36	3/4	2,482.36
7	7	5,063.67	7	4,694.66	7	4,324.66	7	3,954.66	7	3,584.65	7	3,214.65	7	2,844.65	7	2,474.65
1/4	1/4	5,055.99	1/4	4,686.95	1/4	4,316.95	1/4	3,946.95	1/4	3,576.95	1/4	3,206.95	1/4	2,836.94	1/4	2,466.94
1/2	1/2	5,048.31	1/2	4,679.24	1/2	4,309.24	1/2	3,939.24	1/2	3,569.24	1/2	3,199.24	1/2	2,829.24	1/2	2,459.24
3/4	3/4	5,040.64	3/4	4,671.53	3/4	4,301.53	3/4	3,931.53	3/4	3,561.53	3/4	3,191.53	3/4	2,821.53	3/4	2,451.53
8	8	5,032.96	8	4,663.82	8	4,293.82	8	3,923.82	8	3,553.82	8	3,183.82	8	2,813.82	8	2,443.82
1/4	1/4	5,025.28	1/4	4,656.12	1/4	4,286.11	1/4	3,916.11	1/4	3,546.11	1/4	3,176.11	1/4	2,806.11	1/4	2,436.11
1/2	1/2	5,017.61	1/2	4,648.41	1/2	4,278.41	1/2	3,908.41	1/2	3,538.40	1/2	3,168.40	1/2	2,798.40	1/2	2,428.40
3/4	3/4	5,009.93	3/4	4,640.70	3/4	4,270.70	3/4	3,900.70	3/4	3,530.70	3/4	3,160.70	3/4	2,790.69	3/4	2,420.69
9	9	5,002.26	9	4,632.99	9	4,262.99	9	3,892.99	9	3,522.99	9	3,152.99	9	2,782.99	9	2,412.99
1/4	1/4	4,994.58	1/4	4,625.28	1/4	4,255.28	1/4	3,885.28	1/4	3,515.28	1/4	3,145.28	1/4	2,775.28	1/4	2,405.28
1/2	1/2	4,986.90	1/2	4,617.57	1/2	4,247.57	1/2	3,877.57	1/2	3,507.57	1/2	3,137.57	1/2	2,767.57	1/2	2,397.57
3/4	3/4	4,979.23	3/4	4,609.87	3/4	4,239.86	3/4	3,869.86	3/4	3,499.86	3/4	3,129.86	3/4	2,759.86	3/4	2,389.86
10	10	4,971.55	10	4,602.16	10	4,232.16	10	3,862.16	10	3,492.15	10	3,122.15	10	2,752.15	10	2,382.15
1/4	1/4	4,963.87	1/4	4,594.45	1/4	4,224.45	1/4	3,854.45	1/4	3,484.45	1/4	3,114.45	1/4	2,744.44	1/4	2,374.44
1/2	1/2	4,956.20	1/2	4,586.74	1/2	4,216.74	1/2	3,846.74	1/2	3,476.74	1/2	3,106.74	1/2	2,736.74	1/2	2,366.74
3/4	3/4	4,948.52	3/4	4,579.03	3/4	4,209.03	3/4	3,839.03	3/4	3,469.03	3/4	3,099.03	3/4	2,729.03	3/4	2,359.03
11	11	4,940.84	11	4,571.32	11	4,201.32	11	3,831.32	11	3,461.32	11	3,091.32	11	2,721.32	11	2,351.32
1/4	1/4	4,933.17	1/4	4,563.62	1/4	4,193.61	1/4	3,823.61	1/4	3,453.61	1/4	3,083.61	1/4	2,713.61	1/4	2,343.61
1/2	1/2	4,925.49	1/2	4,555.91	1/2	4,185.91	1/2	3,815.91	1/2	3,445.90	1/2	3,075.90	1/2	2,705.90	1/2	2,335.90
3/4	3/4	4,917.82	3/4	4,548.20	3/4	4,178.20	3/4	3,808.20	3/4	3,438.20	3/4	3,068.20	3/4	2,698.19	3/4	2,328.19

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

STRAPPED: 06/18/2015

* CAPACITY BELOW STRIKE POINT

REFERENCE GAUGE HEIGHT : 17'-3 1/4" (GAUGE POINT LOCATED NEAR CENTER OF TANK)
GAUGE WITH HERMETIC GAUGE TAPE ONLY.WE CERTIFY ALL MEASUREMENTS AND COMPUTATIONS ARE
IN ACCORDANCE WITH APPLICABLE API STANDARDS AND
ARE TRUE AND CORRECT TO THE BEST OF OUR KNOWLEDGE.

INSPECTORATE AMERICA CORPORATION



BARGE "FMT-3288" FLORIDA MARINE

OUTAGE TABLE

3 PORT

BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

HULL NO. G007

#	0 FT.	#	1 FT.	#	2 FT.	#	3 FT.	#	4 FT.	#	5 FT.	#	6 FT.	#	7 FT.	#	8 FT.	#	9 FT.	#	10 FT.	#	11 FT.	#	12 FT.	#	13 FT.	#	14 FT.	#	15 FT.
0		0	4,865.67	0	4,619.25	0	4,360.15	0	4,099.93	0	3,839.70	0	3,579.33	0	3,234.48	0	2,865.74	0	2,497.00	0	2,128.26	0	1,759.51	0	1,390.81	0	1,022.10	0	653.38	0	284.62
1/4	1/4	1/4	4,862.64	1/4	4,613.87	1/4	4,354.73	1/4	4,094.51	1/4	3,834.28	1/4	3,573.76	1/4	3,226.80	1/4	2,858.05	1/4	2,489.31	1/4	2,120.57	1/4	1,751.83	1/4	1,383.13	1/4	1,014.42	1/4	645.68	1/4	276.94
1/2	1/2	1/2	4,859.61	1/2	4,608.48	1/2	4,349.31	1/2	4,089.08	1/2	3,828.86	1/2	3,568.20	1/2	3,219.11	1/2	2,850.37	1/2	2,481.63	1/2	2,112.89	1/2	1,744.15	1/2	1,375.45	1/2	1,006.74	1/2	638.00	1/2	269.26
3/4	3/4	3/4	4,855.64	3/4	4,603.09	3/4	4,343.89	3/4	4,083.66	3/4	3,823.44	3/4	3,562.28	3/4	3,211.43	3/4	2,842.69	3/4	2,473.95	3/4	2,105.21	3/4	1,736.47	3/4	1,367.76	3/4	999.05	3/4	630.31	3/4	261.57
1	1	1	4,851.67	1	4,597.70	1	4,338.47	1	4,078.24	1	3,818.02	1	3,556.37	1	3,203.75	1	2,835.01	1	2,466.27	1	2,097.53	1	1,728.79	1	1,360.08	1	991.37	1	622.63	1	253.89
1/4	1/4	1/4	4,847.69	1/4	4,592.31	1/4	4,333.04	1/4	4,072.82	1/4	3,812.60	1/4	3,550.46	1/4	3,196.07	1/4	2,827.33	1/4	2,458.59	1/4	2,089.84	1/4	1,721.10	1/4	1,352.40	1/4	983.69	1/4	614.95	1/4	246.21
1/2	1/2	1/2	4,843.72	1/2	4,586.92	1/2	4,327.62	1/2	4,067.40	1/2	3,807.18	1/2	3,544.54	1/2	3,188.39	1/2	2,819.64	1/2	2,450.90	1/2	2,082.16	1/2	1,713.42	1/2	1,344.72	1/2	976.01	1/2	607.27	1/2	238.53
3/4	3/4	3/4	4,838.80	3/4	4,581.53	3/4	4,322.20	3/4	4,061.98	3/4	3,801.75	3/4	3,538.24	3/4	3,180.70	3/4	2,811.96	3/4	2,443.22	3/4	2,074.48	3/4	1,705.74	3/4	1,337.04	3/4	968.33	3/4	599.59	3/4	230.84
2	2	2	4,833.88	2	4,576.14	2	4,316.78	2	4,056.56	2	3,796.33	2	3,531.93	2	3,173.02	2	2,804.28	2	2,435.54	2	2,066.80	2	1,698.06	2	1,329.36	2	960.64	2	591.90	2	223.16
1/4	1/4	1/4	4,828.97	1/4	4,570.75	1/4	4,311.36	1/4	4,051.14	1/4	3,790.91	1/4	3,525.63	1/4	3,165.34	1/4	2,796.60	1/4	2,427.86	1/4	2,059.12	1/4	1,690.38	1/4	1,321.68	1/4	952.96	1/4	584.22	1/4	215.48
1/2	1/2	1/2	4,824.05	1/2	4,565.36	1/2	4,305.94	1/2	4,045.71	1/2	3,785.49	1/2	3,519.32	1/2	3,157.66	1/2	2,788.92	1/2	2,420.18	1/2	2,051.43	1/2	1,682.69	1/2	1,314.00	1/2	945.28	1/2	576.54	1/2	207.80
3/4	3/4	3/4	4,818.66	3/4	4,559.97	3/4	4,300.52	3/4	4,040.29	3/4	3,780.07	3/4	3,512.82	3/4	3,149.97	3/4	2,781.23	3/4	2,412.49	3/4	2,043.75	3/4	1,675.01	3/4	1,306.32	3/4	937.60	3/4	568.86	3/4	200.12
3	3	3	4,813.27	3	4,554.58	3	4,295.10	3	4,034.87	3	3,774.65	3	3,505.92	3	3,142.29	3	2,773.55	3	2,404.81	3	2,036.07	3	1,667.33	3	1,298.64	3	929.92	3	561.17	3	192.43
1/4	1/4	1/4	4,807.88	1/4	4,549.19	1/4	4,289.67	1/4	4,029.45	1/4	3,769.23	1/4	3,499.22	1/4	3,134.61	1/4	2,765.87	1/4	2,397.13	1/4	2,028.39	1/4	1,659.65	1/4	1,290.96	1/4	922.23	1/4	553.49	1/4	184.75
1/2	1/2	1/2	4,802.49	1/2	4,543.80	1/2	4,284.25	1/2	4,024.03	1/2	3,763.81	1/2	3,492.52	1/2	3,126.93	1/2	2,758.19	1/2	2,389.45	1/2	2,020.71	1/2	1,651.97	1/2	1,283.28	1/2	914.55	1/2	545.81	1/2	177.07
3/4	3/4	3/4	4,797.10	3/4	4,538.41	3/4	4,278.83	3/4	4,018.61	3/4	3,758.38	3/4	3,485.43	3/4	3,119.25	3/4	2,750.51	3/4	2,381.76	3/4	2,013.02	3/4	1,644.28	3/4	1,275.60	3/4	906.87	3/4	538.13	3/4	169.39
4	4	4	4,791.71	4	4,533.03	4	4,273.41	4	4,013.19	4	3,752.96	4	3,478.34	4	3,111.56	4	2,742.82	4	2,374.08	4	2,005.34	4	1,636.60	4	1,267.92	4	899.19	4	530.45	4	161.71
1/4	1/4	1/4	4,786.32	1/4	4,527.64	1/4	4,267.99	1/4	4,007.77	1/4	3,747.54	1/4	3,471.25	1/4	3,103.88	1/4	2,735.14	1/4	2,366.40	1/4	1,997.66	1/4	1,628.92	1/4	1,260.24	1/4	891.51	1/4	522.76	1/4	154.02
1/2	1/2	1/2	4,780.93	1/2	4,522.25	1/2	4,262.57	1/2	4,002.34	1/2	3,742.12	1/2	3,464.15	1/2	3,096.20	1/2	2,727.46	1/2	2,358.72	1/2	1,989.98	1/2	1,621.24	1/2	1,252.56	1/2	883.82	1/2	515.08	1/2	146.34
3/4	3/4	3/4	4,775.55	3/4	4,516.86	3/4	4,257.15	3/4	3,996.92	3/4	3,736.70	3/4	3,456.67	3/4	3,088.52	3/4	2,719.78	3/4	2,351.04	3/4	1,982.30	3/4	1,613.55	3/4	1,244.88	3/4	876.14	3/4	507.40	3/4	138.66
5	5	5	4,770.16	5	4,511.47	5	4,251.72	5	3,991.50	5	3,731.28	5	3,449.18	5	3,080.84	5	2,712.09	5	2,343.35	5	1,974.61	5	1,605.87	5	1,237.20	5	868.46	5	499.72	5	130.98
1/4	1/4	1/4	4,764.77	1/4	4,506.08	1/4	4,246.30	1/4	3,986.08	1/4	3,725.86	1/4	3,441.70	1/4	3,073.15	1/4	2,704.41	1/4	2,335.67	1/4	1,966.93	1/4	1,598.19	1/4	1,229.52	1/4	860.78	1/4	492.04	1/4	123.30
1/2	1/2	1/2	4,759.38	1/2	4,500.69	1/2	4,240.88	1/2	3,980.66	1/2	3,720.43	1/2	3,434.21	1/2	3,065.47	1/2	2,696.73	1/2	2,327.99	1/2	1,959.25	1/2	1,590.51	1/2	1,221.84	1/2	853.09	1/2	484.35	1/2	115.61
3/4	3/4	3/4	4,753.99	3/4	4,495.30	3/4	4,235.46	3/4	3,975.24	3/4	3,715.01	3/4	3,426.53	3/4	3,057.79	3/4	2,689.05	3/4	2,320.31	3/4	1,951.57	3/4	1,582.83	3/4	1,214.15	3/4	845.41	3/4	476.67	3/4	107.93
6	6	6	4,748.60	6	4,489.91	6	4,230.04	6	3,969.82	6	3,709.59	6	3,418.85	6	3,050.11	6	2,681.37	6	2,312.63	6	1,943.88	6	1,575.14	6	1,206.47	6	837.73	6	468.99	6	100.25
1/4	1/4	1/4	4,743.21	1/4	4,484.52	1/4	4,224.62	1/4	3,964.39	1/4	3,704.17	1/4	3,411.17	1/4	3,042.43	1/4	2,673.68	1/4	2,304.94	1/4	1,936.20	1/4	1,567.46	1/4	1,198.79	1/4	830.05	1/4	461.31	1/4	92.57
1/2	1/2	1/2	4,737.82	1/2	4,479.13	1/2	4,219.20	1/2	3,958.97	1/2	3,698.75	1/2	3,403.48	1/2	3,034.74	1/2	2,666.00	1/2	2,297.26	1/2	1,928.52	1/2	1,559.78	1/2	1,191.11	1/2	822.37	1/2	453.63	1/2	84.88
3/4	3/4	3/4	4,732.43	3/4	4,473.74	3/4	4,213.78	3/4	3,953.55	3/4	3,693.33	3/4	3,395.80	3/4	3,027.06	3/4	2,658.32	3/4	2,289.58	3/4	1,920.84	3/4	1,552.10	3/4	1,183.42	3/4	814.68	3/4	445.94	3/4	77.20
7	7	7	4,727.04	7	4,468.35	7	4,208.35	7	3,948.13	7	3,687.91	7	3,388.12	7	3,019.38	7	2,650.64	7	2,281.90	7	1,913.16	7	1,544.42	7	1,175.74	7	807.00	7	438.26	7	69.52
1/4	1/4	1/4	4,721.65	1/4	4,462.96	1/4	4,202.93	1/4	3,942.71	1/4	3,682.49	1/4	3,380.44	1/4	3,011.70	1/4	2,642.96	1/4	2,274.22	1/4	1,905.47	1/4	1,536.73	1/4	1,168.06	1/4	799.32	1/4	430.58	1/4	61.84
1/2	1/2	1/2	4,716.26	1/2	4,457.58	1/2	4,197.51	1/td																							



INSPECTORATE

BARGE "FMT-3288"
FLORIDA MARINE

OUTAGE TABLE

3 STAR

BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

HULL NO. G007

0 FT.		1 FT.		2 FT.		3 FT.		4 FT.		5 FT.		6 FT.		7 FT.		8 FT.		9 FT.		10 FT.		11 FT.		12 FT.		13 FT.		14 FT.		15 FT.	
0		0	4,862.64	0	4,613.87	0	4,354.73	0	4,094.51	0	3,834.28	0	3,573.76	0	3,226.80	0	2,858.05	0	2,489.31	0	2,120.57	0	1,751.83	0	1,383.13	0	1,014.42	0	645.68	0	276.94
1/4		1/4	4,859.61	1/4	4,608.48	1/4	4,349.31	1/4	4,089.08	1/4	3,828.86	1/4	3,568.20	1/4	3,219.11	1/4	2,850.37	1/4	2,481.63	1/4	2,112.89	1/4	1,744.15	1/4	1,375.45	1/4	1,006.74	1/4	638.00	1/4	269.26
1/2		1/2	4,855.64	1/2	4,603.09	1/2	4,343.89	1/2	4,083.66	1/2	3,823.44	1/2	3,562.28	1/2	3,211.43	1/2	2,842.69	1/2	2,473.95	1/2	2,105.21	1/2	1,736.47	1/2	1,367.76	1/2	999.05	1/2	630.31	1/2	261.57
3/4		3/4	4,851.67	3/4	4,597.70	3/4	4,338.47	3/4	4,078.24	3/4	3,818.02	3/4	3,556.37	3/4	3,203.75	3/4	2,835.01	3/4	2,466.27	3/4	2,097.53	3/4	1,728.79	3/4	1,360.08	3/4	991.37	3/4	622.63	3/4	253.89
1		1	4,847.69	1	4,592.31	1	4,333.04	1	4,072.82	1	3,812.60	1	3,550.46	1	3,196.07	1	2,827.33	1	2,458.59	1	2,089.84	1	1,721.10	1	1,352.40	1	983.69	1	614.95	1	246.21
1/4		1/4	4,843.72	1/4	4,586.92	1/4	4,327.62	1/4	4,067.40	1/4	3,807.18	1/4	3,544.54	1/4	3,188.39	1/4	2,819.64	1/4	2,450.90	1/4	2,082.16	1/4	1,713.42	1/4	1,344.72	1/4	976.01	1/4	607.27	1/4	238.53
1/2		1/2	4,838.80	1/2	4,581.53	1/2	4,322.20	1/2	4,061.98	1/2	3,801.75	1/2	3,538.24	1/2	3,180.70	1/2	2,811.96	1/2	2,443.22	1/2	2,074.48	1/2	1,705.74	1/2	1,337.04	1/2	968.33	1/2	599.59	1/2	230.84
3/4		3/4	4,833.88	3/4	4,576.14	3/4	4,316.78	3/4	4,056.56	3/4	3,796.33	3/4	3,531.93	3/4	3,173.02	3/4	2,804.28	3/4	2,435.54	3/4	2,066.80	3/4	1,698.06	3/4	1,329.36	3/4	960.64	3/4	591.90	3/4	223.16
2		2	4,828.97	2	4,570.75	2	4,311.36	2	4,051.14	2	3,790.91	2	3,525.63	2	3,165.34	2	2,796.60	2	2,427.86	2	2,059.12	2	1,690.38	2	1,321.68	2	952.96	2	584.22	2	215.48
1/4		1/4	4,824.05	1/4	4,565.36	1/4	4,305.94	1/4	4,045.71	1/4	3,785.49	1/4	3,519.32	1/4	3,157.66	1/4	2,788.92	1/4	2,420.18	1/4	2,051.43	1/4	1,682.69	1/4	1,314.00	1/4	945.28	1/4	576.54	1/4	207.80
1/2		1/2	4,818.66	1/2	4,559.97	1/2	4,300.52	1/2	4,040.29	1/2	3,780.07	1/2	3,512.62	1/2	3,149.97	1/2	2,781.23	1/2	2,412.49	1/2	2,043.75	1/2	1,675.01	1/2	1,306.32	1/2	937.60	1/2	568.86	1/2	200.12
3/4		3/4	4,813.27	3/4	4,554.58	3/4	4,295.10	3/4	4,034.87	3/4	3,774.65	3/4	3,505.92	3/4	3,142.29	3/4	2,773.55	3/4	2,404.81	3/4	2,036.07	3/4	1,667.33	3/4	1,298.64	3/4	929.92	3/4	561.17	3/4	192.43
3		3	4,807.88	3	4,549.19	3	4,289.67	3	4,029.45	3	3,769.23	3	3,499.22	3	3,134.61	3	2,765.87	3	2,397.13	3	2,028.39	3	1,659.65	3	1,290.96	3	922.23	3	553.49	3	184.75
1/4		1/4	4,802.49	1/4	4,543.80	1/4	4,284.25	1/4	4,024.03	1/4	3,763.81	1/4	3,492.52	1/4	3,126.93	1/4	2,758.19	1/4	2,389.45	1/4	2,020.71	1/4	1,651.97	1/4	1,283.28	1/4	914.55	1/4	545.81	1/4	177.07
1/2		1/2	4,797.10	1/2	4,538.41	1/2	4,278.83	1/2	4,018.61	1/2	3,758.38	1/2	3,485.43	1/2	3,119.25	1/2	2,750.51	1/2	2,381.76	1/2	2,013.02	1/2	1,644.28	1/2	1,275.60	1/2	906.87	1/2	538.13	1/2	169.39
3/4		3/4	4,791.71	3/4	4,533.03	3/4	4,273.41	3/4	4,013.19	3/4	3,752.96	3/4	3,478.34	3/4	3,111.56	3/4	2,742.82	3/4	2,374.08	3/4	2,005.34	3/4	1,636.60	3/4	1,267.92	3/4	899.19	3/4	530.45	3/4	161.71
4		4	4,786.32	4	4,527.64	4	4,267.99	4	4,007.77	4	3,747.54	4	3,471.25	4	3,103.88	4	2,735.14	4	2,366.40	4	1,997.66	4	1,628.92	4	1,260.24	4	891.51	4	522.76	4	154.02
1/4		1/4	4,780.93	1/4	4,522.25	1/4	4,262.57	1/4	4,002.34	1/4	3,742.12	1/4	3,464.15	1/4	3,096.20	1/4	2,727.46	1/4	2,358.72	1/4	1,989.98	1/4	1,621.24	1/4	1,252.56	1/4	883.82	1/4	515.08	1/4	146.34
1/2		1/2	4,775.55	1/2	4,516.86	1/2	4,257.15	1/2	3,996.92	1/2	3,736.70	1/2	3,456.67	1/2	3,088.52	1/2	2,719.78	1/2	2,351.04	1/2	1,982.30	1/2	1,613.55	1/2	1,244.88	1/2	876.14	1/2	507.40	1/2	138.66
3/4		3/4	4,770.16	3/4	4,511.47	3/4	4,251.72	3/4	3,991.50	3/4	3,731.28	3/4	3,449.18	3/4	3,080.84	3/4	2,712.09	3/4	2,343.35	3/4	1,974.61	3/4	1,605.87	3/4	1,237.20	3/4	868.46	3/4	499.72	3/4	130.98
5		5	4,764.77	5	4,506.08	5	4,246.30	5	3,986.08	5	3,725.86	5	3,441.70	5	3,073.15	5	2,704.41	5	2,335.67	5	1,966.93	5	1,598.19	5	1,229.52	5	860.78	5	492.04	5	123.30
1/4		1/4	4,759.38	1/4	4,500.69	1/4	4,240.88	1/4	3,980.66	1/4	3,720.43	1/4	3,434.21	1/4	3,065.47	1/4	2,696.73	1/4	2,327.99	1/4	1,959.25	1/4	1,590.51	1/4	1,221.84	1/4	853.09	1/4	484.35	1/4	115.61
1/2		1/2	4,753.99	1/2	4,495.30	1/2	4,235.46	1/2	3,975.24	1/2	3,715.01	1/2	3,426.53	1/2	3,057.79	1/2	2,689.05	1/2	2,320.31	1/2	1,951.57	1/2	1,582.83	1/2	1,214.15	1/2	845.41	1/2	476.67	1/2	107.93
3/4		3/4	4,748.60	3/4	4,489.91	3/4	4,230.04	3/4	3,969.82	3/4	3,709.59	3/4	3,418.85	3/4	3,050.11	3/4	2,681.37	3/4	2,312.63	3/4	1,943.88	3/4	1,575.14	3/4	1,206.47	3/4	837.73	3/4	468.99	3/4	100.25
6		6	4,743.21	6	4,484.52	6	4,224.62	6	3,964.39	6	3,704.17	6	3,411.17	6	3,042.43	6	2,673.68	6	2,304.94	6	1,936.20	6	1,567.46	6	1,198.79	6	830.05	6	461.31	6	92.57
1/4		1/4	4,737.82	1/4	4,479.13	1/4	4,219.20	1/4	3,958.97	1/4	3,698.75	1/4	3,403.48	1/4	3,034.74	1/4	2,666.00	1/4	2,297.26	1/4	1,928.52	1/4	1,559.78	1/4	1,191.11	1/4	822.37	1/4	453.63	1/4	84.88
1/2		1/2	4,732.43	1/2	4,473.74	1/2	4,213.78	1/2	3,953.55	1/2	3,693.33	1/2	3,395.80	1/2	3,027.06	1/2	2,658.32	1/2	2,289.58	1/2	1,920.84	1/2	1,552.10	1/2	1,183.42	1/2	814.68	1/2	445.94	1/2	77.20
3/4		3/4	4,727.04	3/4	4,468.35	3/4	4,208.35	3/4	3,948.13	3/4	3,687.91	3/4	3,388.12	3/4	3,019.38	3/4	2,650.64	3/4	2,281.90	3/4	1,913.16	3/4	1,544.42	3/4	1,175.74	3/4	807.00	3/4	438.26	3/4	69.52
7		7	4,721.65	7	4,462.96	7	4,202.93	7	3,942.71	7	3,682.49	7	3,380.44	7	3,011.70	7	2,642.96	7	2,274.22	7	1,905.47	7	1,536.73	7	1,168.06	7	799.32	7	430.68	7	61.84
1/4		1/4	4,716.26	1/4	4,457.58	1/4	4,197.51	1/4	3,937.29	1/4	3,677.06	1/4	3,372.76	1/4	3,004.01	1/4	2,635.27	1/4	2,266.53	1/4	1,897.79	1/4	1,529.05	1/4	1,160.38	1/4	791.64	1/4	422.90	1/4	55.11
1/2		1/2	4,710.87	1/2	4,452.19	1/2	4,192.09	1/2	3,931.87	1/2	3,671.64	1/2	3,365.07	1/2	2,996.33	1/2	2,627.59	1/2	2,258.85	1/2	1,890.11	1/2	1,521.37	1/2	1,152.70	1/2	783.96	1/2	415.21	1/2	48.39
3/4		3/4																													



INSPECTORATE

BARGE "FMT-3288" FLORIDA MARINE

OUTAGE TABLE

3 PORT

BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

HULL NO. G007

#	2 FT.	#	3 FT.	#	4 FT.	#	5 FT.	#	6 FT.	#	7 FT.	#	8 FT.	#	9 FT.	#	10 FT.	#	11 FT.	#	12 FT.	#	13 FT.	#	14 FT.	#	15 FT.	#	16 FT.	#	17 FT.		
0		0	4,759.38	0	4,500.69	0	4,240.88	0	3,980.66	0	3,720.43	0	3,434.21	0	3,065.47	0	2,696.73	0	2,327.99	0	1,959.25	0	1,590.51	0	1,221.84	0	853.09	0	484.35	0	115.61		
1/4		1/4	4,753.99	1/4	4,495.30	1/4	4,235.46	1/4	3,975.24	1/4	3,715.01	1/4	3,426.53	1/4	3,057.79	1/4	2,689.05	1/4	2,320.31	1/4	1,951.57	1/4	1,582.83	1/4	1,214.15	1/4	845.41	1/4	476.67	1/4	107.93		
1/2		1/2	4,748.60	1/2	4,489.91	1/2	4,230.04	1/2	3,969.82	1/2	3,709.59	1/2	3,418.85	1/2	3,050.11	1/2	2,681.37	1/2	2,312.63	1/2	1,943.88	1/2	1,575.14	1/2	1,206.47	1/2	837.73	1/2	468.99	1/2	100.25		
3/4		3/4	4,743.21	3/4	4,484.52	3/4	4,224.62	3/4	3,964.39	3/4	3,704.17	3/4	3,411.17	3/4	3,042.43	3/4	2,673.68	3/4	2,304.94	3/4	1,936.20	3/4	1,567.46	3/4	1,198.79	3/4	830.05	3/4	461.31	3/4	92.57		
1		1	4,737.82	1	4,479.13	1	4,219.20	1	3,958.97	1	3,698.75	1	3,403.48	1	3,034.74	1	2,666.00	1	2,297.26	1	1,928.52	1	1,559.78	1	1,191.11	1	822.37	1	453.63	1	84.88		
1/4		1/4	4,732.43	1/4	4,473.74	1/4	4,213.78	1/4	3,953.55	1/4	3,693.33	1/4	3,395.80	1/4	3,027.06	1/4	2,658.32	1/4	2,289.58	1/4	1,920.84	1/4	1,552.10	1/4	1,183.42	1/4	814.68	1/4	445.94	1/4	77.20		
1/2		1/2	4,727.04	1/2	4,468.35	1/2	4,208.35	1/2	3,948.13	1/2	3,687.91	1/2	3,388.12	1/2	3,019.38	1/2	2,650.64	1/2	2,281.90	1/2	1,913.16	1/2	1,544.42	1/2	1,175.74	1/2	807.00	1/2	438.26	1/2	69.52		
3/4		3/4	4,721.65	3/4	4,462.96	3/4	4,202.93	3/4	3,942.71	3/4	3,682.49	3/4	3,380.44	3/4	3,011.70	3/4	2,642.96	3/4	2,274.22	3/4	1,905.47	3/4	1,536.73	3/4	1,168.06	3/4	799.32	3/4	430.58	3/4	61.84		
2		2	4,716.26	2	4,457.58	2	4,197.51	2	3,937.29	2	3,677.06	2	3,372.76	2	3,004.01	2	2,635.27	2	2,266.53	2	1,897.79	2	1,529.05	2	1,160.38	2	791.64	2	422.90	2	55.11		
1/4		1/4	4,710.87	1/4	4,452.19	1/4	4,192.09	1/4	3,931.87	1/4	3,671.64	1/4	3,365.07	1/4	2,996.33	1/4	2,627.59	1/4	2,258.85	1/4	1,890.11	1/4	1,521.37	1/4	1,152.70	1/4	783.96	1/4	415.21	1/4	48.39		
1/2		1/2	4,705.48	1/2	4,446.80	1/2	4,186.67	1/2	3,926.45	1/2	3,666.22	1/2	3,357.39	1/2	2,988.65	1/2	2,619.91	1/2	2,251.17	1/2	1,882.43	1/2	1,513.69	1/2	1,145.01	1/2	776.27	1/2	407.53	1/2	41.66		
3/4		3/4	4,700.09	3/4	4,441.41	3/4	4,181.25	3/4	3,921.02	3/4	3,660.80	3/4	3,349.71	3/4	2,980.97	3/4	2,612.23	3/4	2,243.49	3/4	1,874.75	3/4	1,506.01	3/4	1,137.33	3/4	768.59	3/4	399.85	3/4	34.93		
3		3	4,694.71	3	4,436.02	3	4,175.83	3	3,915.60	3	3,655.38	3	3,342.03	3	2,973.29	3	2,604.55	3	2,235.80	3	1,867.06	3	1,498.33	3	1,129.65	3	760.91	3	392.17	3	30.13		
1/4	4,885.60	1/4	4,689.32	1/4	4,430.63	1/4	4,170.40	1/4	3,910.18	1/4	3,649.96	1/4	3,334.34	1/4	2,965.60	1/4	2,596.86	1/4	2,228.12	1/4	1,859.38	1/4	1,490.65	1/4	1,121.97	1/4	753.23	1/4	384.49	1/4	25.32		
1/2	4,885.28	1/2	4,683.93	1/2	4,425.21	1/2	4,164.98	1/2	3,904.76	1/2	3,644.54	1/2	3,326.66	1/2	2,957.92	1/2	2,589.18	1/2	2,220.44	1/2	1,851.70	1/2	1,482.97	1/2	1,114.29	1/2	745.55	1/2	376.80	1/2	20.52		
3/4	4,884.96	3/4	4,678.54	3/4	4,419.79	3/4	4,159.56	3/4	3,899.34	3/4	3,639.12	3/4	3,318.98	3/4	2,950.24	3/4	2,581.50	3/4	2,212.76	3/4	1,844.02	3/4	1,475.29	3/4	1,106.80	3/4	737.86	3/4	369.12	3/4	15.71		
4		4	4,884.65	4	4,673.15	4	4,414.36	4	4,154.14	4	3,893.92	4	3,633.69	4	3,311.30	4	2,942.56	4	2,573.82	4	2,205.08	4	1,836.34	4	1,467.61	4	1,098.92	4	730.18	4	361.44		
1/4		1/4	4,883.51	1/4	4,667.76	1/4	4,408.94	1/4	4,148.72	1/4	3,888.50	1/4	3,628.27	1/4	3,303.62	1/4	2,934.88	1/4	2,566.13	1/4	2,197.39	1/4	1,828.65	1/4	1,459.93	1/4	1,091.24	1/4	722.50	1/4	353.76		
1/2		1/2	4,882.36	1/2	4,662.37	1/2	4,403.52	1/2	4,143.30	1/2	3,883.07	1/2	3,622.85	1/2	3,295.93	1/2	2,927.19	1/2	2,558.45	1/2	2,189.71	1/2	1,820.97	1/2	1,452.25	1/2	1,083.56	1/2	714.82	1/2	346.08		
3/4		3/4	4,881.22	3/4	4,656.98	3/4	4,398.10	3/4	4,137.88	3/4	3,877.65	3/4	3,617.43	3/4	3,288.25	3/4	2,919.51	3/4	2,550.77	3/4	2,182.03	3/4	1,813.29	3/4	1,444.57	3/4	1,075.88	3/4	707.13	3/4	338.39		
5		5	4,880.08	5	4,651.59	5	4,392.68	5	4,132.46	5	3,872.23	5	3,612.01	5	3,280.57	5	2,911.83	5	2,543.09	5	2,174.35	5	1,805.61	5	1,436.89	5	1,068.19	5	699.45	5	330.71		
1/4		1/4	4,877.99	1/4	4,646.20	1/4	4,387.26	1/4	4,127.03	1/4	3,866.81	1/4	3,606.59	1/4	3,272.89	1/4	2,904.15	1/4	2,535.41	1/4	2,166.67	1/4	1,797.92	1/4	1,429.21	1/4	1,060.51	1/4	691.77	1/4	323.03		
1/2		1/2	4,875.91	1/2	4,640.81	1/2	4,381.84	1/2	4,121.61	1/2	3,861.39	1/2	3,601.17	1/2	3,265.21	1/2	2,896.47	1/2	2,527.72	1/2	2,158.98	1/2	1,790.24	1/2	1,421.53	1/2	1,052.83	1/2	684.09	1/2	315.35		
3/4		3/4	4,873.82	3/4	4,635.42	3/4	4,376.42	3/4	4,116.19	3/4	3,855.97	3/4	3,595.74	3/4	3,257.52	3/4	2,889.78	3/4	2,520.04	3/4	2,151.30	3/4	1,782.56	3/4	1,413.85	3/4	1,045.15	3/4	676.41	3/4	307.67		
6		6	4,871.73	6	4,630.03	6	4,370.99	6	4,110.77	6	3,850.55	6	3,590.32	6	3,249.84	6	2,881.10	6	2,512.36	6	2,143.62	6	1,774.88	6	1,406.17	6	1,037.47	6	668.72	6	299.98		
1/4		1/4	4,868.70	1/4	4,624.64	1/4	4,365.57	1/4	4,105.35	1/4	3,845.13	1/4	3,584.90	1/4	3,242.16	1/4	2,873.42	1/4	2,504.68	1/4	2,135.94	1/4	1,767.20	1/4	1,398.49	1/4	1,029.78	1/4	661.04	1/4	292.30		
1/2		1/2	4,865.67	1/2	4,619.25	1/2	4,360.15	1/2	4,099.93	1/2	3,839.70	1/2	3,579.33	1/2	3,234.48	1/2	2,865.74	1/2	2,497.00	1/2	2,128.26	1/2	1,759.51	1/2	1,390.81	1/2	1,022.10	1/2	653.36	1/2	284.62		
3/4		3/4	4,862.64	3/4	4,613.87	3/4	4,354.73	3/4	4,094.51	3/4	3,834.28	3/4	3,573.76	3/4	3,226.80	3/4	2,858.05	3/4	2,489.31	3/4	2,120.67	3/4	1,751.83	3/4	1,383.13	3/4	1,014.42	3/4	645.68	3/4	276.94		
7		7	4,859.61	7	4,608.48	7	4,349.31	7	4,089.08	7	3,828.86	7	3,568.20	7	3,219.11	7	2,850.37	7	2,481.63	7	2,112.89	7	1,744.15	7	1,375.45	7	1,006.74	7	638.00	7	269.26		
1/4		1/4	4,855.64	1/4	4,603.09	1/4	4,343.89	1/4	4,083.66	1/4	3,823.44	1/4	3,562.28	1/4	3,211.43	1/4	2,842.69	1/4	2,473.95	1/4	2,105.21	1/4	1,736.47	1/4	1,367.76	1/4	999.05	1/4	630.31	1/4	261.57		
1/2		1/2	4,851.67	1/2	4,597.70	1/2	4,33																										



INSPECTORATE

BARGE "FMT-3288" FLORIDA MARINE

OUTAGE TABLE

3 STAR

BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

HULL NO. G007

	2 FT.	3 FT.	4 FT.	5 FT.	6 FT.	7 FT.	8 FT.	9 FT.	10 FT.	11 FT.	12 FT.	13 FT.	14 FT.	15 FT.	16 FT.	17 FT.
0	0	4,753.99	4,495.30	4,235.46	3,975.24	3,715.01	3,426.53	3,057.79	2,689.05	2,320.31	1,951.57	1,582.83	1,214.15	845.41	476.67	107.93
1/4	1/4	4,748.60	4,489.91	4,230.04	3,969.82	3,709.59	3,418.85	3,050.11	2,681.37	2,312.63	1,943.88	1,575.14	1,206.47	837.73	468.99	100.25
1/2	1/2	4,743.21	4,484.52	4,224.62	3,964.39	3,704.17	3,411.17	3,042.43	2,673.68	2,304.94	1,936.20	1,567.46	1,198.79	830.05	461.31	92.57
3/4	3/4	4,737.82	4,479.13	4,219.20	3,958.97	3,698.75	3,403.48	3,034.74	2,666.00	2,297.26	1,928.52	1,559.78	1,191.11	822.37	453.63	84.88
1	1	4,732.43	4,473.74	4,213.78	3,953.55	3,693.33	3,395.80	3,027.06	2,658.32	2,289.58	1,920.84	1,552.10	1,183.42	814.68	445.94	77.20
1/4	1/4	4,727.04	4,468.35	4,208.35	3,948.13	3,687.91	3,388.12	3,019.38	2,650.64	2,281.90	1,913.16	1,544.42	1,175.74	807.00	438.26	69.52
1/2	1/2	4,721.65	4,462.96	4,202.93	3,942.71	3,682.49	3,380.44	3,011.70	2,642.96	2,274.22	1,905.47	1,536.73	1,168.06	799.32	430.58	61.84
3/4	3/4	4,716.26	4,457.58	4,197.51	3,937.29	3,677.06	3,372.76	3,004.01	2,635.27	2,266.53	1,897.79	1,529.05	1,160.38	791.64	422.90	55.11
2	2	4,710.87	4,452.19	4,192.09	3,931.87	3,671.64	3,365.07	2,996.33	2,627.59	2,258.85	1,890.11	1,521.37	1,152.70	783.96	415.21	48.39
1/4	1/4	4,705.48	4,446.80	4,186.67	3,926.45	3,666.22	3,357.39	2,988.65	2,619.91	2,251.17	1,882.43	1,513.69	1,145.01	776.27	407.53	41.68
1/2	1/2	4,700.09	4,441.41	4,181.25	3,921.02	3,660.80	3,349.71	2,980.97	2,612.23	2,243.49	1,874.75	1,506.01	1,137.33	768.59	399.85	34.93
3/4	3/4	4,694.71	4,436.02	4,175.83	3,915.60	3,655.38	3,342.03	2,973.29	2,604.55	2,235.80	1,867.06	1,498.33	1,129.65	760.91	392.17	30.13
3	3	4,885.60	4,689.32	4,430.63	4,170.40	3,910.18	3,649.96	3,334.34	2,965.60	2,596.86	2,228.12	1,859.38	1,490.65	753.23	384.49	25.32
1/4	1/4	4,885.28	4,683.93	4,425.21	4,164.98	3,904.76	3,644.54	3,326.66	2,957.92	2,589.18	2,220.44	1,851.70	1,482.97	745.55	376.80	20.52
1/2	1/2	4,884.96	4,678.54	4,419.79	4,159.56	3,899.34	3,639.12	3,318.98	2,950.24	2,581.50	2,212.76	1,844.02	1,475.29	737.88	369.12	15.71
3/4	3/4	4,884.65	4,673.15	4,414.36	4,154.14	3,893.92	3,633.69	3,311.30	2,942.56	2,573.82	2,205.08	1,836.34	1,467.61	730.18	361.44	
4	4	4,883.51	4,667.76	4,408.94	4,148.72	3,888.50	3,628.27	3,303.62	2,934.88	2,566.13	2,197.39	1,828.65	1,459.93	722.50	353.76	
1/4	1/4	4,882.36	4,662.37	4,403.52	4,143.30	3,883.07	3,622.85	3,295.93	2,927.19	2,558.45	2,189.71	1,820.97	1,451.29	714.82	346.08	
1/2	1/2	4,881.22	4,656.98	4,398.10	4,137.88	3,877.65	3,617.43	3,288.25	2,919.51	2,550.77	2,182.03	1,813.29	1,444.57	707.13	338.39	
3/4	3/4	4,880.08	4,651.59	4,392.68	4,132.46	3,872.23	3,612.01	3,280.57	2,911.83	2,543.09	2,174.35	1,805.61	1,436.89	699.45	330.71	
5	5	4,877.99	4,646.20	4,387.26	4,127.03	3,866.81	3,606.59	3,272.89	2,904.15	2,535.41	2,166.67	1,797.92	1,429.21	691.77	323.03	
1/4	1/4	4,875.91	4,640.81	4,381.84	4,121.61	3,861.39	3,601.17	3,265.21	2,896.47	2,527.72	2,158.98	1,790.24	1,421.53	684.09	315.35	
1/2	1/2	4,873.82	4,635.42	4,376.42	4,116.19	3,855.97	3,595.74	3,257.52	2,888.78	2,520.04	2,151.30	1,782.56	1,413.85	676.41	307.67	
3/4	3/4	4,871.73	4,630.03	4,370.99	4,110.77	3,850.55	3,590.32	3,249.84	2,881.10	2,512.36	2,143.62	1,774.88	1,406.17	668.72	299.98	
6	6	4,868.70	4,624.64	4,365.57	4,105.35	3,845.13	3,584.90	3,242.16	2,873.42	2,504.68	2,135.94	1,767.20	1,398.49	661.04	292.30	
1/4	1/4	4,865.67	4,619.25	4,360.15	4,099.93	3,839.70	3,579.33	3,234.48	2,865.74	2,497.00	2,128.26	1,759.51	1,390.81	653.36	284.62	
1/2	1/2	4,862.64	4,613.87	4,354.73	4,094.51	3,834.28	3,573.76	3,226.80	2,858.05	2,489.31	2,120.57	1,751.83	1,383.13	645.68	276.94	
3/4	3/4	4,859.61	4,608.48	4,349.31	4,089.08	3,828.96	3,568.20	3,219.11	2,850.37	2,481.63	2,112.89	1,744.15	1,375.45	638.00	269.26	
7	7	4,855.64	4,603.09	4,343.89	4,083.66	3,823.44	3,562.28	3,211.43	2,842.69	2,473.95	2,105.21	1,736.47	1,367.76	630.31	261.57	
1/4	1/4	4,851.67	4,597.70	4,338.47	4,078.24	3,818.02	3,556.37	3,203.75	2,835.01	2,466.27	2,097.53	1,728.79	1,360.08	622.63	253.89	
1/2	1/2	4,847.69	4,592.31	4,333.04	4,072.82	3,812.60	3,550.46	3,196.07	2,827.33	2,458.59	2,089.84	1,721.10	1,352.40	614.95	246.21	
3/4	3/4	4,843.72	4,586.92	4,327.62	4,067.40	3,807.18	3,544.54	3,188.39	2,819.64	2,450.90	2,082.16	1,713.42	1,344.72	607.27	238.53	
8	8	4,838.80	4,581.53	4,322.20	4,061.98	3,801.75	3,538.24	3,180.70	2,811.96	2,443.22	2,074.48	1,705.74	1,337.04	599.59	230.84	
1/4	1/4	4,833.88	4,576.14	4,316.78	4,056.56	3,796.33	3,531.93	3,173.02	2,804.28	2,435.54	2,066.80	1,698.06	1,329.36	591.90	223.16	
1/2	1/2	4,828.97	4,570.75	4,311.36	4,051.14	3,790.91	3,525.63	3,165.34	2,796.60	2,427.86	2,059.12	1,690.38	1,321.68	584.22	215.48	
3/4	3/4	4,824.05	4,565.36	4,305.94	4,045.71	3,785.49	3,519.32	3,157.66	2,788.92	2,420.18	2,051.43	1,682.69	1,314.00	576.54	207.80	
9	9	4,818.66	4,559.97	4,300.52	4,040.29	3,780.07	3,512.62	3,149.97	2,781.23	2,412.49	2,043.75	1,675.01	1,306.32	568.86	200.12	
1/4	1/4	4,813.27	4,554.58	4,295.10	4,034.87	3,774.65	3,505.92	3,142.29	2,773.55	2,404.81	2,036.07	1,667.33	1,298.64	561.17	192.43	
1/2	1/2	4,807.88	4,549.19	4,289.67	4,029.45	3,769.23	3,499.22	3,134.61	2,765.87	2,397.13	2,028.39	1,659.65	1,290.96	553.49	184.75	
3/4	3/4	4,802.49	4,543.80	4,284.25	4,024.03	3,763.81	3,492.52	3,128.93	2,758.19	2,389.45	2,020.71	1,651.97	1,283.28	545.81	177.07	
10	10	4,797.10	4,538.41	4,278.83	4,018.61	3,758.38	3,485.43	3,119.25	2,750.51	2,381.76	2,013.02	1,644.28	1,275.60	538.13	169.39	
1/4	1/4	4,791.71	4,533.03	4,273.41	4,013.19	3,752.96	3,478.34	3,111.56	2,742.82	2,374.08	2,005.34	1,636.60	1,267.92	530.45	161.71	
1/2	1/2	4,786.32	4,527.64	4,267.99	4,007.77	3,747.54	3,471.25	3,103.88	2,735.14	2,366.40	1,997.66	1,628.92	1,260.24	522.76	154.02	
3/4	3/4	4,780.93	4,522.25	4,262.57	4,002.34	3,742.12	3,464.15	3,096.20	2,727.46	2,358.72	1,989.98	1,621.24	1,252.56	515.08	146.34	
11	11	4,775.55	4,516.86	4,257.15	3,996.92	3,736.70	3,456.67	3,088.52	2,719.78	2,351.04	1,982.30	1,613.55	1,244.88	507.40	138.66	
1/4	1/4	4,770.16	4,511.47	4,251.72	3,991.50	3,731.28	3,449.18	3,080.84	2,712.09	2,343.35	1,974.61	1,605.87	1,237.20	499.72	130.98	
1/2	1/2	4,764.77	4,506.08	4,246.30	3,986.08	3,725.86	3,441.70	3,073.15	2,704.41	2,335.67	1,966.93	1,598.19	1,229.52	492.04	123.30	
3/4	3/4	4,759.38	4,500.69	4,240.88	3,980.66	3,720.43	3,434.21	3,065.47	2,696.73	2,327.99	1,959.25	1,590.51	1,221.84	484.35	115.61	

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

STRAPPED: 06/18/2015

* CAPACITY BELOW STRIKE POINT

REFERENCE GAUGE HEIGHT : 17'-3 1/2" (GAUGE POINT LOCATED NEAR CENTER OF TANK)
GAUGE WITH HERMETIC GAUGE TAPE ONLY.WE CERTIFY ALL MEASUREMENTS AND COMPUTATIONS ARE
IN ACCORDANCE WITH APPLICABLE API STANDARDS AND
ARE TRUE AND CORRECT TO THE BEST OF OUR KNOWLEDGE.