FMT

Florida Marine Transporters, Inc.

2360 Pifth Street Mandaville, LA 70471 (985) 629-2082 Phone (985) 629- 2110 Pax

HOSE AND PIPELINE TESTS

VESSE		
THE FOLLOWING ITEMS HAVE BEEN CHECKED AND TESTED IN ACCORDANCE WITH 48 CFR 35.35-70 AND 33 CFR 156.170 ON5525.		
	PRESSURE GAUGES HAVE BEEN CHECKED WITHIN 10% OF ACCURACY.	
	EMERGENCY SHUTDOWN HAS BEEN CHECKED AND FOUND OPERABLE.	
	TRANSFER SYSTEM RELIEF VALVE HAS BEEN TESTED AND CHECKED - 125 P.S.I	
	ALL TRANSFER PIPING SYSTEMS AND ASSOCIATED VALVES HAVE BEEN TESTED AND CHECKED AT 187.5 P.S.I.	
- MIH	CARGO HOSE VISUALLY AND HYDROSTATICALLY CHECKED TO 225 P.S.I.	
	VAPOR PIPELINE HAS BEEN VISUALLY CHECKED AND IS CLEAR OF POLMERIZING CARGO.	
THE AB	OVE ITEMS CHECKED, TESTED, AND VERIFIED BY:	



Florida Marine Transporters, Inc.

2360 Fifth Street Mandeville, LA 70471 (985) 629-2082 Phone (985) 629-2110 Fax

MARINE VESSELS VAPOR TIGHTNESS DOCUMENTATION

REQUIRED SUBPART BB-NATIONAL EMISSION STANDARDS FOR BENZENE EMISSIONS FROM TRANSFER OPERATIONS SECTION 61.00 -61.306

VESSEL: FMT 6003 OFFICIAL NUMBER	er: <u> 257635</u>		
TESTING LOCATION: FINT Shippy MAXIMUM L	DADING RATE (BPH) 5,000		
TANK(S) TESTED: ALL PRESSURE INDI	CATOR: Manamater		
VESSEL OWNER AND ADDRESS: Presentine Family Ente	prises LLC, 2360 5th St		
	Mondeville, LA 7047/		
TEST RESULTS			
TEST DATE: 5-5-25			
BEGINNING PRESSURE: 28" OF H20 BEGINNING	TIME: 1100		
ENDING PRESSURE: 28" OF 420 ENDING	IME: 1200		
TOTAL PRESSURE LOSS:	LE PRESSURE LOSS: 2,2" of H20		
NOTE: VESSEL IS CONSIDERED VAPOR TIGHT IF "TOTAL PRESSURE LOSS" IS LESS THAN "ALLOWABLE PRESSURE LOSS"			
THIS VESSEL HAS BEEN TESTED IN ACCORDANCE WITH SECTION	61 304F AND IS CONSIDERED VAPOR TIGHT.		
THIS VESSEL HAS BEEN TESTED IN ACCOMPANCE WITH SECTION	$\Lambda I \qquad Q \qquad I$		
TESTER: (PRINT) WITNES	S: Main Draw (PRINT)		
TESTER: (SIGN) WITH	ess:(SIGN)		
	FmT		
AFRILIATION	OF WITNESS		
CALCULATION OF ALLOWABLE PRESSURE LOSS:			
$0.861 \times 15.7 \times (5.000/30.706) = L.2$			
(TP) (L) (V) (APL)			
TP= 14.7 PLUS THE BARGE TEST PRESSURE IN PSI (1 psi = 16 dunces) L= MAXIMUM LOADING RATE IN BARRELS PER HOUR V= VOLUME OF TANK(S) IN BARRELS APL= ALLOWABLE PRESSURE LOSS IN INCHES OF WATER			
NOTES: 14.70psi = 406.8 inches of H20			
1psl = 27.67 inches of H2O			
1 inch = 25.40 mm			
1inch = 2.54 cm			

1oz = 1.729 inches OF H2O