



United States of America
Department of Homeland Security
United States Coast Guard

Certification Date: 13 May 2025

Expiration Date: 13 May 2026

Temporary Certificate of Inspection

For ships on international voyages this certificate fulfills the requirements of SOLAS 74 as amended, regulation V/14, for a SAFE MANNING DOCUMENT

This Temporary Certificate of Inspection is issued under the provision of Title 46 United States Code, Section 399, in lieu of the regular certificate of inspection, and shall be in force only until the receipt on board said vessel of the original certificate of inspection, this certificate in no case to be valid after one year from the date of inspection

Vessel Name	Official Number	IMO Number	Call Sign	Service
MPX 208	1304311			Tank Barge

Hailing Port	Hull Material	Horsepower	Propulsion
NEW ORLEANS, LA	Steel		
UNITED STATES			

Place Built	Delivery Date	Keel Laid Date	Gross Tons	Net Tons	DWT	Length
MADISONVILLE, LA	14Aug2020	13Jul2020	R-735	R-735		R-200.0
UNITED STATES			I-	I-		I-0

Owner	Operator
AMERICAN INLAND MARINE V LLC 3838 N CAUSEWAY BLVD SUITE 3335 METAIRIE, LA 70002 UNITED STATES	FMT INDUSTRIES LLC 2360 5TH STREET MANDEVILLE, LA 70471 UNITED STATES

This vessel must be manned with the following licensed and unlicensed Personnel. Included in which there must be 0 Certified Lifeboatmen, 0 Certified Tankermen, 0 HSC Type Rating, and 0 GMDSS Operators.

0 Masters	0 Licensed Mates	0 Chief Engineers	0 Oilers
0 Chief Mates	0 First Class Pilots	0 First Assistant Engineers	
0 Second Mates	0 Radio Officers	0 Second Assistant Engineers	
0 Third Mates	0 Able Seamen	0 Third Assistant Engineers	
0 Master First Class Pilot	0 Ordinary Seamen	0 Licensed Engineers	
0 Mate First Class Pilots	0 Deckhands	0 Qualified Member Engineer	

In addition, this vessel may carry 0 Passengers, 0 Other Persons in crew, 0 Persons in addition to crew, and no Others. Total Persons allowed: 0

Route Permitted And Conditions Of Operation:

---Lakes, Bays, and Sounds---

Also, in fair weather only, not more than twelve (12) miles from shore between St. Marks and Carrabelle, Florida.

This vessel has been granted a fresh water service examination interval in accordance with 46 CFR Table 31.10-21(b); if this vessel is operated in salt water more than six (6) months in any twelve (12) month period, the vessel must be inspected using salt water intervals and the cognizant OCMI notified in writing as soon as this change in status occurs.

This tank barge is participating in the Eighth-Ninth Coast Guard District's Tank Barge Streamlined Inspection

SEE NEXT PAGE FOR ADDITIONAL CERTIFICATE INFORMATION

With this Inspection for Certification having been completed at NEW ORLEANS, LA, UNITED STATES, the Officer in Charge, Marine Inspection, Sector New Orleans certified the vessel, in all respects, is in conformity with the applicable vessel inspection laws and the rules and regulations prescribed thereunder.

Annual/Periodic/Re-Inspection				This certificate issued by: D. VELEZ COMMANDER, By direction Officer in Charge, Marine Inspection Sector New Orleans Inspection Zone
Date	Zone	A/P/R	Signature	



United States of America
Department of Homeland Security
United States Coast Guard

Certification Date: 13 May 2025
Expiration Date: 13 May 2026

Temporary Certificate of Inspection

Vessel Name MPX 208

Program (TBSIP). Inspection activities aboard this barge shall be conducted in accordance with its Tank Barge Action Plan. Inspection issues concerning this barge should be directed to Sector New Orleans OCMI.

---Hull Exams---

Exam Type	Next Exam	Last Exam	Prior Exam
DryDock	14Aug2030	14Aug2020	
Internal Structure	31May2030	01May2025	14Aug2020

--- Liquid/Gas/Solid Cargo Authority/Conditions ---

Authorization: GRADE "A" AND LOWER AND SPECIFIED HAZARDOUS CARGOES

Total Capacity	Units	Highest Grade Type	Part151 Regulated	Part153 Regulated	Part154 Regulated
10959	Barrels	A	Yes	No	No

Hazardous Bulk Solids Authority

Loading Constraints - Structural

Tank Number	Max Cargo Weight per Tank (short tons)	Maximum Density (lbs/gal)
C1	643	13.6
C2	728	13.6
C3	643	13.6

Loading Constraints - Stability

Hull Type	Maximum Load (short tons)	Maximum Draft (ft/in)	Max Density (lbs/gal)	Route Description
III	1856	10ft 10in	13.6	R
III	1682	10ft 0in	13.6	LBS
II	1520	9ft 3in	13.6	R
I	1412	8ft 9in	13.6	R

Conditions Of Carriage

Conditions of Carriage

Only those specified hazardous cargoes named in the vessel's Cargo Authority Attachment (CAA), Serial C1-1903878, dated 19Nov2019, and Grade "A" and lower cargoes may be carried, and then only in the tanks indicated.

Per 46 CFR 150.130, the Person in Charge of the vessel is responsible for ensuring that the compatibility requirements of 46 CFR 150 are met. Cargoes must be checked for compatibility using figures, tables and appendices of 46 CFR 150 in conjunction with the compatibility group numbers from the "COMPAT GRP" column listed in the vessel's CAA.

When the vessel is carrying cargoes containing greater than 0.5% benzene, the Person In Charge is responsible for ensuring the provisions of 46 CFR 197, Subpart C are applied.

Stability and Trim

Cargo tanks must be loaded uniformly whenever a 46 CFR Subchapter "O" cargo is carried; for trim purposes, the weight of cargo in each tank may exceed the uniformly loaded tank cargo weight by at most 5 percent.

The maximum density of cargo which may be filled to the tank top is 10.0 lbs/gal. Cargoes with higher densities, up to 14.2 lbs/gal, may be carried as slack loads, but shall not exceed the tank weight limits as listed above.

Vapor Control Authorization

In accordance with 46 CFR 39, excluding 46 CFR 39.4000, this vessel's vapor control system has been inspected to the plans



United States of America
Department of Homeland Security
United States Coast Guard

Certification Date: 13 May 2025
Expiration Date: 13 May 2026

Temporary Certificate of Inspection

Vessel Name: MPX 208

approved by Marine Safety Center letter Serial C1-1903878 dated 19Nov2019 and the list of authorized cargoes on the CAA, Serial C1-1903878 dated 19Nov2019, and found acceptable for collection of bulk liquid cargo vapors annotated with "Yes" in the CAA's VCS column.

In accordance with 46 CFR Part 39.1017 and 39.5001(e) this vessel's VCS has been evaluated and approved for multi-breasted tandem loading with other vessels specifically approved to tandem load with this vessel.

--- Inspection Status ---

Cargo Tanks

Tank Id	Internal Exam			External Exam		
	Previous	Last	Next	Previous	Last	Next
C1	-	14Aug2020	14Aug2030	-	-	-
C2	-	14Aug2020	14Aug2030	-	-	-
C3	-	14Aug2020	14Aug2030	-	-	-

Hydro Test

Tank Id	Safety Valves	Previous	Last	Next
C1	-	-	-	-
C2	-	-	-	-
C3	-	-	-	-

--- Fire Fighting Equipment ---

Fire Extinguishers - Hand portable and semi-portable

Quantity	Class Type
2	40-B

END



Department of Homeland Security
United States Coast Guard

Serial #: C1-1903578

Dated: 15-Nov-19

Certificate of Inspection

Cargo Authority Attachment

Vessel Name: MPX 208

Official #: 1304311

Shipyard: Arcosa Marine Products

Hull #: 2229-5

46 CFR 151 Tank Group Characteristics

Tank Group Information		Cargo Identification				Tanks			Cargo Transfer		Environmental Control		Fire Protection Provided	Special Requirements				
Tank Grp	Tanks in Group	Density	Press	Temp	Hull Type	Cargo Seg Tank	Type	Vent	Gauge	Pipe Class	Cont	Tanks	Handling Space		General	Materials of Construction	Elec Haz	Temp Cont
A	All	12.6	Atmos	Amb	I	1A 2B	Integral Gravity	PV	Closed	II	6"	1A	NA	Portable	50-53, 50-70(a), 50-70(b), 50-73, 50-85(a), 50-85(b), 50-85(c), 50-85(d), 50-85(e), 50-85(f), 50-85(g), 50-85(h), 50-85(i), 50-85(j), 50-85(k), 50-85(l), 50-85(m), 50-85(n), 50-85(o), 50-85(p), 50-85(q), 50-85(r), 50-85(s), 50-85(t), 50-85(u), 50-85(v), 50-85(w), 50-85(x), 50-85(y), 50-85(z)	NR	No	

- Notes: 1. Under Environmental Control, Tanks: NR means that the tank group is suitable only for those cargoes which require no environmental control in the cargo tanks.
2. Under Environmental Control, Handling Space: NR means that the tank group is suitable only for those cargoes which require no environmental control in the cargo handling space. NA means that the vessel does not have a cargo control space, and this requirement is not applied.
3. Under Electrical Hazard Class, NA means that the tank group is suitable only for those cargoes which have no electrical hazard class requirement. NR means that the vessel has no electrical equipment located in a hazardous location.

List of Authorized Cargoes

Cargo Identification						Conditions of Carriage				
Name	Chem Code	Connect Group No.	Sub Chapter	Grade	Hull Type	Tank Group	Vapor Recovery Appl (Y or N)	VCS Category	Special Requirements in 46 CFR 151 General and Molds of	Temp Period

Authorized Subchapter O Cargoes

Nitrotriacetic acid, trisodium salt solution	NCA	34	D/O 3		A	No	N/A			
Olefins (C13+, all isomers)	OFZ	30	D/O	E	III	A	Yes	1		6
Orange juice (concentrated)	OJC	0	D/O 3		A	No	N/A			
Sodium acetate solution	SAN	31	D/O 3	#	A	No	N/A			
Acetanilide	ATN	37	O	C	III	A	Yes	3	NA	6
Acrylonitrile	ACN	15 ²	O	C	II	A	Yes	4	50-101, 50-102	6
Adiponitrile	ADN	37	O	F	II	A	Yes	5	NA	6
Alkyl (C7-C9) nitrates	AKN	34 ²	O	NA	III	A	No	N/A	50-85, 50-86	6
Aminoethyl ethanoguanine	AEE	8	O	E	III	A	Yes	1	50-100	6
Ammonium bisulfite solution (70% or less)	ABX	43 ²	O	NA	III	A	No	N/A	50-73, 50-76, 50-79	6
Ammonium hydroxide (28% or less NH3)	AMH	6	O	NA	III	A	No	N/A	50-100, 50-101, 50-102	6
Anthracene oil (Coal tar fraction)	AHQ	33	O	NA	II	A	No	N/A	NA	6
Benzene	BNZ	32	O	C	III	A	Yes	1	50-85	6
Benzene or hydrocarbon mixtures (having 10% Benzene or more)	BHB	32 ²	O	C	III	A	Yes	1	50-85	6
Benzene or hydrocarbon mixtures (containing Acetylene and 10% Benzene or more)	BHA	32 ²	O	C	III	A	Yes	1	50-85, 50-86, 50-87, 50-88	6
Benzene, Toluene, Xylene mixtures (10% Benzene or more)	BTX	32	O	B/C	III	A	Yes	1	50-85	6
Butyl acrylate (all isomers)	BAR	14	O	D	III	A	Yes	2	50-70(a), 50-70(b), 50-70(c), 50-70(d), 50-70(e), 50-70(f), 50-70(g), 50-70(h), 50-70(i), 50-70(j), 50-70(k), 50-70(l), 50-70(m), 50-70(n), 50-70(o), 50-70(p), 50-70(q), 50-70(r), 50-70(s), 50-70(t), 50-70(u), 50-70(v), 50-70(w), 50-70(x), 50-70(y), 50-70(z)	6
Butyl methacrylate	BMH	14	O	D	III	A	Yes	2	50-70(a), 50-70(b), 50-70(c), 50-70(d), 50-70(e), 50-70(f), 50-70(g), 50-70(h), 50-70(i), 50-70(j), 50-70(k), 50-70(l), 50-70(m), 50-70(n), 50-70(o), 50-70(p), 50-70(q), 50-70(r), 50-70(s), 50-70(t), 50-70(u), 50-70(v), 50-70(w), 50-70(x), 50-70(y), 50-70(z)	6
Butylaldehyde (all isomers)	BAE	19	O	C	III	A	Yes	1	50-100	6
Cumolone (all isomers)	CPO	18	O	D	II	A	No	N/A	NA	6
Carbon tetrachloride	CBT	36	O	NA	III	A	Yes	3	NA	6
Caustic potash solution	CPS	5 ²	O	NA	III	A	No	N/A	50-73, 50-76	6
Caustic soda solution	CSS	5 ²	O	NA	III	A	No	N/A	50-73, 50-76	6
Chlorobenzene	CRB	35	O	D	III	A	Yes	1	NA	6
Chloroform	CRF	35	O	NA	III	A	Yes	3	NA	6
Coal tar naphtha solvent	NCT	33	O	D	III	A	Yes	1	50-85	6
Cresolite	CCW	21 ²	O	E	III	A	Yes	1	NA	6
Cresols (all isomers)	CRS	21	O	E	III	A	Yes	1	NA	6
Cresylic spent caustic	CSC	5	O	NA	III	A	No	N/A	50-85, 50-86	6
Cresylic acid tar	CRX	21	O	E	III	A	Yes	1	50-85	6
Crotonaldehyde	CTA	19 ²	O	C	II	A	Yes	4	50-100	6
Crude hydrocarbon feedstock (containing Butylaldehydes and Ethylpropyl acrolein)	CHG	19 ²	O	C	III	A	Yes	1	NA	6

This document is only valid when attached to, and referenced by a current, valid Certificate of Inspection. ***



Department of Homeland Security
United States Coast Guard

Serial # C1-1903879
Dated 19-Nov-19

Certificate of Inspection

Cargo Authority Attachment

Vessel Name: MPX 208

Shipyard: Arcosa Marine
Products

Official #: 1304311

Page 2 of 9

Hull # 2229-5

Cargo Identification						Conditions of Carriage				
Name	Chem Code	Compat Group No	Sub Chapter	Grade	Hull Type	Tank Group	Vapor Recovery App'd (Y or N)	VCS Category	Special Requirements in 45 CFR 151 General and Molds of Construction	Insp Record
Cyclohexanone	CCH	1B	O D	III	A	A	Yes	1	56-154 (a)	0
Cyclohexanone, Cyclohexanol mixture	CYX	1B ²	O E	III	A	A	Yes	1	56-154	6
Cyclohexylamine	CHA	7	O D	III	A	A	Yes	1	56-154 (b), (c), (d)	6
Cyclopentadiene, Styrene, Benzene mixture	CSB	30	O D	III	A	A	Yes	1	50-60, 50-103	6
iso-Decyl acrylate	IAI	14	O E	III	A	A	Yes	2	56-154 (a), 50-111 (a), 55-111	6
Dichlorobenzene (all isomers)	DBX	36	O E	III	A	A	Yes	3	56-154 (b)	6
1,1-Dichloroethane	DCI	36	O C	III	A	A	Yes	1	No	6
2,2'-Dichloroethyl ether	DEE	41	O D	II	A	A	Yes	1	55-110	6
Dichloromethane	DCM	36	O NA	III	A	A	Yes	5	No	6
2,4-Dichlorophenoxyacetic acid, diethanolamine salt solution	DDE	43	O E	III	A	A	No	N/A	56-154 (a), (b), (c)	6
2,4-Dichlorophenoxyacetic acid, dimethylamine salt solution	DAD	0 ^{1,2}	O A	III	A	A	No	N/A	56-154 (b), (c), (d)	6
2,4-Dichlorophenoxyacetic acid, triisopropanolamine salt solution	DTI	43 ²	O E	III	A	A	No	N/A	56-154 (b), (c), (d)	6
1,1-Dichloropropane	DPB	36	O C	III	A	A	Yes	3	No	6
1,2-Dichloropropane	DPF	36	O C	III	A	A	Yes	3	No	6
1,3-Dichloropropane	DPC	36	O C	III	A	A	Yes	3	No	6
1,3-Dichloropropene	DPU	15	O D	II	A	A	Yes	4	No	6
Dichloropropene, Dichloropropane mixtures	DMX	15	O C	II	A	A	Yes	1	No	6
Diethanolamine	DEA	0	O E	III	A	A	Yes	1	55-111	6
Diethylamine	DEN	7	O C	III	A	A	Yes	3	55-111	6
Diethylenetriamine	DET	7 ²	O E	III	A	A	Yes	1	55-111	6
Diisobutylamine	DBU	7	O D	III	A	A	Yes	3	55-111	6
Diisopropanolamine	DIP	0	O E	III	A	A	Yes	1	55-111	6
Diisopropylamine	DIA	7	O C	II	A	A	Yes	3	55-111	6
N,N-Dimethylacetamide	DAC	10	O E	III	A	A	Yes	3	55-111	6
Dimethylethanolamine	DME	8	O D	III	A	A	Yes	1	56-154	6
Dimethylformamide	DMF	10	O D	III	A	A	Yes	1	55-111	6
Di-n-propylamine	DNA	7	O C	II	A	A	Yes	3	55-111	6
Dodecyl dimethylamine, Tetradecyldimethylamine mixture	DOT	7	O E	III	A	A	No	N/A	55-154	6
Dodecyl diphenyl ether disulfonate solution	DCS	43	O A	II	A	A	No	N/A	55-154	6
EE Glycol Ether Mixture	EEG	40	O D	III	A	A	No	N/A	55-154	6
Ethanolamine	MEA	8	O E	III	A	A	Yes	1	55-154	6
Ethyl acrylate	EAC	14	O C	III	A	A	Yes	2	55-154, 50-111 (a), (b)	6
Ethylamine solutions (12% or less)	EAN	7	O A	II	A	A	Yes	6	55-154	6
N-Ethylbutylamine	EBA	7	O D	III	A	A	Yes	3	55-154	6
N-Ethylcyclohexylamine	ECC	7	O D	III	A	A	Yes	1	55-154	6
Ethylene cyanohydrin	ETC	20	O	III	A	A	Yes	1	55-154	6
Ethylenediamine	EDA	7 ²	O E	III	A	A	Yes	1	55-154	6
Ethylene dichloride	EDC	36 ²	O C	III	A	A	Yes	1	55-154	6
Ethylene glycol hexyl ether	EGH	40	O E	III	A	A	No	N/A	55-154	6
Ethylene glycol monoalkyl ethers	EGC	40	O D/E	III	A	A	Yes	1	55-154	6
Ethylene glycol propyl ether	EGP	40	O E	III	A	A	Yes	1	55-154	6
2-Ethylhexyl acrylate	EAI	14	O E	III	A	A	Yes	2	50-154, 50-111 (a), (b)	6
Ethyl methacrylate	ETM	14	O D/E	III	A	A	Yes	2	50-154	6
2-Ethyl-3-propylacrolein	EPA	19 ²	O E	III	A	A	Yes	1	No	6
Formaldehyde solution (37% to 50%)	FWS	19 ²	O D/E	III	A	A	Yes	1	55-154	6

*** This document is only valid when attached to, and referenced by a current, valid Certificate of Inspection. ***



Department of Homeland Security
United States Coast Guard

Serial #: C1-1903978
Dated: 19-Nov-19

Certificate of Inspection

Cargo Authority Attachment

Vessel Name: MPX 208

Shipyard: Arcosa Marine
Products

Official #: 1304311

Page 3 of 9

Hull #: 2229-5

Cargo Identification						Conditions of Carriage				
Name	Chemical Code	Compass Group No.	Sub Group	HAZOP	HAZ Type	Tank Group	Vapor Recovery App'd (Y or N)	VCS Category	Special Requirements in 45 CFR 151 General and Malls of Construction	Insp Period
Furfural	FFA	19	O	D	III	A	Yes	1	55-1(b)	G
Glutaraldehyde solutions (50% or less)	GTA	19	O	CA	III	A	No	N/A	Na	G
Hexamethylenediamine solution	HMC	7	O	C	III	A	Yes	1	55-1(c)	G
Hexamethylenimine	HMI	7	O	C	II	A	Yes	1	55-1(b), (c)	G
Isoprene	IPR	30	O	A	III	A	Yes	7	55-2(a), 55-4(a), (b)	G
Isoprene, Pentadiene mixture	IPN	30	O	B	III	A	No	N/A	55-2(a), 55-1(c)	G
Kraft pulping liquors (free alkali content 3% or more)(including: Black, Green, or White liquor)	KPL	5	O	NA	III	A	No	N/A	55-7(a), 55-8(a), (c), (d)	G
Mesityl oxide	MSO	18 ²	O	D	III	A	Yes	1	Na	G
Methyl acrylate	MAM	14	O	C	III	A	Yes	2	55-2(b), 55-4(a), (b)	G
Methylcyclopentadiene dimer	MCK	30	O	C	III	A	Yes	1	Na	G
Methyl diethanolamine	MDE	8	O	E	III	A	Yes	1	55-1(b), (c)	G
2-Methyl-5-ethyl pyridine	MEP	9	O	E	III	A	Yes	1	55-1(c)	G
Methyl methacrylate	MMM	14	O	C	III	A	Yes	2	55-2(b), 55-4(a), (b)	G
2-Methylpyridine	MPR	9	O	D	III	A	Yes	3	55-1(c)	G
alpha-Methylstyrene	MSR	30	O	D	III	A	Yes	2	55-2(b), 55-4(a), (b)	G
Morpholine	MPL	7 ²	O	D	III	A	Yes	1	55-1(c)	G
Nitroethane	NTE	42	O	D	II	A	No	N/A	55-8(a), 55-2(b)	G
1- or 2-Nitropropane	NPM	42	O	D	III	A	Yes	1	55-4(a)	G
1,3-Pentadiene	PDE	30	O	A	III	A	Yes	7	55-2(b), 55-4(a), (b)	G
Perchloroethylene	PER	36	O	NA	III	A	No	N/A	Na	G
Polyethylene polyamines	PEB	7 ²	O	E	III	A	Yes	1	55-1(c)	G
Potassium chloride solution (anhydrous)	PCSB	0	O	NA	III	A	No	N/A	Na	G
iso Propanolamine	MPA	8	O	E	III	A	Yes	1	55-1(c)	G
Propanolamine (iso-, n-)	PAX	8	O	E	III	A	Yes	1	55-1(b), (c)	G
Isopropylamine	IPP	7	O	A	II	A	Yes	3	55-1(c)	G
Pyridine	PRD	9	O	C	III	A	Yes	1	55-1(c)	G
Pyrolysis Gasoline (containing benzene)	PYG	32	O	E	II	A	No	N/A	55-8(a)	G
Sodium acetate, Glycol, Water mixture (3% or more Sodium Hydroxide)	SAP	5	O		III	A	No	N/A	55-7(a), 55-1(c)	G
Sodium aluminate solution (45% or less)	SAU	5	O	NA	III	A	No	N/A	55-7(a), 55-8(a), (c), (d)	G
Sodium chlorate solution (50% or less)	SDD	0 ^{1,2}	O	NA	III	A	No	N/A	55-8(a)	G
Sodium hypochlorite solution (20% or less)	SHQ	5	O	NA	III	A	No	N/A	55-8(a), 55-2(b)	G
Sodium sulfide, hydrosulfide solution (H2S 15 ppm or less)	SSH	0 ^{1,2}	O	NA	III	A	Yes	1	55-1(c), 55-1(d)	G
Sodium sulfide, hydrosulfide solution (H2S greater than 15 ppm but less than 200 ppm)	SSI	0 ^{1,2}	O	NA	III	A	No	N/A	55-7(a), 55-8(a)	G
Sodium sulfide, hydrosulfide solution (H2S greater than 200 ppm)	SSJ	0 ^{1,2}	O	NA	II	A	No	N/A	55-7(a), 55-8(a)	G
Styrene monomer	STY	30	O	D	III	A	Yes	2	55-2(b), 55-4(a), (b)	G
1,1,2,2-Tetrachloroethane	TEC	36	O	NA	III	A	No	N/A	Na	G
Tetraethylene pentamine	TEP	7	O	E	III	A	Yes	1	55-1(c)	G
Tetrahydrofuran	THF	41	O	C	III	A	Yes	1	55-2(b)	G
1,2,4-Trichlorobenzene	TCB	36	O	E	III	A	Yes	1	Na	G
1,1,1-Trichloroethane	TCE	36 ²	O	NA	II	A	No	N/A	55-7(a), 55-1(c)	G
1,1,2-Trichloroethane	TCM	36	O	NA	III	A	Yes	1	55-7(a), 55-1(b)	G
Trichloroethylene	TCL	36 ²	O	NA	III	A	Yes	1	Na	G
1,2,3-Trichloropropane	TCN	36	O	E	II	A	Yes	3	55-7(a), 55-1(c)	G

*** This document is only valid when attached to, and referenced by a current, valid Certificate of Inspection. ***



Department of Homeland Security
United States Coast Guard

Serial #: CT-1903676

Dated: 19 Nov-19

Certificate of Inspection

Cargo Authority Attachment

Vessel Name: MPX 208

Shipyard: Arcosa Marine
Products

Official #: 1304311

Page 4 of 9

Hull #: 2229-5

Cargo Identification						Conditions of Carriage				
Name	Chemical Code	Compat Group No	Sub Chapter	Grade	Hull Type	Tank Group	Vapor Recovery App'd (Y or N)	VCS Category	Special Requirements in 46 CFR 151 General and Mar's of Construction	Insp Period
Triethanolamine	TEA	8 ²	O	E	III	A	Yes	1	55-1(b)	G
Triethylamine	TEN	7	O	C	II	A	Yes	3	55-1(d)	G
Triethylenetetramine	TET	7 ²	O	E	III	A	Yes	1	55-1(h)	G
Triphenylborane (10% or less), caustic soda solution	TPB	5	O	NA	III	A	No	N/A	56-1(a), (b), (c)	G
Trisodium phosphate solution	TSP	5	O	NA	III	A	No	N/A	50-73, 56-1(a), (c)	G
Urea, Ammonium nitrate solution (containing more than 2% NH3)	UAS	6	O	NA	III	A	No	N/A	56-1(b)	G
Vanillin black liquor (free alkali content, 3% or more)	VBL	5	O	NA	III	A	No	N/A	50-73, 56-1(a), (c), (g)	G
Vinyl acetate	VAM	13	O	C	III	A	Yes	2	50-70(a), 50-81(a), (b)	G
Vinyl nonadecanoate	VND	13	O	E	III	A	No	N/A	50-70(a), 50-81(a), (c)	G
Vinyltoluene	VNT	13	O	D	III	A	Yes	2	50-70(a), 50-91, 56-1(a), (b), (c), (f)	G

Subchapter D Cargoes Authorized for Vapor Control

Acetone	ACT	18 ²	D	C	A	Yes	1
Acetophenone	ACP	18	D	E	A	Yes	1
Alcohol (C12-C16) poly(20+) ethoxylates	APW	20	D	E	A	Yes	1
Alcohol (C6-C17) (secondary) poly(3-6) ethoxylates	AEA	20	D	E	A	Yes	1
Alcohol (C6-C17) (secondary) poly(7-12) ethoxylates	AEB	20	D	E	A	Yes	1
Amyl acetate (all isomers)	ALC	34	D	D	A	Yes	1
Amyl alcohol (iso-, n-, sec-, primary)	ALP	20	D	D	A	Yes	1
Benzyl acetate	BAC	34	D	E	A	Yes	1
Benzyl alcohol	BAL	21	D	E	A	Yes	1
Brake fluid base mixtures (containing Poly(2-6)alkylene(C2-C3) glycols, Polyalkylene(C2-C10) glycol monoalkyl(C1-C4) ethers, and their borate esters)	BFY	20	D	F	A	Yes	1
Butyl acetate (all isomers)	BAX	34	D	D	A	Yes	1
Isobutyl alcohol	IBL	20 ²	D	D	A	Yes	1
Butyl alcohol (n-)	BAN	20 ²	D	D	A	Yes	1
Butyl alcohol (sec-)	BAS	20 ²	D	C	A	Yes	1
Butyl alcohol (tert-)	BAT	20 ²	D	C	A	Yes	1
Butyl benzyl phthalate	BPH	34	D	E	A	Yes	1
Butyl toluene	BUE	32	D	D	A	Yes	1
Caprolactam solutions	CLS	22	D	E	A	Yes	1
Cycloheptane	CYE	31	D	C	A	Yes	1
Cyclohexane	CHX	31	D	C	A	Yes	1
Cyclohexanol	CHN	20	D	E	A	Yes	1
Cyclohexyl acetate	CYC	34	D	D	A	Yes	1
1,3-Cyclopentadiene dimer (molten)	CPD	30	D	D, E	A	Yes	2
Cyclopentane	CYP	31	D	E	A	Yes	1
p-Cymene	CMP	32	D	E	A	Yes	1
iso-Decaldehyde	IDA	19	D	E	A	Yes	1
n-Decaldehyde	DAL	19	D	E	A	Yes	1

*** This document is only valid when attached to, and referenced by a current, valid Certificate of Inspection. ***



Department of Homeland Security
United States Coast Guard

Serial #: C1-1903878
Dated: 19-Nov-19

Certificate of Inspection

Cargo Authority Attachment

Vessel Name: MPX 208

Shipyard: Arcosa Marine
Products

Official #: 1304311

Page 5 of 9

Hull #: 2229-5

Cargo Identification						Conditions of Carriage			
Name	Chem. Code	Compt. Group No.	Sub Chapter	Grade	Hull Type	Tank Group	Temp. Recovery App'd (Y or N)	VCS Category	Special Requirements in 46 CFR 151 General and Marks of Construction
Decanoic acid	DCO	4	D	#		A	Yes	1	
Decene	DCE	30	D	D		A	Yes	1	
Decyl alcohol (all isomers)	DAX	20 ²	D	E		A	Yes	1	
n-Decylbenzene, see Alkyl(C9+)benzenes	DBZ	32	D	E		A	Yes	1	
Diacetone alcohol	DAA	20 ²	D	D		A	Yes	1	
Dibutyl phthalate	DPA	34	D	E		A	Yes	1	
Diethylbenzene	DEB	32	D	D		A	Yes	1	
Diethylene glycol	DEG	40 ²	D	E		A	Yes	1	
Diisobutylene	DBL	30	D	C		A	Yes	1	
Diisobutyl ketone	DIK	18	D	D		A	Yes	1	
Diisopropylbenzene (all isomers)	DIX	32	D	E		A	Yes	1	
Dimethyl phthalate	DTL	34	D	E		A	Yes	1	
Diocyl phthalate	DOP	34	D	E		A	Yes	1	
Dioctene	OPN	30	D	D		A	Yes	1	
Diphenyl	DIL	32	D	D/E		A	Yes	1	
Diphenyl, Diphenyl ether mixtures	DDO	33	D	E		A	Yes	1	
Diphenyl ether	DPE	41	D	E		A	Yes	1	
Dipropylene glycol	DPG	40	D	E		A	Yes	1	
Distillates, Flashed feed stocks	DFF	33	D	E		A	Yes	1	
Distillates, Straight run	DSR	33	D	E		A	Yes	1	
Dodecene (all isomers)	DOZ	30	D	D		A	Yes	1	
Dodecylbenzene, see Alkyl(C9+)benzenes	DDB	32	D	E		A	Yes	1	
2-Ethoxyethyl acetate	EEA	34	D	D		A	Yes	1	
Ethoxy triglycol (crude)	ETG	40	D	E		A	Yes	1	
Ethyl acetate	ETA	34	D	C		A	Yes	1	
Ethyl acetoacetate	EAA	34	D	E		A	Yes	1	
Ethyl alcohol	EAL	20 ²	D	C		A	Yes	1	
Ethylbenzene	ETB	32	D	C		A	Yes	1	
Ethyl butanol	EBT	20	D	D		A	Yes	1	
Ethyl tert-butyl ether	EBE	41	D	C		A	Yes	1	
Ethyl butyrate	EBR	34	D	D		A	Yes	1	
Ethyl cyclohexane	ECY	31	D	D		A	Yes	1	
Ethylene glycol	EGL	20 ²	D	E		A	Yes	1	
Ethylene glycol butyl ether acetate	EMA	34	D	E		A	Yes	1	
Ethylene glycol diacetate	EGY	34	D	E		A	Yes	1	
Ethylene glycol phenyl ether	EPE	40	D	E		A	Yes	1	
Ethyl-3-ethoxypropionate	EEP	34	D	D		A	Yes	1	
2-Ethylhexanol	EHX	20	D	E		A	Yes	1	

*** This document is only valid when attached to, and referenced by a current, valid Certificate of Inspection. ***



Department of Homeland Security
United States Coast Guard

Serial #: C1-1903873

Dated: 19-Nov-19

Certificate of Inspection

Cargo Authority Attachment

Vessel Name: MPX 208

Official #: 1304311

Page 6 of 9

Shipyard: Arcosa Marine
Products

Hull #: 2229-5

Cargo Identification						Conditions of Carriage				
Name	Chem Code	Compat Group No	Sub Chapter	Chapt	Hull Type	Task Group	Vapor Recovery App'd (Y or N)	VCS Category	Special Requirements in 46 CFR 151 General and Maritime Construction	Insp Period
Ethyl propionate	EPR	34	D	C		A	Yes	1		
Ethyl toluene	ETE	32	D	D		A	Yes	1		
Formamide	FAM	10	D	E		A	Yes	1		
Furfuryl alcohol	FAL	20 ²	D	E		A	Yes	1		
Gasoline blending stocks: Alkylates	GAK	33	D	A/C		A	Yes	1		
Gasoline blending stocks: Reformates	GRF	33	D	A/C		A	Yes	1		
Gasolines: Automotive (containing not over 4.23 grams lead per gallon)	GAT	33	D	C		A	Yes	1		
Gasolines: Aviation (containing not over 4.86 grams of lead per gallon)	GAV	33	D	C		A	Yes	1		
Gasolines: Casinghead (natural)	GCS	33	D	A/C		A	Yes	1		
Gasolines: Polymer	GPL	33	D	A/C		A	Yes	1		
Gasolines: Straight run	GSR	33	D	A/C		A	Yes	1		
Glycerine	GCR	20 ²	D	E		A	Yes	1		
Heptane (all isomers), see Alkanes (C6-C9) (all isomers)	HMX	31	D	C		A	Yes	1		
n-Heptanoic acid	HEN	4	D	E		A	Yes	1		
Heptanol (all isomers)	HTX	20	D	D/E		A	Yes	1		
Heptene (all isomers)	HPX	30	D	C		A	Yes	2		
Heptyl acetate	HPE	34	D	E		A	Yes	1		
Hexane (all isomers), see Alkanes (C6-C9)	HXS	31 ²	D	B/C		A	Yes	1		
Hexanoic acid	HXO	4	D	E		A	Yes	1		
Hexanol	HXN	20	D	D		A	Yes	1		
Hexene (all isomers)	HEX	30	D	C		A	Yes	2		
Hexylene glycol	HXG	20	D	E		A	Yes	1		
Isophorone	IPH	18 ²	D	E		A	Yes	1		
Jet fuel JP-4	JPF	33	D	E		A	Yes	1		
Jet fuel JP-5 (kerosene, heavy)	JPV	33	D	D		A	Yes	1		
Kerosene	KRS	33	D	D		A	Yes	1		
Lauroic acid	LRA	34	D	#		A	Yes	1		
Methyl acetate	MTT	34	D	D		A	Yes	1		
Methyl alcohol	MAL	20 ²	D	C		A	Yes	1		
Methylanil acetate	MAC	34	D	D		A	Yes	1		
Methylanil alcohol	MAA	20	D	D		A	Yes	1		
Methyl amyl ketone	MAK	18	D	D		A	Yes	1		
Methyl tert-butyl ether	MBE	41 ²	D	C		A	Yes	1		
Methyl butyl ketone	MBK	18	D	C		A	Yes	1		
Methyl butyrate	MBU	34	D	C		A	Yes	1		
Methylcyclohexane	MCY	31	D	C		A	Yes	1		
Methyl ethyl ketone	MEK	18 ²	D	C		A	Yes	1		
Methyl formate	MFM	34	D	A		A	Yes	6		

This document is only valid when attached to, and referenced by a current, valid Certificate of Inspection. ***



Department of Homeland Security
United States Coast Guard

Serial # C1-1903878

Dated 19-Nov-19

Certificate of Inspection

Cargo Authority Attachment

Vessel Name MPX 208

Shipyard: Arcosa Marine
Products

Official #: 1304311

Page 7 of 9

Hull #: 2229-5

Cargo Identification						Conditions of Carriage				
Name	Chem Code	Comod Group No	Sub Chapter	Grade	Hull Type	Tank Group	Vapor Recovery App'd (Y or N)	VCS Category	Special Requirements in 46 CFR 151 General and Mails of Construction	Insp Period
Methyl heptyl ketone	MHK	18	D	D		A	Yes	1		
2-Methyl-2-hydroxy-3-butyne	MHB	20	D	C		A	Yes	1		
Methyl isobutyl ketone	MIK	18 2	D	C		A	Yes	1		
Mineral spirits	MNS	33	D	D		A	Yes	1		
Myrcene	MRE	30	D	D		A	Yes	1		
Naphtha Heavy	NAG	33	D	#		A	Yes	1		
Naphtha Petroleum	PTN	33	D	#		A	Yes	1		
Naphtha Solvent	NSV	33	D	D		A	Yes	1		
Naphtha Stoddard solvent	NSS	33	D	D		A	Yes	1		
Naphtha Varnish makers and painters (75%)	NVM	33	D	C		A	Yes	1		
Neodecanoic acid	NEA	4	D	E		A	Yes	1		
Nonane (all isomers), see Alkanes (C8-C9)	NAX	31	D	D		A	Yes	1		
Nonene (all isomers)	NON	30	D	D		A	Yes	2		
Nonyl alcohol (all isomers)	NNS	20 2	D	E		A	Yes	1		
Nonyl phenol	NNP	21	D	E		A	Yes	1		
Nonyl phenol poly(4+)ethoxylates	NPE	40	D	E		A	Yes	1		
Octane (all isomers), see Alkanes (C6-C9)	OAX	31	D	C		A	Yes	1		
Octanoic acid (all isomers)	OAY	4	D	E		A	Yes	1		
Octanol (all isomers)	OCX	20 2	D	E		A	Yes	1		
Octene (all isomers)	OTX	30	D	C		A	Yes	2		
Oil, fuel: No 2	OTW	33	D	D/E		A	Yes	1		
Oil, fuel: No 2-D	OTD	33	D	D		A	Yes	1		
Oil, fuel: No 4	OFR	33	D	D/E		A	Yes	1		
Oil, fuel: No 6	OSX	33	D	E		A	Yes	1		
Oil, misc: Crude	OIL	33	D	A/D		A	Yes	1		
Oil, misc: Diesel	ODS	33	D	D/E		A	Yes	1		
Oil, misc: Gas, high pour	OGP	33	D	E		A	Yes	1		
Oil, misc: Lubricating	OLB	33	D	E		A	Yes	1		
Oil, misc: Residual	ORL	33	D	E		A	Yes	1		
Oil, misc: Turbine	OTB	33	D	E		A	Yes	1		
alpha-Olefins (C6-C18) mixtures	OAM	30	D	E		A	Yes	1		
Pentane (all isomers)	PTY	31	D	A		A	Yes	5		
Pentene (all isomers)	PTX	30	D	A		A	Yes	5		
n-Pentyl propionate	PPE	34	D	D		A	Yes	1		
alpha-Pinene	PIO	30	D	D		A	Yes	1		
beta-Pinene	PIP	30	D	D		A	Yes	1		
Poly(2-8)alkylene glycol monoalkyl (C1-C6) ether	PAG	40	D	E		A	Yes	1		
Poly(2-8)alkylene glycol monoalkyl (C1-C6) ether acetate	PAF	34	D	E		A	Yes	1		

*** This document is only valid when attached to, and referenced by a current, valid Certificate of Inspection. ***



Department of Homeland Security
United States Coast Guard

Serial # 61-1903878
Dated 19-Nov-19

Certificate of Inspection

Cargo Authority Attachment

Vessel Name: MPX 208

Shipyard: Arcosa Marine
Products

Official #: 1304311

Page 8 of 9

Hull #: 2229.5

Cargo Identification						Conditions of Carriage			
Name	Chem Code	Compt Group No	Sub Chapter	Grade	Hull Type	Tank Group	Vapor Recovery App'd (Y or N)	VCS Category	Special Requirements in 46 CFR 151 General and Matis of Construction
Polybutene	PLB	30	D	E		A	Yes	1	
Polypropylene glycol	PGC	40	D	E		A	Yes	1	
Propionaldehyde	PAD	19	D	C		A	Yes	2	
Isopropyl acetate	IAC	34	D	C		A	Yes	1	
n-Propyl acetate	PAT	34	D	C		A	Yes	1	
Isopropyl alcohol	IPA	20 2,3	D	C		A	Yes	1	
n-Propyl alcohol	PAL	20 2	D	C		A	Yes	1	
Propylbenzene (all isomers)	PBY	32	D	D		A	Yes	1	
Isopropylcyclohexane	IPX	31	D	D		A	Yes	1	
Propylene glycol	PPG	20 2	D	E		A	Yes	1	
Propylene glycol methyl ether acetate	PGN	34	D	D		A	Yes	1	
Propylene tetramer	PTT	30	D	D		A	Yes	1	
Sulfolane	SFL	39	D	E		A	Yes	1	
Tetraethylene glycol	TTG	40	D	E		A	Yes	1	
Tetrahydronaphthalene	THN	32	D	E		A	Yes	1	
Tetramethylbenzene (all isomers)	TTC	32	D	#		A	Yes	1	
Toluene	TOL	32	D	C		A	Yes	1	
Tricresyl phosphate (containing less than 1% ortho isomer)	TCP	34	D	E		A	Yes	1	
Triethylbenzene	TEB	32	D	E		A	Yes	1	
Triethylene glycol	TEG	40	D	E		A	Yes	1	
Triethyl phosphate	TPE	34	D	E		A	Yes	1	
Trimethylbenzene (all isomers)	TRE	32	D	{D}		A	Yes	1	
2,2,4-Trimethyl-1,3-pentanediol-1-isobutyrate	TMP	34	D	E		A	Yes	1	
Triethyl phosphate	TRP	34	D	E		A	Yes	1	
1-Undecene	UDC	30	D	D/E		A	Yes	1	
1-Undecyl alcohol	UND	20	D	E		A	Yes	1	
Xylenes (ortho-, meta-, para-)	XLX	32	D	D		A	Yes	1	

*** This document is only valid when attached to, and referenced by a current, valid Certificate of Inspection. ***



Department of Homeland Security
United States Coast Guard

Serial #: C1-19035/8

Dated: 19-Nov-19

Certificate of Inspection

Cargo Authority Attachment

Vessel Name: MPX 208

Official #: 1304311

Page 9 of 9

Shipyard: Arcosa Marine

Hull #: 2229-5

Explanation of terms & symbols used in the Table:

Cargo Identification

Name	The proper shipping name as listed in 46 CFR Table 30.25-1, 46 CFR Table 151.05, and 46 CFR Part 153 Table 2
Chem Code	The three letter designation assigned to the cargo in the Chemical Hazards Response Information System (CHRIS) Manual. Certain mixtures of cargoes may not have a CHRIS Code assigned.
Compatibility Group No	The cargo reactive group number assigned for compatibility determinations in 46 CFR Part 153 Tables 1 and 2 in accordance with 46 CFR 150.130. The Person-in-Charge of the barge is responsible for ensuring that the compatibility requirements of 46 CFR Part 153 are met. Cargoes must be checked for compatibility using the figures, tables and appendices of 46 CFR 150 in conjunction with the assigned reactive group number. Because of the very high reactivity of certain mixtures of cargo, compatibility problems, this product is not assigned to a specific group in the Compatibility Chart. For additional compatibility information contact Commandant (CGO/PSO) 31 US Coast Guard, 2100 Second Street, SW, Washington, DC 20593-0001. Telephone (202) 372-1425. See Appendix 1 to 46 CFR Part 150 - exceptions to the compatibility chart.
Note 1	
Note 2	
Subchapter	The subchapter in Title 46 Code of Federal Regulations under which the cargo has been classified.
Subchapter D	Those flammable and combustible liquids listed in 46 CFR Table 30.25-1.
Subchapter O	Those hazardous cargoes listed in 46 CFR Table 151.05 and 46 CFR Part 153 Table 2.
Note 3	Those cargoes listed in 46 CFR Part 153 Table 2 are non-regulated cargoes when carried in bulk on non-ocean-going barges.
Grade	The cargo classification assigned to each flammable or combustible liquid. Grades include "X" indicate a provisional assignment based upon hazardous sources which were not verified by manufacturers data. The Person in Charge shall verify the cargo grade based on Manufacturers data and ensure that the barge is authorized for carriage of that grade of cargo. Flammable liquid cargoes, as defined in 46 CFR 30.10-22. Combustible liquid cargoes, as defined in 46 CFR 30.10-15. The flammability/combustibility grade of these cargoes may vary depending upon the flashpoint and Reid vapor pressure. The Person in Charge shall verify the cargo grade based on Manufacturers data and ensure that the cargo is authorized for carriage of that grade of cargo. Those Subchapter O cargoes which are not classified as a flammable or combustible liquid. No flammability/combustibility grade has been assigned yet, as the necessary flash point/vapor pressure data for such assignments are presently not available.
A, B, C	
D, E	
Note 4	
NA	
#	
Hull Type	The required barge hull classification for carriage of the specified Subchapter O hazardous material cargo. See 46 CFR 151.10-1.
I	Designed to carry products which require the maximum preventive measures to preclude the uncontrolled release of the cargo. See 46 CFR 151.10-1(b)(1).
II	Designed to carry products which require significant preventive measures to preclude the uncontrolled release of cargo. See 46 CFR 151.10-1(b)(3).
III	Designed to carry products of sufficient hazard to require a moderate degree of control. See 46 CFR 151.10-1(b)(4).
NA	Not applicable to barges certificated under Subchapter D.

Conditions of Carriage

Tank Group	The vessel's tank group (as defined in Section 4) which is authorized for carriage of the named cargo.
Vapor Recovery	Yes: The vessel's VCS has been reviewed and approved by the MSC to control vapors of the specified cargo.
Approved (Y or N)	No: The vessel's VCS has been reviewed and is not approved by the MSC to control vapors of the specified cargo.

Conditions of Carriage

Tank Group	The vessel's tank group (as defined under the "46 CFR Tank Group Definitions" table, page 1) which is authorized for carriage of the named cargo.
Vapor Recovery	Yes: The vessel's VCS has been reviewed and approved by the MSC to control vapors of the specified cargo.
Approved (Y or N)	No: The vessel's VCS has been reviewed and is not approved by the MSC to control vapors of the specified cargo.
VCS Category	The specified cargo's operational classification for vapor control systems.
Category 1	(No additional VCS requirements above those for benzene, gasoline and diesel oil.) All requirements applying to the handling of oil and hazardous materials in Titles 33 and 46 Code of Federal Regulations (CFR) apply to these cargoes. Those specifically dealing with vapor control systems are in 33 CFR 155.750, 33 CFR 155.120, 33 CFR 156.110, 46 CFR 35.35 and 46 CFR 29. The cargo tank venting system shall meet (46 CFR 35.35(a)(1)) and the pressure drop calculations (46 CFR 35.35(b)) must use appropriate liquid evaporation, vapor density and vapor quality values.
Category 2	(Polymers) Polymerization and positive build up of these cargoes can adversely affect the vessel's loading safety compartments and restricting vapor flow which could lead to cargo tank overpressurization. The vessel's owner must develop a method of ensuring VCS safety components are functional and properly sized-up is not causing an unsafe condition due to increased pressure in the vapor control piping and cargo tanks. The method shall be acceptable to the USCG Officer in Charge at time of inspection. This is in addition to the requirements of Category 1. Please note that a material not normally considered a monomer can be a problem in defaturation process.
Category 3	(Highly toxic) VCSs for these toxic cargoes cannot use a relief valve or rupture disk as the primary means to maintain the overfill protection requirements of 46 CFR 39.2005. This requirement is in addition to the requirements of Category 1.
Category 4	(Polymers and highly toxic) Must comply with requirements of Categories 1, 2 and 3.
Category 5	(High vapor pressure) VCSs must use relief calculations for cargoes with a Reid vapor pressure greater than 14.7 psia at 115°F and take it to account for required vapor-air mixture densities and vapor growth rates as compared to Category 1 cargoes. Consult the Marine Safety Center's VCS Guidelines for further information. This requirement is in addition to the requirements of Category 1.
Category 6	(High vapor pressure and highly toxic) Must comply with requirements of Categories 1, 3 and 5.
Category 7	(High vapor pressure and polymers) Must comply with requirements of Categories 1, 2 and 5.
None	The cargo has not been evaluated for use in vapor control systems.

*** This document is only valid when attached to, and referenced by a current, valid Certificate of Inspection. ***